

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 70 至 97 年

NUMERICAL COMPARISON OF CANCER FROM PRIMARY ANATOMIC SITES, 1981 TO 2008

ICD-O-3	原發部位別 PRIMARY ANATOMIC SITES	年度 Year											
		性別 Gender	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991
C00-C80	全癌症(總計) ALL SITES	男 Male	9,273	8,625	9,882	10,236	10,922	11,328	13,623	13,041	15,635	14,136	17,208
		女 Female	6,714	6,679	7,923	7,969	8,481	8,220	9,796	9,657	11,365	10,368	13,005
		計 Total	15,987	15,304	17,805	18,205	19,403	19,548	23,419	22,698	27,000	24,504	30,213
C00-C14	唇、口腔及咽 LIP, ORAL CAVITY AND PHARYNX	男 Male	1,292	1,112	1,249	1,362	1,348	1,313	1,482	1,604	1,762	1,648	2,006
		女 Female	430	431	443	430	447	408	473	439	485	451	534
		計 Total	1,722	1,543	1,692	1,792	1,795	1,721	1,955	2,043	2,247	2,099	2,540
C00-C14 ¹	口腔、口咽及下咽 ORAL CAVITY, OROPHARYNX AND HYPOPHARYNX	男 Male	381	361	453	541	574	582	718	760	880	865	1,088
		女 Female	89	84	99	79	113	81	119	118	139	124	160
		計 Total	470	445	552	620	687	663	837	878	1,019	989	1,248
C00	唇(唇的皮膚 C44.0 除外) LIP (excludes skin of lip C44.0)	男 Male	15	6	17	20	26	21	23	26	35	29	34
		女 Female	5	4	7	3	5	5	9	6	10	6	7
		計 Total	20	10	24	23	31	26	32	32	45	35	41
C01-C02	舌 TONGUE	男 Male	89	92	123	145	162	147	213	175	217	223	303
		女 Female	25	24	33	20	38	27	34	44	42	51	52
		計 Total	114	116	156	165	200	174	247	219	259	274	355
C03	齒齦 GUM	男 Male	17	16	25	22	24	18	31	41	36	43	59
		女 Female	4	2	13	3	7	7	3	7	12	13	8
		計 Total	21	18	38	25	31	25	34	48	48	56	67
C04	口底 FLOOR OF MOUTH	男 Male	8	7	7	13	12	14	15	23	20	22	26
		女 Female	-	2	3	4	3	-	2	1	5	4	2
		計 Total	8	9	10	17	15	14	17	24	25	26	28
C05-C06	口腔之其他及未詳細說明部位 OTHER AND UNSPECIFIED PARTS OF MOUTH	男 Male	137	124	157	196	208	229	242	309	354	337	404
		女 Female	26	30	26	35	43	29	41	43	46	33	56
		計 Total	163	154	183	231	251	258	283	352	400	370	460
C09-C10	口咽 OROPHARYNX	男 Male	47	40	40	54	45	50	62	50	55	67	74
		女 Female	15	10	10	12	9	6	15	8	11	8	18
		計 Total	62	50	50	66	54	56	77	58	66	75	92
C12-C13	下咽 HYPOPHARYNX	男 Male	62	71	82	86	90	98	118	131	148	132	177
		女 Female	11	8	6	2	5	5	8	7	9	6	10
		計 Total	73	79	88	88	95	103	126	138	157	138	187
C14	咽和唇、口腔及咽之分界不明部位 PHARYNX AND ILL-DEFINED SITES IN LIP, ORAL CAVITY AND PHARYNX	男 Male	6	5	2	5	7	5	14	5	15	12	11
		女 Female	3	4	1	-	3	2	7	2	4	3	7
		計 Total	9	9	3	5	10	7	21	7	19	15	18
C07-C08	主唾液腺 MAJOR SALIVARY GLANDS	男 Male	33	43	40	40	31	28	44	47	35	45	69
		女 Female	40	30	26	30	25	32	33	25	38	34	48
		計 Total	73	73	66	70	56	60	77	72	73	79	117

註：1. 自 96 年癌症登記報告起，惡性淋巴瘤從各部位獨立出來計算發生率，並納入排名。惡性淋巴瘤：ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643。

2. 口腔、口咽及下咽：包括 ICD-O-3 C00-C06、C09-C10、C12-C14。

1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	ICD-O-3
18,824	19,615	20,415	21,460	24,628	26,707	29,734	32,308	33,798	34,632	36,667	36,555	40,793	40,942	43,153	44,967	45,171	C00-C80
14,412	14,900	15,301	16,091	18,529	20,523	22,276	24,144	25,165	25,646	26,410	26,706	29,986	30,550	32,094	33,631	34,647	
33,236	34,515	35,716	37,551	43,157	47,230	52,010	56,452	58,963	60,278	63,077	63,261	70,779	71,492	75,247	78,598	79,818	
2,292	2,372	2,556	2,679	3,036	3,342	3,692	4,110	4,321	4,416	4,694	5,194	5,675	5,602	6,119	6,457	6,623	C00-C14
588	587	590	586	638	653	699	754	745	813	739	755	856	892	909	967	930	
2,880	2,959	3,146	3,265	3,674	3,995	4,391	4,864	5,066	5,229	5,433	5,949	6,531	6,494	7,028	7,424	7,553	
1,310	1,397	1,587	1,686	2,006	2,264	2,558	2,973	3,161	3,272	3,512	3,952	4,435	4,361	4,893	5,152	5,349	C00-C14 ²
176	174	165	182	238	243	251	297	298	323	335	351	391	415	449	475	432	
1,486	1,571	1,752	1,868	2,244	2,507	2,809	3,270	3,459	3,595	3,847	4,303	4,826	4,776	5,342	5,627	5,781	
54	48	59	72	88	88	103	116	142	149	125	123	147	159	144	164	175	C00
8	5	11	20	14	16	13	14	19	12	15	28	16	24	21	23	25	
62	53	70	92	102	104	116	130	161	161	140	151	163	183	165	187	200	
363	374	436	485	524	587	707	806	825	903	894	1,117	1,210	1,218	1,277	1,443	1,394	C01-C02
69	71	59	65	99	94	84	125	123	133	137	131	171	164	184	201	175	
432	445	495	550	623	681	791	931	948	1,036	1,031	1,248	1,381	1,382	1,461	1,644	1,569	
73	64	79	92	106	141	157	166	209	221	218	241	270	285	343	336	410	C03
11	10	15	12	23	20	17	29	23	31	27	33	25	26	35	47	40	
84	74	94	104	129	161	174	195	232	252	245	274	295	311	378	383	450	
30	31	41	30	37	59	55	84	78	82	78	81	93	105	116	125	141	C04
7	4	11	4	3	14	6	9	10	5	12	3	10	14	17	6	10	
37	35	52	34	40	73	61	93	88	87	90	84	103	119	133	131	151	
481	530	600	656	793	893	949	1,179	1,242	1,194	1,352	1,501	1,658	1,618	1,792	1,800	1,935	C05-C06
55	57	50	53	72	79	87	79	82	89	95	104	93	126	130	132	115	
536	587	650	709	865	972	1,036	1,258	1,324	1,283	1,447	1,605	1,751	1,744	1,922	1,932	2,050	
96	100	127	109	134	171	189	221	237	281	283	328	394	376	470	485	517	C09-C10
15	16	8	20	16	11	25	26	25	26	27	34	45	37	41	45	51	
111	116	135	129	150	182	214	247	262	307	310	362	439	413	511	530	568	
201	237	232	221	294	302	367	375	393	408	509	510	598	559	707	774	737	C12-C13
7	7	9	7	8	7	15	12	12	19	15	14	30	22	19	19	15	
208	244	241	228	302	309	382	387	405	427	524	524	628	581	726	793	752	
12	13	13	21	30	23	31	26	35	34	53	51	64	41	44	25	40	C14
4	4	2	1	3	2	4	3	4	8	7	4	1	2	2	2	1	
16	17	15	22	33	25	35	29	39	42	60	55	65	43	46	27	41	
66	47	68	55	65	75	80	103	87	97	100	101	93	102	116	116	112	C07-C08
45	50	47	46	50	45	49	66	70	96	73	58	90	79	94	76	102	
111	97	115	101	115	120	129	169	157	193	173	159	183	181	210	192	214	

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 70 至 97 年（續）

NUMERICAL COMPARISON OF CANCER FROM PRIMARY ANATOMIC SITES, 1981 TO 2008
(CONTINUED)

ICD-O-3	原發部位別 PRIMARY ANATOMIC SITES	年度 Year	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991
		性別 Gender											
C11	鼻咽 NASOPHARYNX	男 Male	878	708	756	781	743	703	720	797	847	738	849
		女 Female	301	317	318	321	309	295	321	296	308	293	326
		計 Total	1,179	1,025	1,074	1,102	1,052	998	1,041	1,093	1,155	1,031	1,175
C15-C26, C48	消化器官及腹膜 DIGESTIVE ORGANS AND PERITONEUM	男 Male	4,250	3,896	4,595	4,723	5,034	5,356	6,451	6,112	7,388	6,502	7,973
		女 Female	1,485	1,515	1,751	1,910	1,961	2,074	2,625	2,514	2,979	2,751	3,648
		計 Total	5,735	5,411	6,346	6,633	6,995	7,430	9,076	8,626	10,367	9,253	11,621
C15	食道 ESOPHAGUS	男 Male	440	395	447	430	408	460	465	459	525	467	560
		女 Female	63	39	55	50	43	42	51	43	55	56	62
		計 Total	503	434	502	480	451	502	516	502	580	523	622
C16	胃 STOMACH	男 Male	1,383	1,240	1,443	1,375	1,512	1,446	1,756	1,546	1,761	1,546	1,789
		女 Female	476	466	541	565	582	580	701	610	734	648	865
		計 Total	1,859	1,706	1,984	1,940	2,094	2,026	2,457	2,156	2,495	2,194	2,654
C17	小腸 SMALL INTESTINE	男 Male	24	26	23	36	31	45	56	44	71	57	63
		女 Female	14	18	22	28	21	25	39	41	49	29	47
		計 Total	38	44	45	64	52	70	95	85	120	86	110
C18-C21	結腸、直腸、乙狀結腸連 結部及肛門 COLON, RECTUM, RECTOSIGMOID JUNCTION AND ANUS	男 Male	938	884	946	1,053	1,098	1,224	1,502	1,372	1,739	1,528	1,966
		女 Female	612	644	706	766	832	875	1,076	1,090	1,197	1,159	1,507
		計 Total	1,550	1,528	1,652	1,819	1,930	2,099	2,578	2,462	2,936	2,687	3,473
C18	結腸 COLON	男 Male	506	470	478	551	572	630	779	740	912	812	1,012
		女 Female	327	369	382	391	461	494	571	605	652	609	788
		計 Total	833	839	860	942	1,033	1,124	1,350	1,345	1,564	1,421	1,800
C19-C21	直腸、乙狀結腸連結部 及肛門 RECTUM, RECTOSIGMOID JUNCTION AND ANUS	男 Male	432	414	468	502	526	594	723	632	827	716	954
		女 Female	285	275	324	375	371	381	505	485	545	550	719
		計 Total	717	689	792	877	897	975	1,228	1,117	1,372	1,266	1,673
C22	肝及肝內膽管 LIVER AND INTRAHEPATIC BILE DUCTS	男 Male	1,250	1,127	1,464	1,548	1,700	1,880	2,283	2,316	2,816	2,509	3,098
		女 Female	211	222	249	314	289	362	509	462	622	607	814
		計 Total	1,461	1,349	1,713	1,862	1,989	2,242	2,792	2,778	3,438	3,116	3,912
C23-C24	膽囊及肝外膽管 GALLBLADDER AND EXTRAHEPATIC BILE DUCTS	男 Male	66	57	65	74	81	90	112	117	151	129	157
		女 Female	38	50	50	74	74	75	81	87	110	90	140
		計 Total	104	107	115	148	155	165	193	204	261	219	297
C25	胰 PANCREAS	男 Male	127	138	166	170	178	180	225	219	269	222	280
		女 Female	54	45	90	86	91	90	124	136	153	125	164
		計 Total	181	183	256	256	269	270	349	355	422	347	444
C48	後腹膜腔及腹膜 RETROPERITONEUM AND PERITONEUM	男 Male	19	17	26	27	20	23	34	31	41	34	45
		女 Female	11	26	21	18	20	18	31	34	43	22	33
		計 Total	30	43	47	45	40	41	65	65	84	56	78

註：1. 自 96 年癌症登記報告起，惡性淋巴瘤從各部位獨立出來計算發生率，並納入排名。惡性淋巴瘤：ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643。

1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	ICD-O-3
916	928	901	938	965	1,003	1,054	1,034	1,073	1,047	1,082	1,141	1,148	1,139	1,110	1,189	1,162	C11
367	363	378	358	350	365	399	391	377	394	331	346	375	398	366	416	396	
1,283	1,291	1,279	1,296	1,315	1,368	1,453	1,425	1,450	1,441	1,413	1,487	1,523	1,537	1,476	1,605	1,558	
8,568	8,863	8,969	9,654	11,042	12,056	13,576	14,471	15,127	15,607	16,576	16,213	18,126	18,082	18,887	19,591	19,452	C15-C26, C48
4,008	4,132	4,361	4,561	5,361	6,154	6,754	7,372	7,772	7,995	8,479	8,527	9,582	9,603	10,090	10,400	10,591	
12,576	12,995	13,330	14,215	16,403	18,210	20,330	21,843	22,899	23,602	25,055	24,740	27,708	27,685	28,977	29,991	30,043	
599	610	636	659	791	819	871	917	999	1,167	1,193	1,246	1,431	1,429	1,650	1,714	1,849	C15
83	63	66	65	90	76	92	92	83	91	117	110	103	98	114	141	140	
682	673	702	724	881	895	963	1,009	1,082	1,258	1,310	1,356	1,534	1,527	1,764	1,855	1,989	
1,916	1,850	1,758	1,948	2,056	2,072	2,212	2,262	2,212	2,366	2,484	2,213	2,387	2,249	2,402	2,362	2,303	C16
870	829	826	901	1,022	1,122	1,079	1,124	1,140	1,138	1,208	1,143	1,294	1,238	1,273	1,329	1,275	
2,786	2,679	2,584	2,849	3,078	3,194	3,291	3,386	3,352	3,504	3,692	3,356	3,681	3,487	3,675	3,691	3,578	
69	81	65	70	90	106	116	128	140	140	162	156	159	172	164	198	198	C17
40	53	51	55	58	74	61	87	91	96	92	127	126	90	101	123	130	
109	134	116	125	148	180	177	215	231	236	254	283	285	262	265	321	328	
2,255	2,403	2,518	2,554	3,071	3,321	3,793	4,078	4,372	4,326	4,726	4,752	5,598	5,622	5,874	6,236	6,277	C18-C21
1,671	1,818	1,897	1,929	2,276	2,527	2,891	3,051	3,299	3,321	3,498	3,615	4,208	4,232	4,524	4,625	4,727	
3,926	4,221	4,415	4,483	5,347	5,848	6,684	7,129	7,671	7,647	8,224	8,367	9,806	9,854	10,398	10,861	11,004	
1,157	1,235	1,325	1,315	1,682	1,722	2,034	2,227	2,398	2,343	2,592	2,529	3,118	3,125	3,295	3,551	3,536	C18
919	1,001	1,014	1,095	1,314	1,387	1,629	1,782	1,867	1,914	1,966	2,093	2,446	2,577	2,682	2,779	2,920	
2,076	2,236	2,339	2,410	2,996	3,109	3,663	4,009	4,265	4,257	4,558	4,622	5,564	5,702	5,977	6,330	6,456	
1,098	1,168	1,193	1,239	1,389	1,599	1,759	1,851	1,974	1,982	2,134	2,223	2,480	2,497	2,579	2,685	2,741	C19-C21
752	817	883	834	962	1,140	1,262	1,269	1,432	1,407	1,532	1,522	1,762	1,655	1,842	1,846	1,807	
1,850	1,985	2,076	2,073	2,351	2,739	3,021	3,120	3,406	3,389	3,666	3,745	4,242	4,152	4,421	4,531	4,548	
3,175	3,289	3,427	3,797	4,332	4,959	5,704	6,131	6,368	6,568	6,922	6,730	7,367	7,497	7,477	7,680	7,401	C22
961	944	1,080	1,189	1,382	1,752	1,980	2,285	2,386	2,563	2,667	2,685	2,922	2,934	3,074	3,149	3,164	
4,136	4,233	4,507	4,986	5,714	6,711	7,684	8,416	8,754	9,131	9,589	9,415	10,289	10,431	10,551	10,829	10,565	
145	230	193	211	216	236	289	313	327	326	365	357	431	373	396	456	444	C23-C24
149	192	179	185	200	242	244	282	292	305	354	293	339	370	370	374	418	
294	422	372	396	416	478	533	595	619	631	719	650	770	743	766	830	862	
346	343	313	361	414	459	518	557	636	641	643	690	676	670	839	841	880	C25
179	179	198	184	276	300	330	370	379	390	462	479	502	541	558	578	638	
525	522	511	545	690	759	848	927	1,015	1,031	1,105	1,169	1,178	1,211	1,397	1,419	1,518	
46	39	45	39	58	68	63	75	58	59	72	56	65	59	74	84	76	C48
39	37	42	39	51	52	65	60	78	66	72	63	73	83	64	58	66	
85	76	87	78	109	120	128	135	136	125	144	119	138	142	138	142	142	

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 70 至 97 年（續）

NUMERICAL COMPARISON OF CANCER FROM PRIMARY ANATOMIC SITES, 1981 TO 2008
(CONTINUED)

ICD-O-3	原發部位別 PRIMARY ANATOMIC SITES	年度 Year 性別 Gender	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991
			C26	消化器官之其他部位及與腹膜間分界不明部位 OTHER AND ILL-DEFINED SITES WITHIN DIGESTIVE ORGANS AND PERITONEUM	男 Male	3	12	15	10	6	8	18	8
		女 Female	6	5	16	9	9	7	13	11	16	15	16
		計 Total	9	17	31	19	15	15	31	19	31	25	31
C30-C39	呼吸系統及胸腔內器官 RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS	男 Male	1,695	1,574	1,775	1,851	1,985	2,090	2,459	2,344	2,750	2,472	2,996
		女 Female	523	473	603	575	656	699	860	793	1,016	922	1,160
		計 Total	2,218	2,047	2,378	2,426	2,641	2,789	3,319	3,137	3,766	3,394	4,156
C30-C31	鼻腔、副竇、中耳及內耳 NASAL CAVITIES, ACCESSORY SINUSES, MIDDLE EAR AND INNER EAR	男 Male	74	63	73	72	69	45	75	91	72	75	74
		女 Female	46	34	41	24	38	30	46	34	38	36	54
		計 Total	120	97	114	96	107	75	121	125	110	111	128
C32	喉 LARYNX	男 Male	188	216	196	185	211	235	294	255	250	224	279
		女 Female	19	14	11	11	14	13	24	11	22	10	22
		計 Total	207	230	207	196	225	248	318	266	272	234	301
C33-C34	肺、支氣管及氣管 TRACHEA, BRONCHUS AND LUNG	男 Male	1,408	1,270	1,481	1,558	1,661	1,750	2,039	1,930	2,370	2,101	2,571
		女 Female	447	408	524	527	581	631	758	722	921	844	1,055
		計 Total	1,855	1,678	2,005	2,085	2,242	2,381	2,797	2,652	3,291	2,945	3,626
C38.4	胸膜 PLEURA	男 Male	4	7	6	2	1	12	11	19	18	14	6
		女 Female	2	2	6	2	6	8	9	7	11	5	4
		計 Total	6	9	12	4	7	20	20	26	29	19	10
C37-C38.3, C38.8	胸腺、心臟及縱膈 THYMUS, HEART AND MEDIASTINUM	男 Male	21	18	19	34	43	48	39	49	39	58	66
		女 Female	9	15	21	10	17	17	23	19	24	27	24
		計 Total	30	33	40	44	60	65	62	68	63	85	90
C39	呼吸系統及胸腔器官之其他分界不明之部位 OTHER AND ILL-DEFINED SITES WITHIN RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS	男 Male	-	-	-	-	-	-	1	-	1	-	-
		女 Female	-	-	-	1	-	-	-	-	-	-	1
		計 Total	-	-	-	1	-	-	1	-	1	-	1
C42	造血系統及網狀內皮系統（白血病除外） HEMATOPOIETIC AND RETICULOENDOTHELIAL SYSTEMS (excludes LEUKEMIA)	男 Male	80	87	83	68	79	91	116	167	138	121	170
		女 Female	48	61	64	53	55	66	81	75	84	77	95
		計 Total	128	148	147	121	134	157	197	242	222	198	265
C42 ³	白血病 LEUKEMIA	男 Male	292	299	304	302	298	289	341	281	335	331	365
		女 Female	227	180	172	204	186	223	248	198	265	217	251
		計 Total	519	479	476	506	484	512	589	479	600	548	616
C40-C41	骨、關節及關節軟骨 BONES, JOINTS AND ARTICULAR CARTILAGE	男 Male	54	49	45	63	42	57	65	91	107	63	85
		女 Female	29	33	36	34	44	37	54	61	74	47	74
		計 Total	83	82	81	97	86	94	119	152	181	110	159
C47, C49	結締組織、軟組織及其他皮下組織 CONNECTIVE, SUBCUTANEOUS AND OTHER SOFT TISSUES	男 Male	59	60	72	78	85	76	91	84	108	95	112
		女 Female	42	45	29	39	49	47	48	76	70	60	70
		計 Total	101	105	101	117	134	123	139	160	178	155	182

註：1. 自 96 年癌症登記報告起，惡性淋巴瘤從各部位獨立出來計算發生率，並納入排名。惡性淋巴瘤：ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643。

3. 白血病：ICD-O-3 M-98003 - M-99643、M-99803 - M-99893。

1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	ICD-O-3
17	18	14	15	14	16	10	10	15	15	9	13	12	11	11	20	24	C26
16	16	22	14	6	9	11	21	24	25	9	12	15	17	12	23	33	
33	34	36	29	20	25	21	31	39	40	18	25	27	28	23	43	57	
3,292	3,340	3,536	3,644	4,244	4,470	4,848	5,254	5,631	5,545	5,661	5,690	6,479	6,569	6,756	7,080	7,027	C30-C39
1,236	1,259	1,336	1,379	1,665	1,769	2,006	2,223	2,292	2,413	2,606	2,572	2,865	3,034	3,294	3,513	3,523	
4,528	4,599	4,872	5,023	5,909	6,239	6,854	7,477	7,923	7,958	8,267	8,262	9,344	9,603	10,050	10,593	10,550	
100	73	86	85	80	101	74	100	135	99	101	92	109	116	132	110	132	C30-C31
55	51	39	26	41	40	47	49	62	51	56	51	53	34	58	45	53	
155	124	125	111	121	141	121	149	197	150	157	143	162	150	190	155	185	
317	284	347	362	369	395	397	431	485	506	511	465	528	530	542	545	544	C32
19	15	18	19	30	29	16	23	24	23	26	27	32	21	36	25	31	
336	299	365	381	399	424	413	454	509	529	537	492	560	551	578	570	575	
2,792	2,887	3,026	3,105	3,674	3,856	4,280	4,593	4,867	4,803	4,926	4,990	5,696	5,771	5,909	6,225	6,194	C33-C34
1,100	1,138	1,229	1,283	1,527	1,643	1,865	2,086	2,129	2,265	2,439	2,404	2,686	2,873	3,087	3,337	3,322	
3,892	4,025	4,255	4,388	5,201	5,499	6,145	6,679	6,996	7,068	7,365	7,394	8,382	8,644	8,996	9,562	9,516	
13	10	6	14	13	15	16	16	21	14	20	23	20	21	37	46	32	C38.4
14	5	3	4	7	5	5	4	7	8	9	6	4	11	17	10	7	
27	15	9	18	20	20	21	20	28	22	29	29	24	32	54	56	39	
68	84	71	78	108	103	81	114	123	123	103	120	126	131	135	154	125	C37-C38.3,
48	50	46	47	60	52	73	61	70	66	76	84	90	95	95	96	110	C38.8
116	134	117	125	168	155	154	175	193	189	179	204	216	226	230	250	235	
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	C39
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139	160	149	152	173	159	194	204	225	247	203	220	219	216	242	230	247	C42³
82	91	90	72	95	117	104	119	132	130	126	141	155	159	157	179	169	
221	251	239	224	268	276	298	323	357	377	329	361	374	375	399	409	416	
363	421	433	478	473	494	509	557	611	604	833	863	877	932	919	993	940	C42
285	287	321	339	352	363	391	392	445	430	565	556	602	647	637	655	705	
648	708	754	817	825	857	900	949	1,056	1,034	1,398	1,419	1,479	1,579	1,556	1,648	1,645	
91	86	87	86	93	90	97	88	82	96	88	72	85	116	78	85	90	C40-C41
74	71	46	63	67	62	66	57	76	71	75	49	68	75	74	77	74	
165	157	133	149	160	152	163	145	158	167	163	121	153	191	152	162	164	
99	112	128	151	156	147	183	189	206	244	242	198	232	226	247	262	253	C47, C49
89	107	98	85	132	139	141	160	165	140	163	189	193	179	168	162	176	
188	219	226	236	288	286	324	349	371	384	405	387	425	405	415	424	429	

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 70 至 97 年（續）

NUMERICAL COMPARISON OF CANCER FROM PRIMARY ANATOMIC SITES, 1981 TO 2008
(CONTINUED)

ICD-O-3	原發部位別 PRIMARY ANATOMIC SITES	年度 Year	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991
		性別 Gender											
C44	皮膚 SKIN	男 Male	167	192	283	251	289	257	278	288	368	330	394
		女 Female	114	93	197	165	212	139	202	214	280	268	303
		計 Total	281	285	480	416	501	396	480	502	648	598	697
C44 ⁴	皮膚，惡性黑色素瘤 SKIN, MALIGNANT MELANOMA	男 Male	8	17	35	26	32	28	27	22	34	37	40
		女 Female	15	7	14	14	20	13	25	16	24	25	32
		計 Total	23	24	49	40	52	41	52	38	58	62	72
C44	皮膚，非惡性黑色素瘤 SKIN (excludes MALIGNANT MELANOMA)	男 Male	159	175	248	225	257	229	251	266	334	293	354
		女 Female	99	86	183	151	192	126	177	198	256	243	271
		計 Total	258	261	431	376	449	355	428	464	590	536	625
C50	女性乳房 FEMALE BREAST	女 Female	899	914	1,080	1,071	1,175	1,144	1,314	1,425	1,706	1,618	1,987
C50	男性乳房 MALE BREAST	男 Male	2	6	15	15	18	8	10	5	7	10	14
C51-C58	女性生殖器官 FEMALE GENITAL ORGANS	女 Female	2,101	2,170	2,720	2,675	2,730	2,402	2,616	2,628	2,901	2,550	3,083
C55	子宮，未明示部位 UTERUS, NOS	女 Female	25	27	35	30	30	25	40	53	55	35	43
C53	子宮頸 CERVIX UTERI	女 Female	1,771	1,802	2,282	2,262	2,284	1,922	2,074	2,076	2,176	1,927	2,282
C54	子宮體 CORPUS UTERI	女 Female	89	94	121	124	162	155	142	163	213	180	260
C56, C57.0-C57.4	卵巢、輸卵管及寬韌帶 OVARY, FALLOPIAN TUBE AND BROAD LIGAMENT	女 Female	156	176	202	179	192	247	311	267	379	335	418
C51-C52, C57.7-C57.9	陰道、外陰部及其他未詳 細說明之女性生殖器官 VAGINA, VULVA, OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	女 Female	60	71	80	80	62	53	49	69	78	73	80
C60-C63	男性生殖器官 MALE GENITAL ORGANS	男 Male	197	219	299	305	344	333	457	453	592	574	709

註：1. 自 96 年癌症登記報告起，惡性淋巴瘤從各部位獨立出來計算發生率，並納入排名。惡性淋巴瘤：ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643。

4. 皮膚，惡性黑色素瘤：ICD-O-3 C44， M-87203 - M-87903。

1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	ICD-O-3
459	452	533	482	646	716	808	908	892	983	1,125	957	1,214	1,137	1,303	1,350	1,380	C44
369	377	422	452	540	626	742	726	761	868	918	805	1,001	1,073	1,121	1,148	1,205	
828	829	955	934	1,186	1,342	1,550	1,634	1,653	1,851	2,043	1,762	2,215	2,210	2,424	2,498	2,585	
51	50	49	37	72	60	77	91	79	85	101	72	98	92	103	110	102	C44 ⁴
46	41	38	43	53	64	70	76	79	75	77	70	91	82	81	91	86	
97	91	87	80	125	124	147	167	158	160	178	142	189	174	184	201	188	
408	402	484	445	574	656	731	817	813	898	1,024	885	1,116	1,045	1,200	1,240	1,278	C44
323	336	384	409	487	562	672	650	682	793	841	735	910	991	1,040	1,057	1,119	
731	738	868	854	1,061	1,218	1,403	1,467	1,495	1,691	1,865	1,620	2,026	2,036	2,240	2,297	2,397	
2,265	2,398	2,517	2,848	3,123	3,643	3,813	4,546	4,687	4,890	5,065	5,357	6,294	6,680	6,984	7,702	8,136	C50
18	18	22	18	12	23	24	28	25	27	40	31	48	49	47	38	35	C50
3,348	3,369	3,281	3,447	3,993	4,104	4,340	4,395	4,473	4,184	3,897	3,911	4,289	4,102	4,189	4,224	4,430	C51-C58
33	23	35	17	5	7	11	11	12	6	5	2	8	6	8	16	6	C55
2,487	2,472	2,364	2,463	2,943	2,872	2,980	2,965	2,915	2,554	2,185	2,085	2,349	2,003	1,857	1,794	1,725	C53
308	323	325	341	398	497	549	554	626	716	786	815	916	1,022	1,178	1,183	1,424	C54
410	462	480	514	548	634	677	733	791	789	814	859	886	929	1,025	1,072	1,110	C56, C57.0-C57.4
110	89	77	112	99	94	123	132	129	119	107	150	130	142	121	159	165	C51-C52 C57.7-C57.9
795	937	954	1,152	1,365	1,663	1,929	2,182	2,322	2,381	2,631	2,530	3,044	3,040	3,409	3,678	3,878	C60-C63

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 70 至 97 年（續）

NUMERICAL COMPARISON OF CANCER FROM PRIMARY ANATOMIC SITES, 1981 TO 2008
(CONTINUED)

ICD-O-3	原發部位別 PRIMARY ANATOMIC SITES	年度 Year	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991
		性別 Gender											
C61	攝護腺 PROSTATE GLAND	男 Male	139	142	204	216	271	261	353	363	486	480	597
C62	睪丸 TESTIS	男 Male	28	40	51	36	40	38	50	44	55	34	59
C60,C63	陰莖及其他男性生殖器 官 PENIS AND OTHER MALE GENITAL ORGANS	男 Male	30	37	44	53	33	34	54	46	51	60	53
C64-C68	泌尿器官 URINARY TRACT	男 Male	443	471	533	530	649	621	782	708	899	871	1,026
		女 Female	188	189	232	216	263	242	310	345	421	410	460
		計 Total	631	660	765	746	912	863	1,092	1,053	1,320	1,281	1,486
C67	膀胱 BLADDER	男 Male	308	334	393	383	425	412	503	478	592	570	667
		女 Female	99	110	139	112	159	137	179	170	206	193	237
		計 Total	407	444	532	495	584	549	682	648	798	763	904
C64-C66, C68	腎及其他泌尿器官 KIDNEY AND OTHER URINARY TRACT	男 Male	135	137	140	147	224	209	279	230	307	301	359
		女 Female	89	79	93	104	104	105	131	175	215	217	223
		計 Total	224	216	233	251	328	314	410	405	522	518	582
C64	腎 KIDNEY	男 Male	65	71	71	68	120	108	132	133	143	160	184
		女 Female	39	36	39	47	45	55	62	80	93	96	86
		計 Total	104	107	110	115	165	163	194	213	236	256	270
C65-C66, C68	腎盂及其他泌尿器官 (膀胱、腎除外) RENAL PELVIS AND OTHER URINARY TRACT (excludes bladder and kidney)	男 Male	70	66	69	79	104	101	147	97	164	141	175
		女 Female	50	43	54	57	59	50	69	95	122	121	137
		計 Total	120	109	123	136	163	151	216	192	286	262	312
C69	眼及淚腺 EYE AND LACRIMAL GLAND	男 Male	30	17	23	18	19	21	23	23	22	22	31
		女 Female	31	28	25	13	15	14	18	17	19	25	27
		計 Total	61	45	48	31	34	35	41	40	41	47	58
C70-C72	中樞神經系統 BRAIN AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM	男 Male	171	170	184	170	171	205	228	207	253	259	312
		女 Female	116	109	121	113	119	142	179	175	184	170	210
		計 Total	287	279	305	283	290	347	407	382	437	429	522
C71	腦 BRAIN	男 Male	162	158	169	158	159	185	204	198	233	239	284
		女 Female	106	102	108	104	105	131	167	151	166	155	190
		計 Total	268	260	277	262	264	316	371	349	399	394	474
C70, C72	其他神經系統及未詳細 說明部位 OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM	男 Male	9	12	15	12	12	20	24	9	20	20	28
		女 Female	10	7	13	9	14	11	12	24	18	15	20
		計 Total	19	19	28	21	26	31	36	33	38	35	48

註：1. 自 96 年癌症登記報告起，惡性淋巴瘤從各部位獨立出來計算發生率，並納入排名。惡性淋巴瘤：ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643。

1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	ICD-O-3
670	803	820	1,014	1,242	1,538	1,777	2,014	2,139	2,196	2,413	2,314	2,833	2,815	3,162	3,450	3,603	C61
66	70	79	84	59	64	81	95	106	102	120	111	122	133	155	144	178	C62
59	64	55	54	64	61	71	73	77	83	98	105	89	92	92	84	97	C60,C63
1,162	1,196	1,352	1,320	1,527	1,714	1,838	2,095	2,004	2,180	2,135	2,207	2,369	2,434	2,506	2,602	2,626	C64-C68
540	614	668	645	750	953	992	1,120	1,211	1,224	1,209	1,332	1,363	1,406	1,530	1,520	1,560	
1,702	1,810	2,020	1,965	2,277	2,667	2,830	3,215	3,215	3,404	3,344	3,539	3,732	3,840	4,036	4,122	4,186	
752	753	836	808	950	1,067	1,156	1,296	1,249	1,294	1,285	1,312	1,438	1,401	1,441	1,489	1,476	C67
264	289	309	291	349	434	413	477	493	524	508	534	543	547	595	608	564	
1,016	1,042	1,145	1,099	1,299	1,501	1,569	1,773	1,742	1,818	1,793	1,846	1,981	1,948	2,036	2,097	2,040	
410	443	516	512	577	647	682	799	755	886	850	895	931	1,033	1,065	1,113	1,150	C64-C66
276	325	359	354	401	519	579	643	718	700	701	798	820	859	935	912	996	C68
686	768	875	866	978	1,166	1,261	1,442	1,473	1,586	1,551	1,693	1,751	1,892	2,000	2,025	2,146	
215	207	266	266	294	321	330	380	382	415	404	408	436	511	493	534	607	C64
112	118	134	151	165	199	214	206	218	202	212	230	258	264	280	284	280	
327	325	400	417	459	520	544	586	600	617	616	638	694	775	773	818	887	
195	236	250	246	283	326	352	419	373	471	446	487	495	522	572	579	543	C65-C66
164	207	225	203	236	320	365	437	500	498	489	568	562	595	655	628	716	C68
359	443	475	449	519	646	717	856	873	969	935	1,055	1,057	1,117	1,227	1,207	1,259	
27	24	26	25	25	24	25	30	39	34	35	20	30	29	29	29	36	C69
27	24	22	31	19	21	21	26	29	33	14	19	16	18	22	24	15	
54	48	48	56	44	45	46	56	68	67	49	39	46	47	51	53	51	
291	327	342	288	325	352	330	402	393	390	385	362	376	370	396	378	387	C70-C72
213	202	221	200	229	228	277	268	303	297	262	247	290	301	319	286	288	
504	529	563	488	554	580	607	670	696	687	647	609	666	671	715	664	675	
266	289	314	273	310	325	294	371	363	353	337	330	350	334	358	339	350	C71
193	178	202	174	204	204	251	245	266	271	227	214	256	252	288	247	245	
459	467	516	447	514	529	545	616	629	624	564	544	606	586	646	586	595	
25	38	28	15	15	27	36	31	30	37	48	32	26	36	38	38	37	C70, C72
20	24	19	26	25	24	26	23	37	26	35	33	34	49	31	39	43	
45	62	47	41	40	51	62	54	67	63	83	65	60	85	69	77	80	

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 70 至 97 年（續完）
 NUMERICAL COMPARISON OF CANCER FROM PRIMARY ANATOMIC SITES, 1981 TO 2008
 (CONTINUED)

ICD-O-3	原發部位別 PRIMARY ANATOMIC SITES	年度 Year	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991
		性別 Gender											
C73	甲狀腺 THYROID GLAND	男 Male	61	83	63	82	78	78	95	80	89	114	136
		女 Female	161	170	202	227	281	243	314	289	354	343	476
		計 Total	222	253	265	309	359	321	409	369	443	457	612
C74-C75	其他內分泌腺 OTHER ENDOCRINE GLANDS	男 Male	12	11	10	17	24	19	23	24	19	16	32
		女 Female	9	8	7	7	5	10	20	19	13	17	29
		計 Total	21	19	17	24	29	29	43	43	32	33	61
C76	其他分界不明的部位 OTHER AND ILL-DEFINED SITES	男 Male	68	43	38	30	31	36	92	50	57	53	59
		女 Female	44	42	29	15	32	29	60	65	75	34	65
		計 Total	112	85	67	45	63	65	152	115	132	87	124
C80	不明原發部位 UNKNOWN PRIMARY SITES	男 Male	115	68	39	40	90	103	169	143	301	252	283
		女 Female	85	43	43	51	62	86	131	117	195	176	247
		計 Total	200	111	82	91	152	189	300	260	496	428	530
	惡性淋巴瘤 MALIGNANT LYMPHOMA (ICD-O-3 M-95903 - M-97293、 M-97503 - M-97583、M-97643)	男 Male	252	258	256	321	321	353	426	313	386	351	439
		女 Female	169	166	160	159	180	202	227	167	208	208	245
		計 Total	421	424	416	480	501	555	653	480	594	559	684

註：1. 自 96 年癌症登記報告起，惡性淋巴瘤從各部位獨立出來計算發生率，並納入排名。惡性淋巴瘤：ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643。

5. 本表之數值與歷年出版之年報略有差異，此因癌登資料庫隨時保持最新狀態，若有任何異動或以往尚未入檔之個案，癌登小組會隨時加以更新。

1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	ICD-O-3
197	201	185	182	202	196	238	224	291	274	372	312	356	381	423	435	440	C73
597	667	595	631	707	778	902	1,008	980	1,012	1,099	1,013	1,200	1,174	1,272	1,439	1,561	
794	868	780	813	909	974	1,140	1,232	1,271	1,286	1,471	1,325	1,556	1,555	1,695	1,874	2,001	
34	24	32	35	30	43	35	38	51	34	47	29	40	35	26	30	30	C74-C75
25	17	22	22	28	32	28	31	30	27	27	34	26	22	30	31	29	
59	41	54	57	58	75	63	69	81	61	74	63	66	57	56	61	59	
67	53	43	28	4	6	2	6	9	3	2	3	4	2	6	11	4	C76
55	44	30	32	9	7	3	5	7	4	5	1	6	6	3	6	8	
122	97	73	60	13	13	5	11	16	7	7	4	10	8	9	17	12	
361	398	469	461	511	525	638	680	714	614	634	627	584	605	599	522	510	C80
252	286	309	313	370	372	432	436	472	445	427	463	397	405	447	394	370	
613	684	778	774	881	897	1,070	1,116	1,186	1,059	1,061	1,090	981	1,010	1,046	916	880	
542	602	580	612	745	665	752	814	838	938	961	1,027	1,032	1,115	1,161	1,197	1,212	
341	352	359	375	435	486	550	492	570	657	726	733	779	767	841	900	876	
883	954	939	987	1,180	1,151	1,302	1,306	1,408	1,595	1,687	1,760	1,811	1,882	2,002	2,097	2,088	

表十之二 台灣白血病及惡性淋巴瘤申報發生人數按性別及報告年分類，民國 70 至 97 年
 NUMERICAL COMPARISON OF LEUKEMIA AND LYMPHOMA, 1981 TO 2008

白血病及惡性淋巴瘤 HEMATOPOIETIC AND LYMPHOID TUMORS	年度 Year	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991
	性別 Gender											
白血病 LEUKEMIA (ICD-O-3 M-98003 - M-99643、M-99803 - M-99893)	男 Male	292	299	304	302	298	289	341	281	335	331	365
	女 Female	227	180	172	204	186	223	248	198	265	217	251
	計 Total	519	479	476	506	484	512	589	479	600	548	616
急性淋巴芽細胞白血病 ACUTE LYMPHOBLASTIC LEUKEMIA (ICD-O-3 M-98353 - M-98373)	男 Male	108	98	109	118	114	94	93	60	105	74	84
	女 Female	83	62	69	79	76	93	66	42	60	56	77
	計 Total	191	160	178	197	190	187	159	102	165	130	161
慢性淋巴球白血病 CHRONIC LYMPHOCYTIC LEUKEMIA (ICD-O-3 M-98233)	男 Male	10	10	10	12	8	15	12	12	13	14	19
	女 Female	5	3	-	5	5	4	5	3	4	2	2
	計 Total	15	13	10	17	13	19	17	15	17	16	21
急性骨髓樣白血病 ACUTE MYELOID LEUKEMIA (ICD-O-3 M-98403、M-98613、M-98663、M-98673、 M-98713 - M-98743、M-98953 - M-98973、M-99203)	男 Male	78	111	98	89	102	90	114	103	111	109	119
	女 Female	78	66	56	73	58	55	88	87	104	91	90
	計 Total	156	177	154	162	160	145	202	190	215	200	209
慢性骨髓樣白血病 CHRONIC MYELOID LEUKEMIA (ICD-O-3 M-98633、M-98753、M-98763、M-99453、 M-99463、M-99633)	男 Male	41	36	48	45	35	33	63	43	37	47	62
	女 Female	18	21	21	18	19	28	30	24	34	27	38
	計 Total	59	57	69	63	54	61	93	67	71	74	100
其他類型白血病 ⁶ LEUKEMIA excludes Acute lymphoblastic leukemia, Chronic lymphocytic leukemia, acute myeloid leukemia and Chronic myeloid leukemia	男 Male	55	44	39	38	39	57	59	63	69	87	81
	女 Female	43	28	26	29	28	43	59	42	63	41	44
	計 Total	98	72	65	67	67	100	118	105	132	128	125
惡性淋巴瘤 MALIGNANT LYMPHOMA (ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、 M-97643)	男 Male	252	258	256	321	321	353	426	313	386	351	439
	女 Female	169	166	160	159	180	202	227	167	208	208	245
	計 Total	421	424	416	480	501	555	653	480	594	559	684
何杰金氏淋巴瘤 HODGKIN LYMPHOMA (ICD-O-3 M-96503 - M-96673)	男 Male	28	37	33	35	33	31	54	20	24	25	33
	女 Female	19	14	11	11	12	15	25	13	18	17	22
	計 Total	47	51	44	46	45	46	79	33	42	42	55
非何杰金氏淋巴瘤 NON-HODGKIN LYMPHOMA (ICD-O-3 M-95903 - M-95963、M-96703 - M-97293、 M-97503 - M-97583、M-97643)	男 Male	212	207	215	273	279	313	362	284	352	319	400
	女 Female	139	143	138	143	157	180	198	145	178	187	221
	計 Total	351	350	353	416	436	493	560	429	532	506	621

註：1. 自 96 年癌症登記報告起，惡性淋巴瘤從各部位獨立出來計算發生率，並納入排名。惡性淋巴瘤：ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643。

5. 本表之數值與歷年出版之年報略有差異，此因癌症資料庫隨時保持最新狀態，若有任何異動或以往尚未入檔之個案，癌症小組會隨時加以更新。

6. 其他類型白血病⁶：除急性淋巴芽細胞白血病、慢性淋巴球白血病、急性骨髓樣白血病、慢性骨髓樣白血病外之所有白血病代碼。

1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
363	421	433	478	473	494	509	557	611	604	833	863	877	932	919	993	940
285	287	321	339	352	363	391	392	445	430	565	556	602	647	637	655	705
648	708	754	817	825	857	900	949	1,056	1,034	1,398	1,419	1,479	1,579	1,556	1,648	1,645
98	123	115	129	115	111	128	146	127	138	140	130	131	136	124	125	132
90	86	110	87	80	96	108	101	120	99	108	94	97	110	99	100	91
188	209	225	216	195	207	236	247	247	237	248	224	228	246	223	225	223
16	27	26	41	39	41	37	40	36	53	55	57	64	64	61	72	74
16	11	12	12	16	9	16	21	24	20	27	28	40	37	36	28	41
32	38	38	53	55	50	53	61	60	73	82	85	104	101	97	100	115
120	129	155	178	202	195	182	204	250	212	293	286	324	328	340	381	341
91	94	103	134	141	150	143	146	182	174	202	205	225	247	235	256	299
211	223	258	312	343	345	325	350	432	386	495	491	549	575	575	637	640
55	70	60	54	56	74	87	71	87	93	122	128	108	117	129	118	113
25	37	38	39	46	46	50	49	54	54	63	72	77	58	86	72	82
80	107	98	93	102	120	137	120	141	147	185	200	185	175	215	190	195
74	72	77	76	61	73	75	96	111	108	223	262	250	287	265	297	280
63	59	58	67	69	62	74	75	65	83	165	157	163	195	181	199	192
137	131	135	143	130	135	149	171	176	191	388	419	413	482	446	496	472
542	602	580	612	745	665	752	814	838	938	961	1,027	1,032	1,115	1,161	1,197	1,212
341	352	359	375	435	486	550	492	570	657	726	733	779	767	841	900	876
883	954	939	987	1,180	1,151	1,302	1,306	1,408	1,595	1,687	1,760	1,811	1,882	2,002	2,097	2,088
30	30	35	37	28	43	48	47	47	60	80	75	84	70	89	84	85
23	20	16	13	20	24	35	30	31	34	48	53	46	47	52	63	62
53	50	51	50	48	67	83	77	78	94	128	128	130	117	141	147	147
505	570	538	568	713	618	700	761	785	865	881	952	948	1,045	1,072	1,113	1,127
314	329	340	358	412	455	509	459	538	621	678	680	733	720	789	837	814
819	899	878	926	1,125	1,073	1,209	1,220	1,323	1,486	1,559	1,632	1,681	1,765	1,861	1,950	1,941