

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 71 至 98 年

NUMERICAL COMPARISON OF CANCER FROM PRIMARY ANATOMIC SITES, 1982 TO 2009

ICD-O-3	原發部位別 PRIMARY ANATOMIC SITES	年度 Year	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
		性別 Gender											
C00-C80	全癌症(總計) ALL SITES	男 Male	8,625	9,881	10,234	10,920	11,325	13,622	13,042	15,632	14,134	17,206	18,819
		女 Female	6,679	7,923	7,968	8,480	8,220	9,796	9,656	11,362	10,366	13,004	14,409
		計 Total	15,304	17,804	18,202	19,400	19,545	23,418	22,698	26,994	24,500	30,210	33,228
C00-C14	唇、口腔及咽 LIP, ORAL CAVITY AND PHARYNX	男 Male	1,112	1,249	1,362	1,348	1,313	1,482	1,604	1,762	1,648	2,005	2,292
		女 Female	431	443	430	447	408	473	440	485	451	534	588
		計 Total	1,543	1,692	1,792	1,795	1,721	1,955	2,044	2,247	2,099	2,539	2,880
C00-C14 ²	口腔、口咽及下咽 ORAL CAVITY, OROPHARYNX AND HYPOPHARYNX	男 Male	361	453	541	574	582	718	760	880	865	1,087	1,310
		女 Female	84	99	79	113	81	119	118	139	124	160	176
		計 Total	445	552	620	687	663	837	878	1,019	989	1,247	1,486
C00	唇(唇的皮膚 C44.0 除外) LIP (excludes skin of lip C44.0)	男 Male	6	17	20	26	21	23	26	35	29	34	54
		女 Female	4	7	3	5	5	9	6	10	6	7	8
		計 Total	10	24	23	31	26	32	32	45	35	41	62
C01-C02	舌 TONGUE	男 Male	92	123	145	162	147	213	175	217	223	303	363
		女 Female	24	33	20	38	27	34	44	42	51	52	69
		計 Total	116	156	165	200	174	247	219	259	274	355	432
C03	齒齦 GUM	男 Male	16	25	22	24	18	31	41	36	43	59	73
		女 Female	2	13	3	7	7	3	7	12	13	8	11
		計 Total	18	38	25	31	25	34	48	48	56	67	84
C04	口底 FLOOR OF MOUTH	男 Male	7	7	13	12	14	15	23	20	22	26	30
		女 Female	2	3	4	3	-	2	1	5	4	2	7
		計 Total	9	10	17	15	14	17	24	25	26	28	37
C05-C06	口腔之其他及未詳 細說明部位 OTHER AND UNSPECIFIED PARTS OF MOUTH	男 Male	124	157	196	208	229	242	309	354	337	403	481
		女 Female	30	26	35	43	29	41	43	46	33	56	55
		計 Total	154	183	231	251	258	283	352	400	370	459	536
C09-C10	口咽 OROPHARYNX	男 Male	40	40	54	45	50	62	50	55	67	74	96
		女 Female	10	10	12	9	6	15	8	11	8	18	15
		計 Total	50	50	66	54	56	77	58	66	75	92	111
C12-C13	下咽 HYPOPHARYNX	男 Male	71	82	86	90	98	118	131	148	132	177	201
		女 Female	8	6	2	5	5	8	7	9	6	10	7
		計 Total	79	88	88	95	103	126	138	157	138	187	208
C14	咽和唇、口腔及咽之 分界不明部位 PHARYNX AND ILL-DEFINED SITES IN LIP, ORAL CAVITY AND PHARYNX	男 Male	5	2	5	7	5	14	5	15	12	11	12
		女 Female	4	1	-	3	2	7	2	4	3	7	4
		計 Total	9	3	5	10	7	21	7	19	15	18	16
C07-C08	主唾液腺 MAJOR SALIVARY GLANDS	男 Male	43	40	40	31	28	44	47	35	45	69	66
		女 Female	30	26	30	25	32	33	25	38	34	48	45
		計 Total	73	66	70	56	60	77	72	73	79	117	111

註：1. 自 96 年癌症登記報告起，惡性淋巴瘤從各部位獨立出來計算發生率，並納入排名。惡性淋巴瘤：ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643。
2. 口腔、口咽及下咽：包括 ICD-O-3 C00-C06、C09-C10、C12-C14。

1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	ICD-O-3
19,614	20,409	21,451	24,620	26,691	29,717	32,284	33,778	34,602	36,665	36,565	40,826	40,965	43,216	45,175	45,993	49,022	C00-C80
14,896	15,295	16,086	18,521	20,502	22,267	24,116	25,148	25,626	26,411	26,714	30,033	30,582	32,137	33,777	35,217	38,167	
34,510	35,705	37,537	43,141	47,193	51,984	56,400	58,926	60,228	63,076	63,279	70,859	71,547	75,353	78,952	81,211	87,189	
2,371	2,554	2,677	3,034	3,340	3,690	4,105	4,320	4,407	4,694	5,198	5,686	5,605	6,133	6,498	6,750	7,241	C00-C14
586	590	587	638	653	699	752	745	812	738	755	856	894	909	971	936	1,015	
2,957	3,144	3,264	3,672	3,993	4,389	4,857	5,065	5,219	5,432	5,953	6,542	6,499	7,042	7,469	7,686	8,256	
1,397	1,587	1,685	2,004	2,263	2,556	2,969	3,161	3,266	3,512	3,956	4,446	4,365	4,907	5,193	5,475	5,927	C00-C14 ²
174	165	182	238	243	251	295	298	322	334	351	392	417	449	479	438	553	
1,571	1,752	1,867	2,242	2,506	2,807	3,264	3,459	3,588	3,846	4,307	4,838	4,782	5,356	5,672	5,913	6,480	
48	59	72	88	88	102	115	142	148	125	123	147	158	143	164	172	185	C00
5	11	20	14	16	13	14	19	12	14	28	16	24	21	23	25	27	
53	70	92	102	104	115	129	161	160	139	151	163	182	164	187	197	212	
374	435	484	523	587	707	806	825	902	894	1,119	1,212	1,218	1,279	1,448	1,434	1,614	C01-C02
71	59	65	99	94	84	123	123	133	137	131	172	165	184	202	176	236	
445	494	549	622	681	791	929	948	1,035	1,031	1,250	1,384	1,383	1,463	1,650	1,610	1,850	
64	79	92	106	141	157	166	209	220	218	241	270	284	345	337	413	358	C03
10	15	12	23	20	17	29	23	31	27	33	25	26	35	48	41	45	
74	94	104	129	161	174	195	232	251	245	274	295	310	380	385	454	403	
31	41	30	37	59	55	84	78	82	78	81	94	106	114	126	147	126	C04
4	11	4	3	14	6	9	10	5	12	3	10	14	17	6	10	15	
35	52	34	40	73	61	93	88	87	90	84	104	120	131	132	157	141	
530	600	656	793	893	948	1,176	1,242	1,192	1,352	1,501	1,663	1,619	1,802	1,819	1,972	2,143	C05-C06
57	50	53	72	79	87	79	82	88	95	104	93	126	130	134	118	153	
587	650	709	865	972	1,035	1,255	1,324	1,280	1,447	1,605	1,756	1,745	1,932	1,953	2,090	2,296	
100	127	109	133	171	189	221	237	280	283	330	396	378	471	492	538	609	C09-C10
16	8	20	16	11	25	26	25	26	27	34	45	37	41	45	50	49	
116	135	129	149	182	214	247	262	306	310	364	441	415	512	537	588	658	
237	232	221	294	301	367	375	393	408	509	510	599	560	708	780	754	851	C12-C13
7	9	7	8	7	15	12	12	19	15	14	30	23	19	19	16	23	
244	241	228	302	308	382	387	405	427	524	524	629	583	727	799	770	874	
13	13	21	30	23	31	26	35	34	53	51	64	42	45	27	45	41	C14
4	2	1	3	2	4	3	4	8	7	4	1	2	2	2	2	5	
17	15	22	33	25	35	29	39	42	60	55	65	44	47	29	47	46	
46	68	55	65	75	80	102	87	97	100	101	93	102	116	116	112	152	C07-C08
50	47	46	50	45	49	66	70	96	73	58	90	79	94	76	102	120	
96	115	101	115	120	129	168	157	193	173	159	183	181	210	192	214	272	

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 71 至 98 年（續）

NUMERICAL COMPARISON OF CANCER FROM PRIMARY ANATOMIC SITES, 1982 TO 2009
(CONTINUED)

ICD-O-3	原發部位別 PRIMARY ANATOMIC SITES	年度 Year	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
		性別 Gender											
C11	鼻咽 NASOPHARYNX	男 Male	708	756	781	743	703	720	797	847	738	849	916
		女 Female	317	318	321	309	295	321	297	308	293	326	367
		計 Total	1,025	1,074	1,102	1,052	998	1,041	1,094	1,155	1,031	1,175	1,283
C15-C26, C48	消化器官及腹膜 DIGESTIVE ORGANS AND PERITONEUM	男 Male	3,896	4,594	4,723	5,031	5,357	6,451	6,111	7,386	6,499	7,973	8,564
		女 Female	1,517	1,751	1,910	1,961	2,074	2,627	2,514	2,978	2,753	3,649	4,007
		計 Total	5,413	6,345	6,633	6,992	7,431	9,078	8,625	10,364	9,252	11,622	12,571
C15	食道 ESOPHAGUS	男 Male	395	447	430	408	460	465	459	525	466	560	599
		女 Female	39	55	50	43	42	51	43	55	56	62	83
		計 Total	434	502	480	451	502	516	502	580	522	622	682
C16	胃 STOMACH	男 Male	1,240	1,444	1,375	1,513	1,446	1,757	1,546	1,761	1,546	1,789	1,915
		女 Female	466	541	565	582	580	701	610	734	648	865	870
		計 Total	1,706	1,985	1,940	2,095	2,026	2,458	2,156	2,495	2,194	2,654	2,785
C17	小腸 SMALL INTESTINE	男 Male	26	23	36	31	45	56	44	71	57	63	69
		女 Female	18	22	28	21	25	39	41	49	29	47	40
		計 Total	44	45	64	52	70	95	85	120	86	110	109
C18-C21	結腸、直腸、乙狀結腸連 結部及肛門 COLON, RECTUM, RECTOSIGMOID JUNCTION AND ANUS	男 Male	884	946	1,053	1,097	1,224	1,502	1,372	1,739	1,528	1,966	2,253
		女 Female	644	706	766	832	875	1,076	1,089	1,196	1,159	1,507	1,670
		計 Total	1,528	1,652	1,819	1,929	2,099	2,578	2,461	2,935	2,687	3,473	3,923
C18	結腸 COLON	男 Male	470	478	551	571	630	779	740	912	812	1,012	1,157
		女 Female	369	382	391	461	494	571	604	652	609	788	918
		計 Total	839	860	942	1,032	1,124	1,350	1,344	1,564	1,421	1,800	2,075
C19-C21	直腸、乙狀結腸連結部 及肛門 RECTUM, RECTOSIGMOID JUNCTION AND ANUS	男 Male	414	468	502	526	594	723	632	827	716	954	1,096
		女 Female	275	324	375	371	381	505	485	544	550	719	752
		計 Total	689	792	877	897	975	1,228	1,117	1,371	1,266	1,673	1,848
C22	肝及肝內膽管 LIVER AND INTRAHEPATIC BILE DUCTS	男 Male	1,127	1,462	1,548	1,697	1,880	2,282	2,315	2,814	2,507	3,098	3,174
		女 Female	224	249	314	289	362	510	463	622	608	815	961
		計 Total	1,351	1,711	1,862	1,986	2,242	2,792	2,778	3,436	3,115	3,913	4,135
C23-C24	膽囊及肝外膽管 GALLBLADDER AND EXTRAHEPATIC BILE DUCTS	男 Male	57	65	74	81	90	112	117	151	129	157	145
		女 Female	50	50	74	74	75	81	87	110	90	140	149
		計 Total	107	115	148	155	165	193	204	261	219	297	294
C25	胰 PANCREAS	男 Male	138	166	170	178	181	225	219	269	222	280	346
		女 Female	45	90	86	91	90	124	136	153	125	164	179
		計 Total	183	256	256	269	271	349	355	422	347	444	525
C48	後腹膜腔及腹膜 RETROPERITONEUM AND PERITONEUM	男 Male	17	26	27	20	23	34	31	39	34	45	46
		女 Female	23	20	17	19	18	30	34	42	20	31	37
		計 Total	40	46	44	39	41	64	65	81	54	76	83

註：1. 自 96 年癌症登記報告起，惡性淋巴瘤從各部位獨立出來計算發生率，並納入排名。惡性淋巴瘤：ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643。

1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	ICD-O-3
927	900	937	965	1,002	1,054	1,034	1,072	1,044	1,082	1,141	1,148	1,138	1,110	1,189	1,163	1,162	C11
362	378	359	350	365	399	391	377	394	331	346	374	398	366	416	396	342	
1,289	1,278	1,296	1,315	1,367	1,453	1,425	1,449	1,438	1,413	1,487	1,522	1,536	1,476	1,605	1,559	1,504	
8,862	8,970	9,649	11,040	12,052	13,570	14,463	15,122	15,598	16,576	16,216	18,147	18,097	18,925	19,722	19,914	20,946	C15-C26, C48
4,130	4,360	4,558	5,361	6,150	6,751	7,368	7,768	7,988	8,481	8,527	9,598	9,620	10,113	10,473	10,880	11,600	
12,992	13,331	14,207	16,401	18,202	20,321	21,831	22,890	23,586	25,057	24,743	27,745	27,717	29,038	30,195	30,794	32,546	
610	636	659	791	819	870	917	999	1,167	1,193	1,246	1,431	1,429	1,650	1,714	1,889	1,898	C15
63	66	65	90	76	92	92	83	91	117	110	103	98	114	141	141	150	
673	702	724	881	895	962	1,009	1,082	1,258	1,310	1,356	1,534	1,527	1,764	1,855	2,030	2,048	
1,851	1,757	1,948	2,056	2,072	2,212	2,262	2,212	2,365	2,484	2,213	2,387	2,249	2,401	2,362	2,337	2,404	C16
829	826	901	1,022	1,122	1,079	1,124	1,140	1,137	1,208	1,143	1,294	1,238	1,273	1,329	1,299	1,444	
2,680	2,583	2,849	3,078	3,194	3,291	3,386	3,352	3,502	3,692	3,356	3,681	3,487	3,674	3,691	3,636	3,848	
81	65	69	89	105	116	127	138	140	162	156	159	172	164	198	198	200	C17
53	51	55	58	74	60	87	91	96	92	127	126	90	101	123	130	127	
134	116	124	147	179	176	214	229	236	254	283	285	262	265	321	328	327	
2,403	2,517	2,554	3,070	3,321	3,790	4,077	4,372	4,322	4,726	4,755	5,613	5,629	5,891	6,286	6,396	7,151	C18-C21
1,817	1,896	1,928	2,276	2,524	2,889	3,050	3,297	3,320	3,498	3,614	4,220	4,241	4,539	4,660	4,849	5,337	
4,220	4,413	4,482	5,346	5,845	6,679	7,127	7,669	7,642	8,224	8,369	9,833	9,870	10,430	10,946	11,245	12,488	
1,235	1,325	1,315	1,681	1,722	2,032	2,227	2,398	2,341	2,593	2,531	3,126	3,130	3,305	3,581	3,603	4,214	C18
1,001	1,014	1,095	1,314	1,384	1,627	1,781	1,865	1,913	1,966	2,093	2,457	2,581	2,693	2,800	2,991	3,373	
2,236	2,339	2,410	2,995	3,106	3,659	4,008	4,263	4,254	4,559	4,624	5,583	5,711	5,998	6,381	6,594	7,587	
1,168	1,192	1,239	1,389	1,599	1,758	1,850	1,974	1,980	2,133	2,224	2,487	2,499	2,586	2,705	2,793	2,937	C19-C21
816	882	833	962	1,140	1,262	1,269	1,432	1,407	1,532	1,521	1,763	1,660	1,846	1,860	1,858	1,964	
1,984	2,074	2,072	2,351	2,739	3,020	3,119	3,406	3,387	3,665	3,745	4,250	4,159	4,432	4,565	4,651	4,901	
3,287	3,429	3,790	4,332	4,958	5,701	6,129	6,365	6,564	6,922	6,730	7,373	7,505	7,499	7,761	7,670	7,747	C22
944	1,080	1,187	1,382	1,752	1,980	2,285	2,386	2,558	2,669	2,686	2,926	2,941	3,083	3,187	3,306	3,333	
4,231	4,510	4,977	5,714	6,710	7,681	8,414	8,751	9,122	9,591	9,416	10,299	10,446	10,582	10,948	10,976	11,080	
230	193	211	216	236	289	312	326	326	365	357	431	373	396	456	444	493	C23-C24
192	179	185	200	242	244	282	292	304	354	293	339	370	370	374	418	437	
422	372	396	416	478	533	594	618	630	719	650	770	743	766	830	862	930	
343	313	361	414	459	518	557	636	641	643	690	676	670	839	841	880	962	C25
179	198	184	276	300	330	370	379	390	462	479	502	542	558	578	638	686	
522	511	545	690	759	848	927	1,015	1,031	1,105	1,169	1,178	1,212	1,397	1,419	1,518	1,648	
38	46	40	58	66	64	73	59	59	72	56	65	59	74	84	76	73	C48
36	42	37	51	51	65	59	77	67	72	63	73	83	63	58	66	62	
74	88	77	109	117	129	132	136	126	144	119	138	142	137	142	142	135	

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 71 至 98 年（續）

NUMERICAL COMPARISON OF CANCER FROM PRIMARY ANATOMIC SITES, 1982 TO 2009
(CONTINUED)

ICD-O-3	原發部位別 PRIMARY ANATOMIC SITES	年度 Year	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
		性別 Gender											
C26	消化器官之其他部位及 與腹膜間分界不明部位 OTHER AND ILL-DEFINED SITES WITHIN DIGESTIVE ORGANS AND PERITONEUM	男 Male	12	15	10	6	8	18	8	15	10	15	17
		女 Female	5	16	9	9	7	13	11	16	15	16	16
		計 Total	17	31	19	15	15	31	19	31	25	31	33
C30-C39	呼吸系統及胸腔內器官 RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS	男 Male	1,574	1,775	1,852	1,985	2,088	2,458	2,344	2,750	2,472	2,996	3,292
		女 Female	473	603	575	657	699	860	793	1,016	922	1,160	1,236
		計 Total	2,047	2,378	2,427	2,642	2,787	3,318	3,137	3,766	3,394	4,156	4,528
C30-C31	鼻腔、副竇、中耳及內耳 NASAL CAVITIES, ACCESSORY SINUSES, MIDDLE EAR AND INNER EAR	男 Male	63	73	72	69	45	74	91	72	75	74	100
		女 Female	34	41	24	38	30	46	34	38	36	54	55
		計 Total	97	114	96	107	75	120	125	110	111	128	155
C32	喉 LARYNX	男 Male	216	196	185	211	234	294	255	250	224	279	317
		女 Female	14	11	11	14	13	24	11	22	10	22	19
		計 Total	230	207	196	225	247	318	266	272	234	301	336
C33-C34	肺、支氣管及氣管 TRACHEA, BRONCHUS AND LUNG	男 Male	1,270	1,481	1,558	1,661	1,752	2,039	1,930	2,370	2,100	2,572	2,792
		女 Female	408	523	527	583	632	759	722	921	844	1,054	1,099
		計 Total	1,678	2,004	2,085	2,244	2,384	2,798	2,652	3,291	2,944	3,626	3,891
C38.4	胸膜 PLEURA	男 Male	7	6	3	1	10	11	19	18	14	5	12
		女 Female	2	6	2	5	7	8	7	11	5	4	14
		計 Total	9	12	5	6	17	19	26	29	19	9	26
C37-C38.3, C38.8	胸腺、心臟及縱膈 THYMUS, HEART AND MEDIASTINUM	男 Male	18	19	34	43	47	39	49	39	59	66	69
		女 Female	15	22	10	17	17	23	19	24	27	25	49
		計 Total	33	41	44	60	64	62	68	63	86	91	118
C39	呼吸系統及胸腔器官之 其他分界不明之部位 OTHER AND ILL-DEFINED SITES WITHIN RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS	男 Male	-	-	-	-	-	1	-	1	-	-	2
		女 Female	-	-	1	-	-	-	-	-	-	1	-
		計 Total	-	-	1	-	-	1	-	1	-	1	2
C42	造血系統及網狀內皮系 統（白血病除外） HEMATOPOIETIC AND RETICULOENDOTHELIAL SYSTEMS (excludes LEUKEMIA)	男 Male	88	83	68	82	91	114	165	138	123	169	143
		女 Female	60	63	54	55	66	82	75	87	77	96	84
		計 Total	148	146	122	137	157	196	240	225	200	265	227
C42 ³	白血病 LEUKEMIA	男 Male	298	304	302	297	289	341	283	335	328	365	360
		女 Female	180	172	203	186	223	247	198	262	217	250	283
		計 Total	478	476	505	483	512	588	481	597	545	615	643
C40-C41	骨、關節及關節軟骨 BONES, JOINTS AND ARTICULAR CARTILAGE	男 Male	48	43	64	44	56	66	91	106	64	85	90
		女 Female	32	35	33	44	36	53	59	71	47	72	75
		計 Total	80	78	97	88	92	119	150	177	111	157	165
C47, C49	結締組織、軟組織及其他 皮下組織 CONNECTIVE, SUBCUTANEOUS AND OTHER SOFT TISSUES	男 Male	60	73	76	83	75	91	82	107	93	111	99
		女 Female	46	30	39	48	47	48	77	69	59	69	88
		計 Total	106	103	115	131	122	139	159	176	152	180	187

註：1. 自 96 年癌症登記報告起，惡性淋巴瘤從各部位獨立出來計算發生率，並納入排名。惡性淋巴瘤：ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643。
3. 白血病：ICD-O-3 M-98003 - M-99643、M-99803 - M-99893。

1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	ICD-O-3
18	14	15	14	16	10	9	15	15	9	13	12	11	11	20	24	18	C26
17	22	15	6	9	11	19	22	25	9	12	15	17	12	23	33	24	
35	36	30	20	25	21	28	37	40	18	25	27	28	23	43	57	42	
3,340	3,535	3,642	4,244	4,470	4,848	5,254	5,629	5,542	5,660	5,693	6,481	6,574	6,767	7,117	7,184	7,667	C30-C39
1,259	1,338	1,379	1,663	1,768	2,006	2,223	2,291	2,411	2,606	2,572	2,868	3,040	3,304	3,538	3,619	4,162	
4,599	4,873	5,021	5,907	6,238	6,854	7,477	7,920	7,953	8,266	8,265	9,349	9,614	10,071	10,655	10,803	11,829	
73	86	85	80	101	74	100	134	99	101	92	109	116	132	110	132	127	C30-C31
51	39	26	41	40	47	49	62	50	56	51	53	34	58	44	54	79	
124	125	111	121	141	121	149	196	149	157	143	162	150	190	154	186	206	
284	346	361	369	395	397	431	485	506	511	465	528	530	542	545	544	581	C32
15	18	19	30	29	16	23	24	23	26	27	32	21	36	25	31	32	
299	364	380	399	424	413	454	509	529	537	492	560	551	578	570	575	613	
2,887	3,026	3,104	3,674	3,856	4,280	4,593	4,867	4,800	4,927	4,993	5,699	5,777	5,920	6,263	6,351	6,737	C33-C34
1,137	1,229	1,283	1,525	1,642	1,865	2,086	2,128	2,264	2,439	2,404	2,689	2,879	3,098	3,363	3,416	3,906	
4,024	4,255	4,387	5,199	5,498	6,145	6,679	6,995	7,064	7,366	7,397	8,388	8,656	9,018	9,626	9,767	10,643	
10	6	14	13	15	16	16	21	14	18	23	19	20	37	45	32	30	C38.4
6	5	4	7	5	5	4	7	8	9	6	4	11	16	10	7	14	
16	11	18	20	20	21	20	28	22	27	29	23	31	53	55	39	44	
84	71	78	108	103	81	114	122	123	103	120	126	131	135	154	125	192	C37-C38.3,
50	46	47	60	52	73	61	70	66	76	84	90	95	95	96	110	131	C38.8
134	117	125	168	155	154	175	192	189	179	204	216	226	230	250	235	323	
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	C39
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
161	152	155	173	161	196	206	225	249	203	220	219	216	242	230	247	288	C42
92	92	73	95	118	105	119	133	130	126	141	155	158	157	179	169	188	
253	244	228	268	279	301	325	358	379	329	361	374	374	399	409	416	476	
420	431	475	473	493	506	556	611	603	833	863	877	932	919	993	940	1,093	C42³
287	319	339	352	362	390	394	444	430	566	556	602	647	637	655	705	759	
707	750	814	825	855	896	950	1,055	1,033	1,399	1,419	1,479	1,579	1,556	1,648	1,645	1,852	
83	87	86	93	89	96	88	82	96	88	72	85	116	78	85	90	97	C40-C41
70	46	63	66	62	66	56	76	70	75	49	68	74	74	77	74	86	
153	133	149	159	151	162	144	158	166	163	121	153	190	152	162	164	183	
112	128	150	156	146	183	189	207	244	242	197	231	226	246	262	253	307	C47, C49
107	96	85	132	137	141	159	166	140	163	189	193	179	168	162	176	208	
219	224	235	288	283	324	348	373	384	405	386	424	405	414	424	429	515	

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 71 至 98 年（續）

NUMERICAL COMPARISON OF CANCER FROM PRIMARY ANATOMIC SITES, 1982 TO 2009
(CONTINUED)

ICD-O-3	原發部位別 PRIMARY ANATOMIC SITES	年度 Year	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
		性別 Gender											
C44	皮膚 SKIN	男 Male	192	283	250	290	257	287	288	368	332	400	466
		女 Female	95	196	165	212	139	205	216	282	269	305	375
		計 Total	287	479	415	502	396	492	504	650	601	705	841
C44 ⁴	皮膚，惡性黑色素瘤 SKIN, MALIGNANT MELANOMA	男 Male	17	35	26	32	28	29	23	34	38	42	54
		女 Female	9	14	14	20	13	27	17	24	25	33	47
		計 Total	26	49	40	52	41	56	40	58	63	75	101
C44	皮膚，非惡性黑色素瘤 SKIN (excludes MALIGNANT MELANOMA)	男 Male	175	248	224	258	229	258	265	334	294	358	412
		女 Female	86	182	151	192	126	178	199	258	244	272	328
		計 Total	261	430	375	450	355	436	464	592	538	630	740
C50	女性乳房 FEMALE BREAST	女 Female	914	1,080	1,071	1,175	1,144	1,314	1,425	1,706	1,616	1,988	2,266
C50	男性乳房 MALE BREAST	男 Male	6	15	15	18	8	10	5	7	10	14	18
C51-C58	女性生殖器官 FEMALE GENITAL ORGANS	女 Female	2,168	2,720	2,675	2,728	2,402	2,614	2,627	2,897	2,547	3,080	3,345
C55	子宮，非特定部位 UTERUS, NOS	女 Female	27	35	30	30	25	40	53	55	35	43	33
C53	子宮頸 CERVIX UTERI	女 Female	1,800	2,282	2,262	2,281	1,921	2,072	2,075	2,173	1,924	2,279	2,484
C54	子宮體 CORPUS UTERI	女 Female	94	121	124	163	157	143	163	215	181	262	311
C56, C57.0-C57.4	卵巢、輸卵管及寬韌帶 OVARY, FALLOPIAN TUBE AND BROAD LIGAMENT	女 Female	176	202	179	192	246	310	267	378	334	416	407
C51-C52, C57.7-C57.9	陰道、外陰部及其他未詳 細說明之女性生殖器官 VAGINA, VULVA, OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	女 Female	71	80	80	62	53	49	69	76	73	80	110
C60-C63	男性生殖器官 MALE GENITAL ORGANS	男 Male	219	299	305	344	332	457	453	590	574	709	795

註：1. 自 96 年癌症登記報告起，惡性淋巴瘤從各部位獨立出來計算發生率，並納入排名。惡性淋巴瘤：ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643。

4. 皮膚，惡性黑色素瘤：ICD-O-3 C44，M-87203 - M-87903。

1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	ICD-O-3
456	535	483	646	715	808	905	892	982	1,125	958	1,214	1,137	1,303	1,350	1,380	1,589	C44
379	423	451	540	625	742	724	760	867	918	805	1,001	1,073	1,121	1,148	1,204	1,339	
835	958	934	1,186	1,340	1,550	1,629	1,652	1,849	2,043	1,763	2,215	2,210	2,424	2,498	2,584	2,928	
54	51	38	72	60	77	91	79	85	101	72	98	92	103	110	102	136	C44 ⁴
43	39	43	53	64	70	76	79	75	77	70	91	82	81	91	86	122	
97	90	81	125	124	147	167	158	160	178	142	189	174	184	201	188	258	
402	484	445	574	655	731	814	813	897	1,024	886	1,116	1,045	1,200	1,240	1,278	1,453	C44
336	385	408	487	561	672	648	681	792	841	735	910	991	1,040	1,057	1,119	1,217	
738	869	853	1,061	1,216	1,403	1,462	1,494	1,689	1,865	1,621	2,026	2,036	2,240	2,297	2,397	2,670	
2,397	2,517	2,847	3,122	3,641	3,811	4,540	4,681	4,888	5,070	5,366	6,319	6,693	6,999	7,738	8,275	8,926	C50
19	24	18	12	23	24	29	25	27	40	31	48	49	47	38	36	48	C50
3,369	3,278	3,447	3,991	4,100	4,337	4,394	4,472	4,179	3,899	3,915	4,295	4,107	4,192	4,237	4,467	4,566	C51-C58
23	35	17	5	7	11	11	12	6	5	2	8	6	8	16	6	14	C55
2,471	2,360	2,461	2,942	2,871	2,976	2,965	2,915	2,551	2,187	2,091	2,355	2,009	1,861	1,807	1,761	1,796	C53
325	327	344	399	495	550	553	627	714	786	813	917	1,022	1,179	1,184	1,425	1,496	C54
462	480	514	546	633	677	733	791	789	814	859	886	929	1,025	1,072	1,110	1,113	C56, C57.0-C57.4
88	76	111	99	94	123	132	127	119	107	150	129	141	119	158	165	147	C51-C52 C57.7-C57.9
937	954	1,150	1,365	1,661	1,925	2,179	2,315	2,376	2,631	2,530	3,044	3,040	3,409	3,678	3,932	4,272	C60-C63

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 71 至 98 年（續）

NUMERICAL COMPARISON OF CANCER FROM PRIMARY ANATOMIC SITES, 1982 TO 2009
(CONTINUED)

ICD-O-3	原發部位別 PRIMARY ANATOMIC SITES	年度 Year	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
		性別 Gender											
C61	攝護腺 PROSTATE GLAND	男 Male	142	204	216	271	260	353	363	484	480	597	670
C62	睪丸 TESTIS	男 Male	40	51	36	40	38	50	44	55	34	59	66
C60,C63	陰莖及其他男性生殖器官 PENIS AND OTHER MALE GENITAL ORGANS	男 Male	37	44	53	33	34	54	46	51	60	53	59
C64-C68	泌尿器官 URINARY TRACT	男 Male	471	533	529	650	621	782	710	903	873	1,027	1,161
		女 Female	189	233	216	264	242	311	346	424	411	461	541
		計 Total	660	766	745	914	863	1,093	1,056	1,327	1,284	1,488	1,702
C67	膀胱 BLADDER	男 Male	334	393	382	425	412	503	478	592	570	666	750
		女 Female	110	139	112	159	137	179	170	206	193	237	264
		計 Total	444	532	494	584	549	682	648	798	763	903	1,014
C64-C66, C68	腎及其他泌尿器官 KIDNEY AND OTHER URINARY TRACT	男 Male	137	140	147	225	209	279	232	311	303	361	411
		女 Female	79	94	104	105	105	132	176	218	218	224	277
		計 Total	216	234	251	330	314	411	408	529	521	585	688
C64	腎 KIDNEY	男 Male	71	71	68	120	108	132	134	145	160	186	216
		女 Female	36	40	47	45	55	63	81	93	97	86	112
		計 Total	107	111	115	165	163	195	215	238	257	272	328
C65-C66, C68	腎盂及其他泌尿器官 (膀胱、腎除外) RENAL PELVIS AND OTHER URINARY TRACT (excludes bladder and kidney)	男 Male	66	69	79	105	101	147	98	166	143	175	195
		女 Female	43	54	57	60	50	69	95	125	121	138	165
		計 Total	109	123	136	165	151	216	193	291	264	313	360
C69	眼及淚腺 EYE AND LACRIMAL GLAND	男 Male	17	23	18	19	21	23	23	22	22	31	27
		女 Female	28	25	13	15	14	18	17	19	25	27	27
		計 Total	45	48	31	34	35	41	40	41	47	58	54
C70-C72	中樞神經系統 BRAIN AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM	男 Male	171	185	172	171	209	229	207	254	261	313	292
		女 Female	109	121	113	119	143	180	176	187	170	211	213
		計 Total	280	306	285	290	352	409	383	441	431	524	505
C71	腦 BRAIN	男 Male	157	168	156	158	187	203	172	231	237	280	265
		女 Female	101	108	103	105	130	166	135	166	155	185	191
		計 Total	258	276	259	263	317	369	307	397	392	465	456
C70, C72	其他神經系統及未詳細說明部位 OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM	男 Male	12	16	14	10	19	22	9	17	20	25	22
		女 Female	7	11	9	14	12	13	24	18	13	19	20
		計 Total	19	27	23	24	31	35	33	35	33	44	42

註：1. 自 96 年癌症登記報告起，惡性淋巴瘤從各部位獨立出來計算發生率，並納入排名。惡性淋巴瘤：ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643。

1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	ICD-O-3
803	820	1,012	1,242	1,536	1,773	2,011	2,132	2,191	2,413	2,314	2,833	2,815	3,162	3,450	3,657	4,013	C61
70	79	84	59	64	81	95	106	102	120	111	122	133	155	144	178	168	C62
64	55	54	64	61	71	73	77	83	98	105	89	92	92	84	97	91	C60,C63
1,198	1,351	1,322	1,526	1,708	1,836	2,093	2,002	2,178	2,136	2,207	2,369	2,434	2,506	2,602	2,649	2,691	C64-C68
615	668	646	750	952	992	1,119	1,210	1,224	1,209	1,332	1,363	1,406	1,530	1,520	1,569	1,668	
1,813	2,019	1,968	2,276	2,660	2,828	3,212	3,212	3,402	3,345	3,539	3,732	3,840	4,036	4,122	4,218	4,359	
753	835	808	950	1,065	1,156	1,297	1,249	1,293	1,285	1,312	1,438	1,401	1,441	1,489	1,499	1,419	C67
289	309	291	349	434	413	477	492	524	508	534	543	547	595	608	573	584	
1,042	1,144	1,099	1,299	1,499	1,569	1,774	1,741	1,817	1,793	1,846	1,981	1,948	2,036	2,097	2,072	2,003	
444	516	514	576	643	680	796	753	885	851	895	931	1,033	1,065	1,113	1,150	1,272	C64-C66
326	359	355	401	518	579	642	718	700	701	798	820	859	935	912	996	1,084	C68
770	875	869	977	1,161	1,259	1,438	1,471	1,585	1,552	1,693	1,751	1,892	2,000	2,025	2,146	2,356	
208	266	266	294	319	330	378	380	414	404	408	436	511	493	534	607	604	C64
119	135	151	165	198	214	205	218	202	212	230	258	264	280	284	280	333	
327	401	417	459	517	544	583	598	616	616	638	694	775	773	818	887	937	
236	250	248	282	324	350	418	373	471	447	487	495	522	572	579	543	668	C65-C66
207	224	204	236	320	365	437	500	498	489	568	562	595	655	628	716	751	C68
443	474	452	518	644	715	855	873	969	936	1,055	1,057	1,117	1,227	1,207	1,259	1,419	
24	26	25	24	24	25	30	39	34	35	20	30	30	29	29	36	25	C69
24	22	30	19	21	21	25	29	33	14	19	16	18	22	24	15	24	
48	48	55	43	45	46	55	68	67	49	39	46	48	51	53	51	49	
327	341	289	325	352	330	401	393	390	385	362	376	370	396	378	387	391	C70-C72
203	225	200	229	228	276	266	303	297	260	246	290	297	318	287	288	276	
530	566	489	554	580	606	667	696	687	645	608	666	667	714	665	675	667	
289	311	274	307	322	294	371	363	353	337	330	350	334	358	339	350	351	C71
177	203	174	201	204	248	244	266	271	227	214	256	252	287	248	245	226	
466	514	448	508	526	542	615	629	624	564	544	606	586	645	587	595	577	
35	28	15	15	27	36	30	30	37	48	32	26	36	38	38	37	40	C70, C72
22	22	25	25	24	26	22	37	26	33	32	34	45	31	39	43	50	
57	50	40	40	51	62	52	67	63	81	64	60	81	69	77	80	90	

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 71 至 98 年（續）

NUMERICAL COMPARISON OF CANCER FROM PRIMARY ANATOMIC SITES, 1982 TO 2009
(CONTINUED)

ICD-O-3	原發部位別 PRIMARY ANATOMIC SITES	年度 Year	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
		性別 Gender											
C73	甲狀腺 THYROID GLAND	男 Male	84	64	84	79	77	96	105	92	115	139	198
		女 Female	171	202	227	281	244	315	305	355	343	481	599
		計 Total	255	266	311	360	321	411	410	447	458	620	797
C74-C75	其他內分泌腺 OTHER ENDOCRINE GLANDS	男 Male	10	9	15	24	15	22	24	18	13	31	32
		女 Female	8	8	7	5	9	19	18	11	17	28	25
		計 Total	18	17	22	29	24	41	42	29	30	59	57
C76	其他分界不明的部位 OTHER AND ILL-DEFINED SITES	男 Male	43	38	30	30	36	84	49	54	51	51	60
		女 Female	40	29	15	32	29	56	62	72	32	63	47
		計 Total	83	67	45	62	65	140	111	126	83	114	107
C80	不明原發部位 UNKNOWN PRIMARY SITES	男 Male	70	41	41	90	110	174	147	308	262	292	370
		女 Female	47	46	53	64	88	135	121	202	187	254	256
		計 Total	117	87	94	154	198	309	268	510	449	546	626
	惡性淋巴瘤 MALIGNANT LYMPHOMA (ICD-O-3 M-95903 - M-97293、 M-97503 - M-97583、M-97643)	男 Male	258	256	321	321	353	426	314	386	351	439	542
		女 Female	166	160	159	180	202	227	167	208	208	245	341
		計 Total	424	416	480	501	555	653	481	594	559	684	883

註：1. 自 96 年癌症登記報告起，惡性淋巴瘤從各部位獨立出來計算發生率，並納入排名。惡性淋巴瘤：ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643。

5. 本表之數值與歷年出版之年報略有差異，此因癌症資料庫隨時保持最新狀態，若有任何異動或以往尚未入檔之個案，癌症小組會隨時加以更新。

1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	ICD-O-3
202	187	182	205	199	238	224	291	273	370	312	356	379	423	435	440	568	C73
668	594	630	708	775	904	1,005	979	1,012	1,098	1,011	1,199	1,174	1,272	1,439	1,561	1,846	
870	781	812	913	974	1,142	1,229	1,270	1,285	1,468	1,323	1,555	1,553	1,695	1,874	2,001	2,414	
24	31	34	30	43	35	37	51	34	47	29	40	35	26	30	30	31	C74-C75
16	18	22	28	32	28	30	30	27	27	34	26	22	30	31	29	27	
40	49	56	58	75	63	67	81	61	74	63	66	57	56	61	59	58	
48	40	27	4	6	2	6	9	3	2	3	4	2	6	11	4	2	C76
41	27	32	9	7	3	5	7	4	5	1	6	6	3	6	8	8	
89	67	59	13	13	5	11	16	7	7	4	10	8	9	17	12	10	
406	468	463	511	525	637	678	710	614	634	627	584	605	598	521	502	470	C80
290	311	315	370	369	431	433	470	443	426	463	396	405	446	392	361	422	
696	779	778	881	894	1,068	1,111	1,180	1,057	1,060	1,090	980	1,010	1,044	913	863	892	
602	580	613	743	665	751	813	838	937	961	1,027	1,032	1,116	1,162	1,197	1,219	1,295	
352	359	375	435	486	551	491	570	658	725	733	779	767	842	900	881	1,045	
954	939	988	1,178	1,151	1,302	1,304	1,408	1,595	1,686	1,760	1,811	1,883	2,004	2,097	2,100	2,340	

表十之二 台灣白血病及惡性淋巴瘤申報發生人數按性別及報告年分類，民國 71 至 98 年

NUMERICAL COMPARISON OF LEUKEMIA AND LYMPHOMA, 1982 TO 2009

白血病及惡性淋巴瘤 HEMATOPOIETIC AND LYMPHOID TUMORS	年度 Year	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
	性別 Gender											
白血病 LEUKEMIA (ICD-O-3 M-98003 - M-99643、M-99803 - M-99893)	男 Male	298	304	302	297	289	341	283	335	328	365	360
	女 Female	180	172	203	186	223	247	198	262	217	250	283
	計 Total	478	476	505	483	512	588	481	597	545	615	643
急性淋巴芽細胞白血病 ACUTE LYMPHOBLASTIC LEUKEMIA (ICD-O-3 M-98353 - M-98373)	男 Male	98	109	118	114	94	93	60	105	74	84	98
	女 Female	62	69	79	76	93	66	42	60	56	77	90
	計 Total	160	178	197	190	187	159	102	165	130	161	188
慢性淋巴球白血病 CHRONIC LYMPHOCYTIC LEUKEMIA (ICD-O-3 M-98233)	男 Male	10	10	12	8	15	12	12	13	14	19	16
	女 Female	3	-	5	5	4	5	3	4	2	2	16
	計 Total	13	10	17	13	19	17	15	17	16	21	32
急性骨髓樣白血病 ACUTE MYELOID LEUKEMIA (ICD-O-3 M-98403 - M-98613、M-98663、M-98673、 M-98713 - M-98743、M-98953 - M-98973、M-99203)	男 Male	123	114	103	116	110	126	116	144	137	134	139
	女 Female	82	63	85	67	68	108	93	127	110	107	117
	計 Total	205	177	188	183	178	234	209	271	247	241	256
慢性骨髓樣白血病 CHRONIC MYELOID LEUKEMIA (ICD-O-3 M-98633、M-98753、M-98763、M-99453、 M-99463、M-99633)	男 Male	36	48	45	35	33	63	44	39	48	68	60
	女 Female	21	21	18	19	28	30	24	34	27	38	25
	計 Total	57	69	63	54	61	93	68	73	75	106	85
其他類型白血病 ⁶ LEUKEMIA excludes Acute lymphoblastic leukemia, Chronic lymphocytic leukemia, acute myeloid leukemia and Chronic myeloid leukemia	男 Male	32	23	24	25	37	47	51	35	57	60	50
	女 Female	12	19	17	19	30	39	36	40	22	27	37
	計 Total	44	42	41	44	67	86	87	75	79	87	87
惡性淋巴瘤 MALIGNANT LYMPHOMA (ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、 M-97643)	男 Male	258	256	321	321	353	426	314	386	351	439	542
	女 Female	166	160	159	180	202	227	167	208	208	245	341
	計 Total	424	416	480	501	555	653	481	594	559	684	883
何杰金氏淋巴瘤 HODGKIN LYMPHOMA (ICD-O-3 M-96503 - M-96673)	男 Male	37	33	35	33	31	54	20	24	25	33	30
	女 Female	14	11	11	12	15	25	13	18	17	22	23
	計 Total	51	44	46	45	46	79	33	42	42	55	53
非何杰金氏淋巴瘤 NON-HODGKIN LYMPHOMA (ICD-O-3 M-95903 - M-95963、M-96703 - M-97293、 M-97503 - M-97583、M-97643)	男 Male	221	223	286	288	322	372	294	362	326	406	512
	女 Female	152	149	148	168	187	202	154	190	191	223	318
	計 Total	373	372	434	456	509	574	448	552	517	629	830

註：1. 自 96 年癌症登記報告起，惡性淋巴瘤從各部位獨立出來計算發生率，並納入排名。惡性淋巴瘤：ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643。

5. 本表之數值與歷年出版之年報略有差異，此因癌症資料庫隨時保持最新狀態，若有任何異動或以往尚未入檔之個案，癌症小組會隨時加以更新。

6. 其他類型白血病⁶：除急性淋巴芽細胞白血病、慢性淋巴球白血病、急性骨髓樣白血病、慢性骨髓樣白血病外之所有白血病代碼。

1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
420	431	475	473	493	506	556	611	603	833	863	877	932	919	993	940	1,093
287	319	339	352	362	390	394	444	430	566	556	602	647	637	655	705	759
707	750	814	825	855	896	950	1,055	1,033	1,399	1,419	1,479	1,579	1,556	1,648	1,645	1,852
123	115	129	115	111	128	146	128	141	140	130	131	136	124	125	133	137
86	110	87	80	96	108	101	120	101	108	94	97	110	99	100	91	104
209	225	216	195	207	236	247	248	242	248	224	228	246	223	225	224	241
27	26	41	39	41	38	41	36	54	55	57	64	64	61	72	74	81
11	12	12	16	9	17	21	24	20	27	28	40	37	36	28	41	43
38	38	53	55	50	55	62	60	74	82	85	104	101	97	100	115	124
152	172	198	213	218	207	230	286	246	293	286	324	328	340	381	341	389
111	116	156	167	174	168	169	205	207	202	205	225	247	235	256	299	280
263	288	354	380	392	375	399	491	453	495	491	549	575	575	637	640	669
72	64	56	61	77	89	73	92	100	122	128	108	117	129	118	113	132
38	41	40	46	47	52	52	56	56	63	72	77	58	86	72	82	87
110	105	96	107	124	141	125	148	156	185	200	185	175	215	190	195	219
47	57	54	45	47	47	68	69	64	223	262	250	287	265	297	279	354
41	42	44	43	37	47	51	40	46	166	157	163	195	181	199	192	245
88	99	98	88	84	94	119	109	110	389	419	413	482	446	496	471	599
602	580	613	743	665	751	813	838	937	961	1,027	1,032	1,116	1,162	1,197	1,219	1,295
352	359	375	435	486	551	491	570	658	725	733	779	767	842	900	881	1,045
954	939	988	1,178	1,151	1,302	1,304	1,408	1,595	1,686	1,760	1,811	1,883	2,004	2,097	2,100	2,340
30	35	37	28	43	48	47	47	60	80	75	84	70	89	84	85	90
20	16	13	20	24	35	30	31	34	48	53	46	47	52	63	62	82
50	51	50	48	67	83	77	78	94	128	128	130	117	141	147	147	172
572	545	576	715	622	703	766	791	877	881	952	948	1,046	1,073	1,113	1,134	1,205
332	343	362	415	462	516	461	539	624	677	680	733	720	790	837	819	963
904	888	938	1,130	1,084	1,219	1,227	1,330	1,501	1,558	1,632	1,681	1,766	1,863	1,950	1,953	2,168