

民國 92 年

癌症申報發生人數分類統計表

表一之一 臺灣癌症申報發生人數按原發部位、性別及年齡分類，民國 92 年

PRIMARY SITES, SEX AND AGE DISTRIBUTION OF CANCERS, 2003

ICD-O-3	原發部位別	性別	總計	年齡				
				0-4	5-9	10-14	15-19	20-24
C00-C80	全癌症(總計)	男	36,285	22	101	80	107	144
		女	26,257	21	67	43	66	111
		計	62,542	43	168	123	173	255
C00-C14	唇、口腔及咽	男	5,313	-	-	1	5	9
		女	802	-	-	2	3	6
		計	6,115	-	-	3	8	15
C00-C14 ¹	口腔、口咽及下咽	男	4,040	-	-	-	4	3
		女	395	-	-	1	1	1
		計	4,435	-	-	1	5	4
C00	唇(唇的皮膚 C44.0 除外)	男	127	-	-	-	-	-
		女	27	-	-	-	-	-
		計	154	-	-	-	-	-
C01-C02	舌	男	1,125	-	-	-	-	-
		女	146	-	-	-	-	-
		計	1,271	-	-	-	-	-
C03	齒齦	男	245	-	-	-	-	2
		女	34	-	-	1	-	-
		計	279	-	-	1	-	2
C04	口底	男	83	-	-	-	-	-
		女	3	-	-	-	-	-
		計	86	-	-	-	-	-
C05-C06	口腔之其他及未詳細說明部位	男	1,531	-	-	-	1	1
		女	107	-	-	-	1	1
		計	1,638	-	-	-	2	2
C09-C10	口咽	男	362	-	-	-	3	-
		女	63	-	-	-	-	-
		計	425	-	-	-	3	-
C12-C13	下咽	男	519	-	-	-	-	-
		女	14	-	-	-	-	-
		計	533	-	-	-	-	-
C14	咽和唇、口腔及咽之分界不明部位	男	48	-	-	-	-	-
		女	1	-	-	-	-	-
		計	49	-	-	-	-	-
C07-C08	主唾液腺	男	116	-	-	1	-	1
		女	56	-	-	1	-	2
		計	172	-	-	2	-	3

註：1. 口腔、口咽及下咽：包括 ICD-O-3 C00-C06、C09-C10、C12-C14。

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+	ICD-O-3
176	340	637	1,191	1,981	2,870	3,368	2,923	3,898	4,328	5,427	4,674	2,686	1,332	C00-C80
227	384	742	1,315	2,170	2,686	2,807	2,170	2,657	2,905	2,909	2,414	1,553	1,010	
403	724	1,379	2,506	4,151	5,556	6,175	5,093	6,555	7,233	8,336	7,088	4,239	2,342	
24	69	226	453	721	957	921	506	490	353	262	186	88	42	C00-C14
14	24	38	60	80	107	94	64	72	57	81	54	23	23	
38	93	264	513	801	1,064	1,015	570	562	410	343	240	111	65	
6	33	159	312	546	750	747	406	393	265	194	124	68	30	C00-C14 ¹
3	7	13	15	25	46	49	32	42	31	52	39	21	17	
9	40	172	327	571	796	796	438	435	296	246	163	89	47	
-	1	6	4	12	32	26	12	12	10	7	4	1	-	C00
-	-	-	-	2	2	1	1	3	2	9	5	1	1	
-	1	6	4	14	34	27	13	15	12	16	9	2	1	
3	20	62	105	167	211	201	95	111	58	38	28	16	10	C01-C02
1	1	6	7	14	22	27	8	16	8	16	7	6	7	
4	21	68	112	181	233	228	103	127	66	54	35	22	17	
1	-	8	17	21	39	42	33	33	18	14	8	7	2	C03
-	-	-	-	3	3	2	3	3	6	3	5	3	2	
1	-	8	17	24	42	44	36	36	24	17	13	10	4	
-	-	3	6	17	12	11	8	12	7	5	1	-	1	C04
-	1	-	-	-	1	-	-	-	-	-	1	-	-	
-	1	3	6	17	13	11	8	12	7	5	2	-	1	
1	11	66	118	217	286	309	161	127	105	73	36	11	8	C05-C06
2	5	3	4	3	7	9	13	10	10	15	13	6	5	
3	16	69	122	220	293	318	174	137	115	88	49	17	13	
1	1	8	37	48	70	55	44	39	15	12	18	8	3	C09-C10
-	-	3	3	2	11	7	7	7	5	7	5	4	2	
1	1	11	40	50	81	62	51	46	20	19	23	12	5	
-	-	5	22	60	88	96	50	56	47	43	26	21	5	C12-C13
-	-	1	1	1	-	2	-	3	-	2	3	1	-	
-	-	6	23	61	88	98	50	59	47	45	29	22	5	
-	-	1	3	4	12	7	3	3	5	2	3	4	1	C14
-	-	-	-	-	-	1	-	-	-	-	-	-	-	
-	-	1	3	4	12	8	3	3	5	2	3	4	1	
3	-	3	6	4	18	11	14	8	11	13	15	4	4	C07-C08
2	4	2	2	4	5	4	3	5	4	13	1	-	4	
5	4	5	8	8	23	15	17	13	15	26	16	4	8	

表一之一 臺灣癌症申報發生人數按原發部位、性別及年齡分類，民國 92 年（續）

PRIMARY SITES, SEX AND AGE DISTRIBUTION OF CANCERS, 2003 (CONTINUED)

ICD-O-3	原發部位別	性別總計	年齡					
			0-4	5-9	10-14	15-19		
C11	鼻咽	男	1,157	-	-	-	1	5
		女	351	-	-	-	2	3
		計	1,508	-	-	-	3	8
C15-C26, C48	消化器官及腹膜	男	16,267	5	4	4	10	12
		女	8,521	5	5	-	3	6
		計	24,788	10	9	4	13	18
C15	食道	男	1,258	-	-	-	-	-
		女	111	-	-	-	-	-
		計	1,369	-	-	-	-	-
C16	胃	男	2,308	-	-	-	-	1
		女	1,226	-	-	-	-	-
		計	3,534	-	-	-	-	1
C17	小腸	男	174	-	-	-	1	-
		女	146	-	1	-	-	1
		計	320	-	1	-	1	1
C18-C21	結腸及直腸	男	4,677	-	-	-	-	2
		女	3,561	-	-	-	1	1
		計	8,238	-	-	-	1	3
C18	結腸	男	2,472	-	-	-	-	2
		女	2,062	-	-	-	-	1
		計	4,534	-	-	-	-	3
C19-C21	直腸、乙狀結腸連結部及肛門	男	2,205	-	-	-	-	-
		女	1,499	-	-	-	1	-
		計	3,704	-	-	-	1	-
C22	肝及肝內膽管	男	6,753	3	1	2	6	5
		女	2,651	3	2	-	1	2
		計	9,404	6	3	2	7	7
C23-C24	膽囊及肝外膽管	男	355	-	-	-	-	-
		女	290	-	-	-	-	-
		計	645	-	-	-	-	-
C25	胰	男	676	-	-	1	-	-
		女	466	-	-	-	-	1
		計	1,142	-	-	1	-	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+	ICD-O-3
15	36	64	135	171	189	163	86	89	77	55	47	16	8	C11
9	13	23	43	51	56	41	29	25	22	16	14	2	2	
24	49	87	178	222	245	204	115	114	99	71	61	18	10	
37	114	216	412	834	1,236	1,507	1,501	1,982	2,147	2,505	2,035	1,142	564	C15-C26,
21	50	110	182	327	489	671	675	1,051	1,264	1,341	1,114	737	470	C48
58	164	326	594	1,161	1,725	2,178	2,176	3,033	3,411	3,846	3,149	1,879	1,034	
-	2	8	34	122	150	164	140	159	128	132	120	71	28	C15
-	-	-	2	5	1	7	7	20	11	18	21	13	6	
-	2	8	36	127	151	171	147	179	139	150	141	84	34	
4	9	22	40	70	137	127	149	220	268	432	448	252	129	C16
2	8	22	35	69	91	90	90	139	128	161	176	134	81	
6	17	44	75	139	228	217	239	359	396	593	624	386	210	
3	1	1	3	7	8	12	13	17	33	31	25	10	9	C17
-	1	2	1	10	13	15	10	14	17	23	15	17	6	
3	2	3	4	17	21	27	23	31	50	54	40	27	15	
12	29	73	80	168	279	347	359	551	662	838	685	382	210	C18-C21
11	26	49	94	159	242	319	274	391	513	513	446	311	211	
23	55	122	174	327	521	666	633	942	1,175	1,351	1,131	693	421	
5	15	44	45	84	138	174	171	274	346	455	378	214	127	C18
7	19	32	47	86	138	178	149	219	295	284	284	192	131	
12	34	76	92	170	276	352	320	493	641	739	662	406	258	
7	14	29	35	84	141	173	188	277	316	383	307	168	83	C19-C21
4	7	17	47	73	104	141	125	172	218	229	162	119	80	
11	21	46	82	157	245	314	313	449	534	612	469	287	163	
17	69	102	237	433	611	775	740	911	932	893	576	299	141	C22
5	11	23	37	56	95	182	235	383	476	508	345	177	110	
22	80	125	274	489	706	957	975	1,294	1,408	1,401	921	476	251	
-	-	4	8	7	17	22	34	44	41	56	59	50	13	C23-C24
-	1	3	3	6	10	20	16	32	44	55	38	37	25	
-	1	7	11	13	27	42	50	76	85	111	97	87	38	
-	1	6	9	24	32	55	61	74	76	117	114	74	32	C25
-	2	6	6	20	24	32	35	66	68	59	70	47	30	
-	3	12	15	44	56	87	96	140	144	176	184	121	62	

表一之一 臺灣癌症申報發生人數按原發部位、性別及年齡分類，民國 92 年（續）

PRIMARY SITES, SEX AND AGE DISTRIBUTION OF CANCERS, 2003 (CONTINUED)

ICD-O-3	原發部位別	性別總計	年齡					
			0	1-4	5-9	10-14	15-19	
C48	後腹膜腔及腹膜	男	53	2	3	1	3	4
		女	60	2	2	-	1	1
		計	113	4	5	1	4	5
C26	消化器官之其他部位及與腹膜間分界不明部位	男	13	-	-	-	-	-
		女	10	-	-	-	-	-
		計	23	-	-	-	-	-
C30-C39	呼吸系統及胸腔內器官	男	5,760	-	3	1	1	11
		女	2,577	-	1	2	1	2
		計	8,337	-	4	3	2	13
C30-C31	鼻腔、副竇、中耳及內耳	男	122	-	-	1	-	1
		女	62	-	-	1	1	1
		計	184	-	-	2	1	2
C32	喉	男	462	-	-	-	-	-
		女	27	-	-	-	-	-
		計	489	-	-	-	-	-
C33-C34	肺、支氣管及氣管	男	5,025	-	1	-	-	3
		女	2,390	-	-	-	-	-
		計	7,415	-	1	-	-	3
C38.4	胸膜	男	26	-	-	-	-	-
		女	9	-	-	-	-	-
		計	35	-	-	-	-	-
C37-C38.3, C38.8	胸腺、心臟及中隔	男	125	-	2	-	1	7
		女	89	-	1	1	-	1
		計	214	-	3	1	1	8
C42 ²	白血病	男	804	6	42	35	31	30
		女	519	8	33	13	16	16
		計	1,323	14	75	48	47	46
C42	造血系統及網狀內皮系統（白血病除外）	男	268	-	3	1	-	1
		女	172	-	1	-	-	-
		計	440	-	4	1	-	1
C40-C41	骨、關節及關節軟骨	男	69	-	1	3	11	10
		女	46	-	2	2	6	2
		計	115	-	3	5	17	12

註：2. 白血病：ICD-O-3 M-98003 - M-99643、M-99803 - M-99863、M-99893。

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+	ICD-O-3
1	3	-	1	2	-	2	5	6	6	4	5	3	2	C48
3	1	4	4	2	10	4	6	6	5	4	3	1	1	
4	4	4	5	4	10	6	11	12	11	8	8	4	3	
-	-	-	-	1	2	3	-	-	1	2	3	1	-	C26
-	-	1	-	-	3	2	2	-	2	-	-	-	-	
-	-	1	-	1	5	5	2	-	3	2	3	1	-	
15	14	30	65	150	271	358	377	636	771	1,183	1,061	543	270	C30-C39
6	11	25	54	115	174	208	213	291	355	376	371	214	158	
21	25	55	119	265	445	566	590	927	1,126	1,559	1,432	757	428	
6	-	5	12	11	9	8	9	10	18	15	8	3	6	C30-C31
1	-	3	5	4	2	8	9	3	5	6	8	4	1	
7	-	8	17	15	11	16	18	13	23	21	16	7	7	
-	1	-	4	19	48	40	44	69	66	87	54	25	5	C32
-	-	1	2	4	-	2	3	-	4	2	5	3	1	
-	1	1	6	23	48	42	47	69	70	89	59	28	6	
3	6	20	39	110	197	300	313	545	675	1,067	985	505	256	C33-C34
2	7	16	38	98	164	188	191	280	333	362	353	205	153	
5	13	36	77	208	361	488	504	825	1,008	1,429	1,338	710	409	
-	-	-	-	1	3	2	4	5	2	2	2	3	2	C38.4
-	-	-	-	1	1	1	1	1	-	2	-	2	-	
-	-	-	-	2	4	3	5	6	2	4	2	5	2	
6	7	5	10	9	14	8	7	7	10	12	12	7	1	C37-C38.3,
3	4	5	9	8	7	9	9	7	13	4	5	-	3	C38.8
9	11	10	19	17	21	17	16	14	23	16	17	7	4	
20	24	27	41	34	39	50	45	49	66	93	97	57	18	C42²
17	18	25	25	32	34	40	23	41	43	51	41	26	17	
37	42	52	66	66	73	90	68	90	109	144	138	83	35	
1	3	5	6	11	11	28	26	22	30	45	43	17	15	C42
-	4	4	-	3	11	10	17	18	38	24	22	9	11	
1	7	9	6	14	22	38	43	40	68	69	65	26	26	
6	2	1	6	2	7	1	5	3	2	2	2	4	1	C40-C41
4	5	2	3	3	3	1	1	3	2	4	2	1	-	
10	7	3	9	5	10	2	6	6	4	6	4	5	1	

表一之一 臺灣癌症申報發生人數按原發部位、性別及年齡分類，民國 92 年（續）

PRIMARY SITES, SEX AND AGE DISTRIBUTION OF CANCERS, 2003 (CONTINUED)

ICD-O-3	原發部位別	性別	總計	年齡				
				0-4	5-9	10-14	15-19	20+
C47, C49	結締組織、軟組織及其他皮下組織	男	219	1	4	3	8	7
		女	193	2	2	4	7	8
		計	412	3	6	7	15	15
C44	皮膚	男	960	-	-	2	4	2
		女	783	1	-	1	1	3
		計	1,743	1	-	3	5	5
C44 ³	皮膚，惡性黑色素瘤	男	74	-	-	-	-	1
		女	66	-	-	-	-	-
		計	140	-	-	-	-	1
C44	皮膚，非惡性黑色素瘤	男	886	-	-	2	4	1
		女	717	1	-	1	1	3
		計	1,603	1	-	3	5	4
C50	女性乳房	女	5,325	-	-	1	-	2
C50	男性乳房	男	32	-	-	-	-	-
C51-C58	女性生殖器官	女	3,832	-	1	2	6	21
C55	子宮，未明示部位	女	2	-	-	-	-	-
C53	子宮頸	女	2,061	-	-	-	-	3
C54	子宮體	女	793	-	-	-	-	1
C56, C57.0-C57.4	卵巢、輸卵管及寬韌帶	女	833	-	1	2	6	16

註：3. 皮膚，惡性黑色素瘤：ICD-O-3 C44， M-87203 - M-87903。

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+	ICD-O-3
6	4	5	12	15	24	17	18	21	16	22	17	12	7	C47, C49
11	14	10	9	10	20	19	12	14	12	16	11	8	4	
17	18	15	21	25	44	36	30	35	28	38	28	20	11	
10	14	27	33	34	47	72	52	97	120	135	138	110	63	C44
3	11	16	20	30	45	47	45	56	87	116	118	98	85	
13	25	43	53	64	92	119	97	153	207	251	256	208	148	
-	-	2	1	2	3	5	-	11	9	12	13	12	3	C44 ³
1	1	3	2	8	2	7	7	2	9	11	6	4	3	
1	1	5	3	10	5	12	7	13	18	23	19	16	6	
10	14	25	32	32	44	67	52	86	111	123	125	98	60	C44
2	10	13	18	22	43	40	38	54	78	105	112	94	82	
12	24	38	50	54	87	107	90	140	189	228	237	192	142	
22	79	218	516	857	944	874	539	448	333	218	157	79	38	C50
1	-	1	1	-	2	2	-	3	4	10	5	2	1	C50
32	61	155	269	456	591	534	334	348	336	271	207	136	72	C51-C58
-	-	-	-	-	-	1	-	-	-	-	-	-	1	C55
2	19	84	163	247	293	237	162	192	216	177	125	91	50	C53
5	11	32	50	90	150	151	91	80	53	34	29	11	5	C54
25	27	35	51	106	135	133	72	67	52	43	35	22	5	C56, C57.0-C57.

表一之一 臺灣癌症申報發生人數按原發部位、性別及年齡分類，民國 92 年（續）
 PRIMARY SITES, SEX AND AGE DISTRIBUTION OF CANCERS, 2003 (CONTINUED)

ICD-O-3	原發部位別	性別	總計					
			0	1-4	5-9	10-14	15-19	
C51-C52, C57.7-C57.9	陰道、外陰部及其他未詳細說明之女性生殖器官	女	143	-	-	-	-	1
C60-C63	男性生殖器官	男	2,464	1	11	1	-	15
C61	攝護腺	男	2,237	-	-	-	-	1
C62	睪丸	男	120	1	11	1	-	11
C60,C63	陰莖及其他男性生殖器官	男	107	-	-	-	-	3
C64-C68	泌尿器官	男	2,216	1	4	3	1	4
		女	1,325	1	3	2	-	-
		計	3,541	2	7	5	1	4
C67	膀胱	男	1,318	-	-	-	1	1
		女	540	-	-	-	-	-
		計	1,858	-	-	-	1	1
C64	腎	男	403	1	4	3	-	3
		女	225	1	3	2	-	-
		計	628	2	7	5	-	3
C65	腎盂	男	256	-	-	-	-	-
		女	259	-	-	-	-	-
		計	515	-	-	-	-	-
C66	輸尿管	男	145	-	-	-	-	-
		女	187	-	-	-	-	-
		計	332	-	-	-	-	-
C68.0-C68.1	尿道及其週邊腺體	男	11	-	-	-	-	-
		女	11	-	-	-	-	-
		計	22	-	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+	ICD-O-3
-	4	4	5	13	13	12	9	9	15	17	18	12	11	C51-C52, C57.7-C57.9
20	22	20	19	15	18	38	79	190	310	565	567	385	188	C60-C63
2	-	-	-	2	9	28	76	175	300	548	549	368	179	C61
17	20	18	16	7	3	5	-	2	1	2	-	3	2	C62
1	2	2	3	6	6	5	3	13	9	15	18	14	7	C60,C63
4	15	22	43	69	105	209	171	230	332	373	311	213	106	C64-C68
4	2	14	18	39	67	90	107	160	204	254	180	123	57	
8	17	36	61	108	172	299	278	390	536	627	491	336	163	
1	9	13	17	35	46	105	89	129	205	245	207	142	73	C67
1	-	3	4	11	27	34	39	60	77	105	81	65	33	
2	9	16	21	46	73	139	128	189	282	350	288	207	106	
3	2	4	17	20	29	52	36	44	51	50	38	31	15	C64
3	1	9	7	12	22	23	11	25	26	37	22	17	4	
6	3	13	24	32	51	75	47	69	77	87	60	48	19	
-	1	4	5	5	18	26	21	35	41	33	36	20	11	C65
-	1	2	5	6	7	18	27	22	50	64	34	15	8	
-	2	6	10	11	25	44	48	57	91	97	70	35	19	
-	1	-	2	7	4	15	16	9	24	26	20	16	5	C66
-	-	-	-	3	5	8	21	26	35	33	30	19	7	
-	1	-	2	10	9	23	37	35	59	59	50	35	12	
-	1	1	1	1	1	1	-	2	-	1	2	-	-	C68.0-C68. 1
-	-	-	-	-	-	1	1	4	1	1	1	1	1	
-	1	1	1	1	1	2	1	6	1	2	3	1	1	

表一之一 臺灣癌症申報發生人數按原發部位、性別及年齡分類，民國 92 年（續完）

PRIMARY SITES, SEX AND AGE DISTRIBUTION OF CANCERS, 2003 (CONCLUDED)

ICD-O-3	原發部位別	性別	總計					
			0	1 4	5 9	10 14	15 19	
C68.8	跨越泌尿器官兩個以上相鄰部位之病變	男	9	-	-	-	-	-
		女	14	-	-	-	-	-
		計	23	-	-	-	-	-
C68.9	泌尿系統，未明示部位	男	74	-	-	-	-	-
		女	89	-	-	-	-	-
		計	163	-	-	-	-	-
C69	眼及淚腺	男	32	1	2	-	-	1
		女	29	1	4	2	-	1
		計	61	2	6	2	-	2
C70-C72	中樞神經系統	男	382	5	17	15	16	11
		女	259	1	8	7	11	8
		計	641	6	25	22	27	19
C71	腦	男	349	5	15	15	16	11
		女	224	1	8	7	8	6
		計	573	6	23	22	24	17
C70, C72	其他神經系統及未詳細說明部位	男	33	-	2	-	-	-
		女	35	-	-	-	3	2
		計	68	-	2	-	3	2
C73	甲狀腺	男	311	-	1	1	3	11
		女	975	1	1	1	4	25
		計	1,286	1	2	2	7	36
C74-C75	其他內分泌腺	男	27	1	6	1	1	-
		女	33	1	5	1	-	-
		計	60	2	11	2	1	-
C76	其他分界不明的部位	男	2	-	-	-	-	-
		女	1	-	-	-	-	-
		計	3	-	-	-	-	-
C77	淋巴結	男	502	-	3	9	14	19
		女	383	-	1	3	8	7
		計	885	-	4	12	22	26
C80	不明原發部位	男	657	1	-	-	2	1
		女	482	-	-	-	-	4
		計	1,139	1	-	-	2	5

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+	ICD-O-3
-	-	-	-	1	-	2	-	2	-	2	1	-	1	C68.8
-	-	-	-	-	1	2	1	6	-	1	1	1	1	
-	-	-	-	1	1	4	1	8	-	3	2	1	2	
-	1	-	1	-	7	8	9	9	11	16	7	4	1	C68.9
-	-	-	2	7	5	4	7	17	15	13	11	5	3	
-	1	-	3	7	12	12	16	26	26	29	18	9	4	
-	-	-	2	1	3	8	1	2	1	5	4	-	1	C69
1	1	2	2	2	1	3	-	2	5	-	-	-	2	
1	1	2	4	3	4	11	1	4	6	5	4	-	3	
8	17	16	28	25	34	33	28	25	36	30	25	12	1	C70-C72
12	7	17	19	25	21	29	14	20	19	18	14	8	1	
20	24	33	47	50	55	62	42	45	55	48	39	20	2	
7	17	12	27	23	28	30	27	19	31	29	24	12	1	C71
7	7	14	18	22	20	25	12	18	15	17	12	6	1	
14	24	26	45	45	48	55	39	37	46	46	36	18	2	
1	-	4	1	2	6	3	1	6	5	1	1	-	-	C70, C72
5	-	3	1	3	1	4	2	2	4	1	2	2	-	
6	-	7	2	5	7	7	3	8	9	2	3	2	-	
7	16	23	33	25	24	37	26	22	14	29	28	6	5	C73
57	80	84	103	138	118	121	54	63	38	35	27	15	10	
64	96	107	136	163	142	158	80	85	52	64	55	21	15	
-	-	-	3	-	5	1	3	1	-	3	1	1	-	C74-C75
-	1	1	3	3	3	1	2	3	1	3	1	3	1	
-	1	1	6	3	8	2	5	4	1	6	2	4	1	
-	-	-	-	-	-	-	1	-	1	-	-	-	-	C76
-	-	-	-	-	-	-	-	-	1	-	-	-	-	
-	-	-	-	-	-	-	1	-	2	-	-	-	-	
16	21	14	12	23	43	32	38	46	55	58	59	28	12	C77
19	11	16	19	30	32	23	34	33	37	42	31	21	16	
35	32	30	31	53	75	55	72	79	92	100	90	49	28	
1	5	4	22	22	44	54	46	79	70	107	95	66	38	C80
4	5	5	13	20	26	42	36	34	73	59	64	52	45	
5	10	9	35	42	70	96	82	113	143	166	159	118	83	

表一之二 臺灣白血病及惡性淋巴瘤申報發生人數按性別及年齡分類，民國 92 年
LEUKEMIA, LYMPHOMA, SEX AND AGE DISTRIBUTION OF CANCERS, 2003

白血病及惡性淋巴瘤	性別	總計	年齡				
			0	1	5	10	15
			4	9	14	19	
白血病 (ICD-O-3 M-98003 - M-99643、M-99803 - M-99863、M-99893)	男	804	6	42	35	31	30
	女	519	8	33	13	16	16
	計	1,323	14	75	48	47	46
急性淋巴芽細胞白血病 (ICD-O-3 M-98353 - M-98373)	男	125	4	38	24	14	9
	女	92	3	25	10	11	7
	計	217	7	63	34	25	16
慢性淋巴球白血病 (ICD-O-3 M-98233)	男	52	-	-	-	-	-
	女	29	-	-	-	-	-
	計	81	-	-	-	-	-
急性骨髓樣白血病 (ICD-O-3 M-98403、M-98613、M-98663、M-98673、M-98713 - M-98743、M-98953 - M-98973、M-99203)	男	283	-	4	8	12	11
	女	206	3	3	2	4	5
	計	489	3	7	10	16	16
慢性骨髓樣白血病 (ICD-O-3 M-98633、M-98753、M-98763、M-99453、M-99463、M-99633)	男	118	-	-	1	4	7
	女	63	1	-	-	1	2
	計	181	1	-	1	5	9
其他類型白血病 ¹	男	226	2	-	2	1	3
	女	129	1	5	1	-	2
	計	355	3	5	3	1	5
惡性淋巴瘤 (ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643)	男	991	-	7	12	21	27
	女	730	2	4	4	12	13
	計	1,721	2	11	16	33	40
何杰金氏淋巴瘤 (ICD-O-3 M-96503 - M-96673)	男	74	-	-	1	6	11
	女	54	-	-	-	3	5
	計	128	-	-	1	9	16
非何杰金氏淋巴瘤 (ICD-O-3 M-95903 - M-95963、M-96703 - M-97293、M-97503 - M-97583、M-97643)	男	917	-	7	11	15	16
	女	676	2	4	4	9	8
	計	1,593	2	11	15	24	24

註：1. 其他類型白血病：除急性淋巴芽細胞白血病、慢性淋巴球白血病、急性骨髓樣白血病、慢性骨髓樣白血病外之所有白血病代碼。

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
20	24	27	41	34	39	50	45	49	66	93	97	57	18
17	18	25	25	32	34	40	23	41	43	51	41	26	17
37	42	52	66	66	73	90	68	90	109	144	138	83	35
5	4	6	7	1	2	3	1	1	1	2	2	1	-
3	3	7	1	2	2	5	4	1	1	5	1	1	-
8	7	13	8	3	4	8	5	2	2	7	3	2	-
-	-	-	-	-	3	2	5	6	6	9	9	9	3
-	-	-	-	2	3	2	2	3	5	6	4	-	2
-	-	-	-	2	6	4	7	9	11	15	13	9	5
10	11	11	16	17	12	27	14	15	26	27	34	23	5
11	9	13	13	14	12	17	5	18	20	20	21	12	4
21	20	24	29	31	24	44	19	33	46	47	55	35	9
3	5	7	10	6	8	6	3	9	12	14	16	5	2
2	4	3	2	8	7	8	5	4	3	4	2	6	1
5	9	10	12	14	15	14	8	13	15	18	18	11	3
2	4	3	8	10	14	12	22	18	21	41	36	19	8
1	2	2	9	6	10	8	7	15	14	16	13	7	10
3	6	5	17	16	24	20	29	33	35	57	49	26	18
25	30	26	35	50	79	74	80	93	100	122	123	63	24
27	22	31	32	52	60	58	65	78	72	65	56	44	33
52	52	57	67	102	139	132	145	171	172	187	179	107	57
8	8	4	-	2	4	5	7	3	6	3	5	1	-
12	7	7	4	4	3	1	-	3	1	3	1	-	-
20	15	11	4	6	7	6	7	6	7	6	6	1	-
17	22	22	35	48	75	69	73	90	94	119	118	62	24
15	15	24	28	48	57	57	65	75	71	62	55	44	33
32	37	46	63	96	132	126	138	165	165	181	173	106	57