

表四之一 臺灣癌症申報發生人數按原發部位及診斷依據分類，民國 92 年  
METHODS OF ESTABLISHING CANCER DIAGNOSIS IN VARIOUS ANATOMIC  
SITES, 2003

ICD-O-3	原 發 部 位 別	總 計
<b>C00-C80</b>	<b>全癌症（總計）</b>	<b>62,542</b>
<b>C00-C14</b>	<b>唇、口腔及咽</b>	<b>6,115</b>
C00-C14 <sup>1</sup>	口腔、口咽及下咽	4,435
C00	唇（唇的皮膚 C44.0 除外）	154
C01-C02	舌	1,271
C03	齒齦	279
C04	口底	86
C05-C06	口腔之其他及未詳細說明部位	1,638
C09-C10	口咽	425
C12-C13	下咽	533
C14	咽和唇、口腔及咽之分界不明部位	49
C07-C08	主唾液腺	172
C11	鼻咽	1,508
<b>C15-C26, C48</b>	<b>消化器官及腹膜</b>	<b>24,788</b>
C15	食道	1,369
C16	胃	3,534
C17	小腸	320
C18-C21	結腸及直腸	8,238
C18	結腸	4,534
C19-C21	直腸、乙狀結腸連結部及肛門	3,704
C22	肝及肝內膽管	9,404
C23-C24	膽囊及肝外膽管	645
C25	胰	1,142
C48	後腹膜腔及腹膜	113
C26	消化器官之其他部位及與腹膜分界不明部位	23

註：1. 口腔、口咽及下咽：包括 ICD-O-3 C00-C06、C09-C10、C12-C14。

臨床診斷依據					病理診斷依據					ICD-O-3
臨床病狀	實驗診斷	影像檢查	內視鏡	探查手術	細胞病理	血液病理	組織病理	屍體解剖	百分比診斷	
<b>1,134</b>	<b>341</b>	<b>7,165</b>	<b>306</b>	<b>50</b>	<b>2,448</b>	<b>520</b>	<b>50,577</b>	<b>1</b>	<b>85.62</b>	<b>C00-C80</b>
<b>133</b>	<b>3</b>	<b>61</b>	<b>8</b>	<b>2</b>	<b>37</b>	-	<b>5,871</b>	-	<b>96.61</b>	<b>C00-C14</b>
101	3	35	5	1	19	-	4,271	-	96.73	C00-C14 <sup>1</sup>
6	-	-	-	-	-	-	148	-	96.10	C00
22	-	7	-	-	5	-	1,237	-	97.72	C01-C02
-	-	1	-	-	-	-	278	-	99.64	C03
2	-	1	-	-	1	-	82	-	96.51	C04
43	3	12	1	-	1	-	1,578	-	96.40	C05-C06
12	-	5	2	-	4	-	402	-	95.53	C09-C10
14	-	9	2	1	8	-	499	-	95.12	C12-C13
2	-	-	-	-	-	-	47	-	95.92	C14
1	-	1	-	-	10	-	160	-	98.84	C07-C08
31	-	25	3	1	8	-	1,440	-	96.02	C11
<b>459</b>	<b>189</b>	<b>5,886</b>	<b>229</b>	<b>29</b>	<b>464</b>	-	<b>17,531</b>	<b>1</b>	<b>72.60</b>	<b>C15-C26, C48</b>
20	-	31	23	-	15	-	1,280	-	94.59	C15
43	6	38	34	2	23	-	3,388	-	96.52	C16
3	1	4	1	1	-	-	310	-	96.88	C17
146	11	149	64	6	21	-	7,841	-	95.44	C18-C21
105	9	107	39	3	13	-	4,258	-	94.20	C18
41	2	42	25	3	8	-	3,583	-	96.95	C19-C21
192	148	5,211	69	9	325	-	3,450	-	40.14	C22
18	4	103	11	2	10	-	497	-	78.60	C23-C24
33	19	339	27	9	66	-	648	1	62.61	C25
3	-	10	-	-	2	-	98	-	88.50	C48
1	-	1	-	-	2	-	19	-	91.30	C26

表四之一 臺灣癌症申報發生人數按原發部位及診斷依據分類，民國 92 年（續）  
METHODS OF ESTABLISHING CANCER DIAGNOSIS IN VARIOUS ANATOMIC  
SITES, 2003 (CONTINUED)

ICD-O-3	原 發 部 位 別	總 計
<b>C30-C39</b>	<b>呼吸系統及胸腔內器官</b>	<b>8,337</b>
C30-C31	鼻腔、副竇、中耳及內耳	184
C32	喉	489
C33-C34	肺、支氣管及氣管	7,415
C38.4	胸膜	35
C37-C38.3, C38.8	胸腺、心臟及中膈	214
<b>C42<sup>2</sup></b>	<b>白血病</b>	<b>1,323</b>
<b>C42</b>	<b>造血系統及網狀內皮系統（白血病除外）</b>	<b>440</b>
<b>C40-C41</b>	<b>骨、關節及關節軟骨</b>	<b>115</b>
<b>C47, C49</b>	<b>結締組織、軟組織及其他皮下組織</b>	<b>412</b>
<b>C44</b>	<b>皮膚</b>	<b>1,743</b>
C44 <sup>3</sup>	皮膚，惡性黑色素瘤	140
C44	皮膚，非惡性黑色素瘤	1,603
<b>C50</b>	<b>女性乳房</b>	<b>5,325</b>
<b>C50</b>	<b>男性乳房</b>	<b>32</b>
<b>C51-C58</b>	<b>女性生殖器官</b>	<b>3,832</b>
C55	子宮，未明示部位	2
C53	子宮頸	2,061
C54	子宮體	793
C56, C57.0-C57.4	卵巢、輸卵管及寬韌帶	833
C51-C52, C57.7-C57.9	陰道、外陰部及其他未詳細說明之女性生殖器官	143
<b>C60-C63</b>	<b>男性生殖器官</b>	<b>2,464</b>
C61	攝護腺	2,237
C62	睪丸	120
C60, C63	陰莖及其他男性生殖器官	107

註：2. 白血病：ICD-O-3 M-98003 - M-99643、M-99803 - M-99863、M-99893。

3. 皮膚，惡性黑色素瘤：ICD-O-3 C44， M-87203 - M-87903。

臨床診斷依據					病理診斷依據					ICD-O-3
臨床病狀	實驗診斷	影像檢查	內視鏡	探查手術	細胞病理	血液病理	組織病理	屍體解剖	百分比診斷	
<b>174</b>	<b>17</b>	<b>667</b>	<b>54</b>	<b>5</b>	<b>1,504</b>	<b>1</b>	<b>5,915</b>	-	<b>89.00</b>	<b>C30-C39</b>
1	-	2	1	-	-	-	180	-	97.83	C30-C31
18	-	6	3	-	3	-	459	-	94.48	C32
152	17	650	50	4	1,495	1	5,046	-	88.23	C33-C34
2	-	3	-	1	1	-	28	-	82.86	C38.4
1	-	6	-	-	5	-	202	-	96.73	C37-C38.3, C38.8
<b>26</b>	<b>58</b>	<b>5</b>	-	-	<b>39</b>	<b>448</b>	<b>747</b>	-	<b>93.27</b>	<b>C42<sup>2</sup></b>
<b>16</b>	<b>14</b>	<b>12</b>	-	-	<b>11</b>	<b>59</b>	<b>328</b>	-	<b>90.45</b>	<b>C42</b>
1	-	2	-	-	-	-	112	-	97.39	C40-C41
4	-	1	1	-	1	-	405	-	98.54	C47, C49
<b>21</b>	-	<b>6</b>	-	-	<b>2</b>	-	<b>1,714</b>	-	<b>98.45</b>	<b>C44</b>
2	-	1	-	-	-	-	137	-	97.86	C44 <sup>3</sup>
19	-	5	-	-	2	-	1,577	-	98.50	C44
<b>46</b>	<b>4</b>	<b>26</b>	<b>1</b>	-	<b>60</b>	-	<b>5,188</b>	-	<b>98.55</b>	<b>C50</b>
1	-	-	-	-	-	-	31	-	96.88	C50
<b>75</b>	<b>18</b>	<b>41</b>	<b>1</b>	<b>3</b>	<b>47</b>	-	<b>3,647</b>	-	<b>96.40</b>	<b>C51-C58</b>
1	-	-	-	-	-	-	1	-	50.00	C55
49	4	11	-	2	28	-	1,967	-	96.80	C53
8	-	6	-	-	1	-	778	-	98.23	C54
16	12	22	-	1	16	-	766	-	93.88	C56, C57.0-C57.4
1	2	2	1	-	2	-	135	-	95.80	C51-C52, C57.7-C57.9
<b>38</b>	<b>26</b>	<b>43</b>	<b>2</b>	<b>1</b>	<b>7</b>	-	<b>2,347</b>	-	<b>95.54</b>	<b>C60-C63</b>
37	25	43	2	-	5	-	2,125	-	95.22	C61
-	-	-	-	-	1	-	119	-	100.00	C62
1	1	-	-	1	1	-	103	-	97.20	C60, C63

表四之一 臺灣癌症申報發生人數按原發部位及診斷依據分類，民國 92 年（續完）  
METHODS OF ESTABLISHING CANCER DIAGNOSIS IN VARIOUS ANATOMIC SITES,  
2003 (CONCLUDED)

ICD-O-3	原 發 部 位 別	總 計
<b>C64-C68</b>	<b>泌尿器官</b>	<b>3,541</b>
C67	膀胱	1,858
C64	腎	628
C65	腎盂	515
C66	輸尿管	332
C68.0-C68.1	尿道及其週邊腺體	22
C68.8	跨越泌尿器官兩個以上相鄰部位之病變	23
C68.9	泌尿系統，未明示部位	163
<b>C69</b>	<b>眼及淚腺</b>	<b>61</b>
<b>C70-C72</b>	<b>中樞神經系統</b>	<b>641</b>
C71	腦	573
C70, C72	其他神經系統及未詳細說明部位	68
<b>C73</b>	<b>甲狀腺</b>	<b>1,286</b>
<b>C74-C75</b>	<b>其他內分泌腺</b>	<b>60</b>
<b>C76</b>	<b>其他分界不明的部位</b>	<b>3</b>
<b>C77</b>	<b>淋巴結</b>	<b>885</b>
<b>C80</b>	<b>不明原發部位</b>	<b>1,139</b>

臨床診斷依據					病理診斷依據					ICD-O-3
臨床病狀	實驗診斷	影像檢查	內視鏡	探查手術	細胞病理	血液病理	組織病理	屍體解剖	百分比診斷	
<b>52</b>	<b>2</b>	<b>90</b>	<b>6</b>	<b>6</b>	<b>73</b>	-	<b>3,312</b>	-	<b>95.59</b>	<b>C64-C68</b>
24	2	11	4	2	19	-	1,796	-	97.69	C67
15	-	59	1	1	8	-	544	-	87.90	C64
5	-	14	1	1	19	-	475	-	95.92	C65
5	-	4	-	1	10	-	312	-	96.99	C66
-	-	1	-	1	1	-	19	-	90.91	C68.0-C68.1
1	-	-	-	-	-	-	22	-	95.65	C68.8
2	-	1	-	-	16	-	144	-	98.16	C68.9
<b>1</b>	-	<b>6</b>	-	-	<b>3</b>	-	<b>51</b>	-	<b>88.52</b>	<b>C69</b>
<b>6</b>	-	<b>41</b>	-	-	<b>2</b>	-	<b>592</b>	-	<b>92.67</b>	<b>C70-C72</b>
4	-	35	-	-	2	-	532	-	93.19	C71
2	-	6	-	-	-	-	60	-	88.24	C70, C72
<b>26</b>	-	<b>53</b>	-	<b>1</b>	<b>34</b>	-	<b>1,172</b>	-	<b>93.78</b>	<b>C73</b>
<b>3</b>	-	<b>5</b>	-	-	<b>1</b>	-	<b>51</b>	-	<b>86.67</b>	<b>C74-C75</b>
<b>1</b>	-	-	-	-	-	-	<b>2</b>	-	<b>66.67</b>	<b>C76</b>
<b>13</b>	<b>3</b>	<b>12</b>	-	<b>1</b>	<b>16</b>	<b>12</b>	<b>828</b>	-	<b>96.72</b>	<b>C77</b>
<b>38</b>	<b>7</b>	<b>208</b>	<b>4</b>	<b>2</b>	<b>147</b>	-	<b>733</b>	-	<b>77.26</b>	<b>C80</b>

表四之二 臺灣白血病及惡性淋巴瘤申報發生人數按診斷依據分類，民國 92 年  
METHODS OF ESTABLISHING CANCER DIAGNOSIS OF LEUKEMIA AND  
LYMPHOMA, 2003

白 血 病 及 惡 性 淋 巴 瘤	總 計
<b>白血病</b> (ICD-O-3 M-98003 - M-99643、M-99803 - M-99863、M-99893)	<b>1,323</b>
急性淋巴芽細胞白血病 (ICD-O-3 M-98353 - M-98373)	217
慢性淋巴球白血病 (ICD-O-3 M-98233)	81
急性骨髓樣白血病 (ICD-O-3 M-98403、M-98613、M-98663、M-98673、M-98713 - M-98743、 M-98953 - M-98973、M-99203)	489
慢性骨髓樣白血病 (ICD-O-3 M-98633、M-98753、M-98763、M-99453、M-99463、M-99633)	181
其他類型白血病 <sup>1</sup>	355
<b>惡性淋巴瘤</b> (ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643)	<b>1,721</b>
何杰金氏淋巴瘤 (ICD-O-3 M-96503 - M-96673)	128
非何杰金氏淋巴瘤 (ICD-O-3 M-95903 - M-95963、M-96703 - M-97293、M-97503 - M-97583、 M-97643)	1,593

註：1. 其他類型白血病：除急性淋巴芽細胞白血病、慢性淋巴球白血病、急性骨髓樣白血病、慢性骨髓樣白血病外之所有白血病代碼。

臨床診斷依據					病理診斷依據				
臨床病狀	實驗診斷	影像檢查	內視鏡	探查手術	細胞病理	血液病理	組織病理	屍體解剖	百分比 病理診斷
<b>26</b>	<b>58</b>	<b>5</b>	-	-	<b>39</b>	<b>448</b>	<b>747</b>	-	<b>93.27</b>
1	1	-	-	-	5	98	112	-	99.08
-	8	1	-	-	3	15	54	-	88.89
6	9	1	-	-	13	182	278	-	96.73
1	9	1	-	-	6	52	112	-	93.92
18	31	2	-	-	12	101	191	-	85.63
<b>18</b>	<b>5</b>	<b>16</b>	-	<b>1</b>	<b>27</b>	<b>18</b>	<b>1,636</b>	-	<b>97.68</b>
1	-	-	-	-	3	1	123	-	99.22
17	5	16	-	1	24	17	1,513	-	97.55