

表五之一 臺灣癌症申報發生人數按原發部位及治療方法分類，民國 92 年
METHODS OF CANCER TREATMENT IN VARIOUS ANATOMIC SITES, 2003

ICD-O-3	原 發 部 位 別	個案數
C00-C80	全癌症（總計）	62,542
C00-C14	唇、口腔及咽	6,115
C00-C14 ²	口腔、口咽及下咽	4,435
C00	唇（唇的皮膚 C44.0 除外）	154
C01-C02	舌	1,271
C03	齒齦	279
C04	口底	86
C05-C06	口腔之其他及未詳細說明部位	1,638
C09-C10	口咽	425
C12-C13	下咽	533
C14	咽和唇、口腔及咽之分界不明部位	49
C07-C08	主唾液腺	172
C11	鼻咽	1,508
C15-C26, C48	消化器官及腹膜	24,788
C15	食道	1,369
C16	胃	3,534
C17	小腸	320
C18-C21	結腸及直腸	8,238
C18	結腸	4,534
C19-C21	直腸、乙狀結腸連結部及肛門	3,704
C22	肝及肝內膽管	9,404
C23-C24	膽囊及肝外膽管	645
C25	胰	1,142
C48	後腹膜腔及腹膜	113
C26	消化器官之其他部位及與腹膜分界不明部位	23

註：1. 每名個案所接受之治療方式均分別計數，（）內為該治療方式佔該個案數之百分比。

2. 口腔、口咽及下咽：包括 ICD-O-3 C00-C06、C09-C10、C12-C14。

申報治療方法 ¹							ICD-O-3
手術治療	放射線治療	化學藥物治療	免疫治療	荷爾蒙治療	未治療	支持、其他治療或不詳	
31,751 (50.77)	12,444 (19.90)	19,429 (31.07)	286 (0.46)	2,099 (3.36)	8,435 (13.49)	15,414 (24.65)	C00-C80
3,092 (50.56)	2,982 (48.77)	2,291 (37.47)	- (0.00)	3 (0.05)	605 (9.89)	818 (13.38)	C00-C14
2,863 (64.55)	1,747 (39.39)	1,354 (30.53)	- (0.00)	3 (0.07)	421 (9.49)	602 (13.57)	C00-C14 ²
128 (83.12)	23 (14.94)	20 (12.99)	- (0.00)	1 (0.65)	10 (6.49)	12 (7.79)	C00
907 (71.36)	466 (36.66)	357 (28.09)	- (0.00)	1 (0.08)	110 (8.65)	158 (12.43)	C01-C02
202 (72.40)	88 (31.54)	59 (21.15)	- (0.00)	1 (0.36)	27 (9.68)	35 (12.54)	C03
57 (66.28)	28 (32.56)	19 (22.09)	- (0.00)	- (0.00)	14 (16.28)	8 (9.30)	C04
1,140 (69.60)	572 (34.92)	425 (25.95)	- (0.00)	- (0.00)	162 (9.89)	218 (13.31)	C05-C06
153 (36.00)	244 (57.41)	232 (54.59)	- (0.00)	- (0.00)	45 (10.59)	50 (11.76)	C09-C10
252 (47.28)	303 (56.85)	223 (41.84)	- (0.00)	- (0.00)	46 (8.63)	113 (21.20)	C12-C13
24 (48.98)	23 (46.94)	19 (38.78)	- (0.00)	- (0.00)	7 (14.29)	8 (16.33)	C14
134 (77.91)	80 (46.51)	33 (19.19)	- (0.00)	- (0.00)	15 (8.72)	12 (6.98)	C07-C08
95 (6.30)	1,155 (76.59)	904 (59.95)	- (0.00)	- (0.00)	169 (11.21)	204 (13.53)	C11
11,302 (45.59)	2,750 (11.09)	6,860 (27.67)	27 (0.11)	25 (0.10)	3,884 (15.67)	9,379 (37.84)	C15-C26, C48
380 (27.76)	721 (52.67)	621 (45.36)	- (0.00)	- (0.00)	180 (13.15)	424 (30.97)	C15
2,042 (57.78)	226 (6.40)	845 (23.91)	7 (0.20)	2 (0.06)	547 (15.48)	935 (26.46)	C16
228 (71.25)	9 (2.81)	62 (19.38)	- (0.00)	- (0.00)	36 (11.25)	56 (17.50)	C17
6,434 (78.10)	783 (9.50)	2,621 (31.82)	7 (0.08)	3 (0.04)	727 (8.82)	1,314 (15.95)	C18-C21
3,506 (77.33)	168 (3.71)	1,385 (30.55)	5 (0.11)	- (0.00)	442 (9.75)	764 (16.85)	C18
2,928 (79.05)	615 (16.60)	1,236 (33.37)	2 (0.05)	3 (0.08)	285 (7.69)	550 (14.85)	C19-C21
1,528 (16.25)	804 (8.55)	2,252 (23.95)	10 (0.11)	19 (0.20)	2,004 (21.31)	5,983 (63.62)	C22
361 (55.97)	42 (6.51)	86 (13.33)	2 (0.31)	- (0.00)	116 (17.98)	181 (28.06)	C23-C24
244 (21.37)	139 (12.17)	333 (29.16)	1 (0.09)	1 (0.09)	258 (22.59)	463 (40.54)	C25
73 (64.60)	25 (22.12)	34 (30.09)	- (0.00)	- (0.00)	13 (11.50)	18 (15.93)	C48
12 (52.17)	1 (4.35)	6 (26.09)	- (0.00)	- (0.00)	3 (13.04)	5 (21.74)	C26

表五之一 臺灣癌症申報發生人數按原發部位及治療方法分類，民國 92 年（續）
METHODS OF CANCER TREATMENT IN VARIOUS ANATOMIC SITES, 2003 (CONTINUED)

ICD-O-3	原 發 部 位 別	個案數
C30-C39	呼吸系統及胸腔內器官	8,337
C30-C31	鼻腔、副竇、中耳及內耳	184
C32	喉	489
C33-C34	肺、支氣管及氣管	7,415
C38.4	胸膜	35
C37-C38.3, C38.8	胸腺、心臟及中隔	214
C42³	白血病	1,323
C42	造血系統及網狀內皮系統（白血病除外）	440
C40-C41	骨、關節及關節軟骨	115
C47, C49	結締組織、軟組織及其他皮下組織	412
C44	皮膚	1,743
C44 ⁴	皮膚，惡性黑色素瘤	140
C44	皮膚，非惡性黑色素瘤	1,603
C50	女性乳房	5,325
C50	男性乳房	32
C51-C58	女性生殖器官	3,832
C55	子宮，未明示部位	2
C53	子宮頸	2,061
C54	子宮體	793
C56, C57.0-C57.4	卵巢、輸卵管及寬韌帶	833
C51-C52, C57.7-C57.9	陰道、外陰部及其他未詳細說明之女性生殖器官	143
C60-C63	男性生殖器官	2,464
C61	攝護腺	2,237
C62	睪丸	120
C60, C63	陰莖及其他男性生殖器官	107

註：1. 每名個案所接受之治療方式均分別計數，（）內為該治療方式佔該個案數之百分比。

3. 白血病：ICD-O-3 M-98003 - M-99643、M-99803 - M-99863、M-99893。

4. 皮膚，惡性黑色素瘤：ICD-O-3 C44，M-87203 - M-87903。

申報治療方法 ¹									ICD-O-3					
手術治療	放射線治療	化學藥物治療	免疫治療	荷爾蒙治療	未治療	支持、其他治療或不詳								
1,710	(20.51)	2,356	(28.26)	3,129	(37.53)	15	(0.18)	8	(0.10)	1,657	(19.88)	2,369	(28.42)	C30-C39
104	(56.52)	107	(58.15)	73	(39.67)	-	(0.00)	-	(0.00)	20	(10.87)	25	(13.59)	C30-C31
263	(53.78)	244	(49.90)	76	(15.54)	-	(0.00)	-	(0.00)	64	(13.09)	54	(11.04)	C32
1,219	(16.44)	1,891	(25.50)	2,889	(38.96)	13	(0.18)	8	(0.11)	1,548	(20.88)	2,244	(30.26)	C33-C34
11	(31.43)	5	(14.29)	9	(25.71)	-	(0.00)	-	(0.00)	8	(22.86)	11	(31.43)	C38.4
113	(52.80)	109	(50.93)	82	(38.32)	2	(0.93)	-	(0.00)	17	(7.94)	35	(16.36)	C37-C38.3, C38.8
7	(0.53)	44	(3.33)	841	(63.57)	38	(2.87)	9	(0.68)	245	(18.52)	361	(27.29)	C42³
58	(13.18)	91	(20.68)	281	(63.86)	14	(3.18)	5	(1.14)	65	(14.77)	110	(25.00)	C42
73	(63.48)	25	(21.74)	54	(46.96)	-	(0.00)	-	(0.00)	12	(10.43)	17	(14.78)	C40-C41
299	(72.57)	94	(22.82)	105	(25.49)	1	(0.24)	1	(0.24)	43	(10.44)	41	(9.95)	C47, C49
1,434	(82.27)	118	(6.77)	75	(4.30)	13	(0.75)	4	(0.23)	164	(9.41)	137	(7.86)	C44
107	(76.43)	16	(11.43)	25	(17.86)	10	(7.14)	2	(1.43)	15	(10.71)	20	(14.29)	C44 ⁴
1,327	(82.78)	102	(6.36)	50	(3.12)	3	(0.19)	2	(0.12)	149	(9.30)	117	(7.30)	C44
4,765	(89.48)	1,139	(21.39)	2,692	(50.55)	7	(0.13)	1,121	(21.05)	193	(3.62)	322	(6.05)	C50
27	(84.38)	2	(6.25)	9	(28.13)	-	(0.00)	3	(9.38)	5	(15.63)	1	(3.13)	C50
2,632	(68.68)	1,118	(29.18)	1,229	(32.07)	1	(0.03)	33	(0.86)	341	(8.90)	340	(8.87)	C51-C58
-	(0.00)	-	(0.00)	1	(50.00)	-	(0.00)	-	(0.00)	1	(50.00)	-	(0.00)	C55
1,174	(56.96)	835	(40.51)	573	(27.80)	-	(0.00)	4	(0.19)	244	(11.84)	191	(9.27)	C53
699	(88.15)	199	(25.09)	130	(16.39)	-	(0.00)	15	(1.89)	34	(4.29)	45	(5.67)	C54
690	(82.83)	28	(3.36)	490	(58.82)	-	(0.00)	12	(1.44)	45	(5.40)	89	(10.68)	C56, C57.0-C57.4
69	(48.25)	56	(39.16)	35	(24.48)	1	(0.70)	2	(1.40)	17	(11.89)	15	(10.49)	C51-C52, C57.7-C57.9
1,317	(53.45)	422	(17.13)	135	(5.48)	3	(0.12)	774	(31.41)	297	(12.05)	344	(13.96)	C60-C63
1,116	(49.89)	391	(17.48)	91	(4.07)	3	(0.13)	774	(34.60)	287	(12.83)	330	(14.75)	C61
111	(92.50)	17	(14.17)	34	(28.33)	-	(0.00)	-	(0.00)	3	(2.50)	5	(4.17)	C62
90	(84.11)	14	(13.08)	10	(9.35)	-	(0.00)	-	(0.00)	7	(6.54)	9	(8.41)	C60, C63

表五之一 臺灣癌症申報發生人數按原發部位及治療方法分類，民國 92 年(續完)
METHODS OF CANCER TREATMENT IN VARIOUS ANATOMIC SITES, 2003 (CONCLUDED)

ICD-O-3	原 發 部 位 別	個案數
C64-C68	泌尿器官	3,541
C67	膀胱	1,858
C64	腎	628
C65	腎盂	515
C66	輸尿管	332
C68.0-C68.1	尿道及其週邊腺體	22
C68.8	跨越泌尿器官兩個以上相鄰部位之病變	23
C68.9	泌尿系統，未明示部位	163
C69	眼及淚腺	61
C70-C72	中樞神經系統	641
C71	腦	573
C70, C72	其他神經系統及未詳細說明部位	68
C73	甲狀腺	1,286
C74-C75	其他內分泌腺	60
C76	其他分界不明的部位	3
C77	淋巴結	885
C80	不明原發部位	1,139

註：1. 每名個案所接受之治療方式均分別計數，（）內為該治療方式佔該個案數之百分比。

申報治療方法 ¹							ICD-O-3
手術治療	放射線治療	化學藥物治療	免疫治療	荷爾蒙治療	未治療	支持、其他治療或不詳	
2,916 (82.35)	256 (7.23)	692 (19.54)	154 (4.35)	11 (0.31)	265 (7.48)	517 (14.60)	C64-C68
1,614 (86.87)	125 (6.73)	469 (25.24)	113 (6.08)	6 (0.32)	104 (5.60)	249 (13.40)	C67
469 (74.68)	55 (8.76)	59 (9.39)	24 (3.82)	3 (0.48)	63 (10.03)	109 (17.36)	C64
418 (81.17)	39 (7.57)	80 (15.53)	5 (0.97)	1 (0.19)	43 (8.35)	62 (12.04)	C65
248 (74.70)	23 (6.93)	46 (13.86)	1 (0.30)	- (0.00)	33 (9.94)	69 (20.78)	C66
11 (50.00)	4 (18.18)	4 (18.18)	2 (9.09)	1 (4.55)	4 (18.18)	6 (27.27)	C68.0-C68.1
18 (78.26)	1 (4.35)	4 (17.39)	1 (4.35)	- (0.00)	- (0.00)	7 (30.43)	C68.8
138 (84.66)	9 (5.52)	30 (18.40)	8 (4.91)	- (0.00)	18 (11.04)	15 (9.20)	C68.9
40 (65.57)	15 (24.59)	19 (31.15)	1 (1.64)	- (0.00)	8 (13.11)	5 (8.20)	C69
478 (74.57)	316 (49.30)	109 (17.00)	1 (0.16)	2 (0.31)	52 (8.11)	84 (13.10)	C70-C72
426 (74.35)	294 (51.31)	101 (17.63)	1 (0.17)	2 (0.35)	45 (7.85)	78 (13.61)	C71
52 (76.47)	22 (32.35)	8 (11.76)	- (0.00)	- (0.00)	7 (10.29)	6 (8.82)	C70, C72
1,094 (85.07)	363 (28.23)	34 (2.64)	- (0.00)	99 (7.70)	86 (6.69)	133 (10.34)	C73
39 (65.00)	8 (13.33)	15 (25.00)	- (0.00)	- (0.00)	5 (8.33)	9 (15.00)	C74-C75
1 (33.33)	- (0.00)	- (0.00)	- (0.00)	- (0.00)	- (0.00)	2 (66.67)	C76
228 (25.76)	120 (13.56)	627 (70.85)	11 (1.24)	- (0.00)	101 (11.41)	129 (14.58)	C77
239 (20.98)	225 (19.75)	232 (20.37)	- (0.00)	1 (0.09)	407 (35.73)	296 (25.99)	C80

表五之二 臺灣白血病及惡性淋巴瘤申報發生人數按治療方法分類，民國 92 年
METHODS OF CANCER TREATMENT OF LEUKEMIA AND LYMPHOMA, 2003

白 血 病 及 惡 性 淋 巴 瘤	個案數
白血病 (ICD-O-3 M-98003 - M-99643、M-99803 - M-99863、M-99893)	1,323
急性淋巴芽細胞白血病 (ICD-O-3 M-98353 - M-98373)	217
慢性淋巴球白血病 (ICD-O-3 M-98233)	81
急性骨髓樣白血病 (ICD-O-3 M-98403、M-98613、M-98663、M-98673、 M-98713 - M-98743、M-98953 - M-98973、M-99203)	489
慢性骨髓樣白血病 (ICD-O-3 M-98633、M-98753、M-98763、M-99453、 M-99463、M-99633)	181
其他類型白血病 ²	355
惡性淋巴瘤 (ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643)	1,721
何杰金氏淋巴瘤 (ICD-O-3 M-96503 - M-96673)	128
非何杰金氏淋巴瘤 (ICD-O-3 M-95903 - M-95963、M-96703 - M-97293、 M-97503 - M-97583、M-97643)	1,593

註：1. 每名個案所接受之治療方式均分別計數，（）內為該治療方式佔該個案數之百分比。

2. 其他類型白血病：除急性淋巴芽細胞白血病、慢性淋巴球白血病、急性骨髓樣白血病、慢性骨髓樣白血病外之所有白血病代碼。

申報治療方法 ¹						
手術治療	放射線治療	化學藥物治療	免疫治療	荷爾蒙治療	未治療	支持、其他治療或不詳
7 (0.53)	44 (3.33)	841 (63.57)	38 (2.87)	9 (0.68)	245 (18.52)	361 (27.29)
2 (0.92)	13 (5.99)	199 (91.71)	- (0.00)	2 (0.92)	10 (4.61)	24 (11.06)
- (0.00)	1 (1.23)	35 (43.21)	2 (2.47)	3 (3.70)	28 (34.57)	17 (20.99)
3 (0.61)	18 (3.68)	374 (76.48)	9 (1.84)	1 (0.20)	65 (13.29)	123 (25.15)
2 (1.10)	5 (2.76)	118 (65.19)	21 (11.60)	1 (0.55)	31 (17.13)	55 (30.39)
- (0.00)	7 (1.97)	115 (32.39)	6 (1.69)	2 (0.56)	111 (31.27)	142 (40.00)
537 (31.20)	296 (17.20)	1,157 (67.23)	20 (1.16)	1 (0.06)	209 (12.14)	225 (13.07)
33 (25.78)	38 (29.69)	105 (82.03)	- (0.00)	- (0.00)	6 (4.69)	13 (10.16)
504 (31.64)	258 (16.20)	1,052 (66.04)	20 (1.26)	1 (0.06)	203 (12.74)	212 (13.31)