

表六 臺灣 10 種常見癌症申報發生人數按年齡及性別分類，民國 92 年

RANKING OF CANCER INCIDENCE RATE BY ANATOMIC SITES IN VARIOUS AGE GROUPS,  
2003

順位	0-9		10-19		20-29	
	男	女	男	女	男	女
1	(M-980-998) 白血病	(M-980-998) 白血病	(M-980-998) 白血病	(M-980-998) 白血病	(C22) 肝及肝內膽管	(C73) 甲狀腺
發生數	83	54	61	32	86	137
發生率	5.55	3.93	3.61	2.04	4.34	7.21
百分比	40.89%	41.22%	24.30%	18.08%	16.67%	22.42%
2	(C70-C72) 中樞神經系統	(C70-C72) 中樞神經系統	(C77) 淋巴結	(C73) 甲狀腺	(C11) 鼻咽	(C50) 女性乳房
發生數	37	16	33	29	51	101
發生率	2.47	1.16	1.95	1.85	2.58	5.32
百分比	18.23%	12.21%	13.15%	16.38%	9.88%	16.53%
3	(C62) 睪丸	(C47, C49) 結締組織、軟組織及其他皮下組織	(C70-C72) 中樞神經系統	(C56, C57.0-C57.4) 卵巢、輸卵管及寬韌帶	(M-980-998) 白血病	(C56, C57.0-C57.4) 卵巢、輸卵管及寬韌帶
發生數	13	8	27	22	44	52
發生率	0.87	0.58	1.60	1.41	2.22	2.74
百分比	6.40%	6.11%	10.76%	12.43%	8.53%	8.51%
4	(C77) 淋巴結	(C69), (C74-C75) 眼及淚腺, 其他內分泌腺並列	(C40-C41) 骨、關節及關節軟骨	(C70-C72) 中樞神經系統	(C18-C21) 結腸及直腸	(C18-C21) 結腸及直腸
發生數	12	7	21	19	41	37
發生率	0.80	0.51	1.24	1.21	2.07	1.95
百分比	5.91%	5.34%	8.37%	10.73%	7.95%	6.06%
5	(C47, C49), (C64.9), (C74-C75) 結締組織、軟組織及其他皮下組織, 腎, 其他內分泌腺並列	(C69), (C74-C75) 眼及淚腺, 其他內分泌腺並列	(C47, C49) 結締組織、軟組織及其他皮下組織	(C47, C49), (C77) 結締組織、軟組織及其他皮下組織, 淋巴結並列	(C00-C14) <sup>3</sup> 口腔	(M-980-998) 白血病
發生數	8	7	15	15	39	35
發生率	0.53	0.51	0.89	0.96	1.97	1.84
百分比	3.94%	5.34%	5.98%	8.47%	7.56%	5.73%

註：1. 括號內為國際疾病分類-腫瘤學第三版代號，ICD-O-3；白血病包含 M-98003 - M-99643、M-99803 - M-99863、M-99893。

2. 由上至下依序為腫瘤學代號，癌症部位，申報發生數，每 10 萬人口年齡別發生率及佔該性別年齡層所有癌症個案之百分比。

30-39		40-49		50-59		60-69		70+	
男	女	男	女	男	女	男	女	男	女
(C00-C14) <sup>3</sup> 口腔	(C50) 女性乳房	(C00-C14) <sup>3</sup> 口腔	(C50) 女性乳房	(C22) 肝及肝內 膽管	(C50) 女性乳房	(C22) 肝及肝內 膽管	(C18-C21) 結腸及直 腸	(C33-C34) 肺、支氣 管及氣管	(C18-C21) 結腸及直 腸
471 25.03 25.77%	734 40.09 35.68%	1,296 70.07 26.72%	1,801 99.27 37.09%	1,515 130.73 24.08%	1,413 121.43 28.39%	1,843 256.48 22.40%	904 117.41 16.25%	2,813 380.53 19.92%	1,481 220.61 18.78%
(C22) 肝及肝內 膽管	(C53) 子宮頸	(C22) 肝及肝內 膽管	(C53) 子宮頸	(C00-C14) <sup>3</sup> 口腔	(C18-C21) 結腸及直 腸	(C33-C34) 肺、支氣 管及氣管	(C22) 肝及肝內 膽管	(C18-C21) 結腸及直 腸	(C22) 肝及肝內 膽管
339 18.01 18.54%	247 13.49 12.01%	1,044 56.45 21.52%	540 29.76 11.12%	1,153 99.49 18.33%	593 50.96 11.91%	1,220 169.78 14.83%	859 111.57 15.44%	2,115 286.11 14.98%	1,140 169.81 14.46%
(C11) 鼻咽	(C73) 甲狀腺	(C18-C21) 結腸及直 腸	(C18-C21) 結腸及直 腸	(C18-C21) 結腸及直 腸	(C22) 肝及肝內 膽管	(C18-C21) 結腸及直 腸	(C50) 女性乳房	(C22) 肝及肝內 膽管	(C33-C34) 肺、支氣 管及氣管
199 10.57 10.89%	187 10.21 9.09%	447 24.17 9.21%	401 22.10 8.26%	706 60.92 11.22%	417 35.84 8.38%	1,213 168.81 14.75%	781 101.44 14.04%	1,909 258.24 13.52%	1,073 159.83 13.61%
(C18-C21) 結腸及直 腸	(C18-C21) 結腸及直 腸	(C11) 鼻咽	(C33-C34) 肺、支氣 管及氣管	(C33-C34) 肺、支氣 管及氣管	(C53) 子宮頸	(C00-C14) <sup>3</sup> 口腔	(C33-C34) 肺、支氣 管及氣管	(C61) 攝護腺	(C16) 胃
153 8.13 8.37%	143 7.81 6.95%	360 19.46 7.42%	262 14.44 5.40%	613 52.90 9.74%	399 34.29 8.02%	658 91.57 8.00%	613 79.62 11.02%	1,644 222.39 11.64%	552 82.23 7.00%
(M-980-998) 白血病	(C56, C57.0- C57.4) 卵巢、輸 卵管及寬 韌帶	(C33-C34) 肺、支氣 管及氣管	(C73) 甲狀腺	(C15) 食道	(C33-C34) 肺、支氣 管及氣管	(C16) 胃	(C53) 子宮頸	(C16) 胃	(C50) 女性乳房
68 3.61 3.72%	86 4.70 4.18%	307 16.60 6.33%	256 14.11 5.27%	304 26.23 4.83%	379 32.57 7.62%	488 67.91 5.93%	408 52.99 7.34%	1,261 170.58 8.93%	492 73.29 6.24%

3. 口腔、口咽及下咽：包括 ICD-O-3 C00-C06、C09-C10、C12-C14。

表六 臺灣 10 種常見癌症申報發生人數按年齡及性別分類，民國 92 年（續完）

RANKING OF CANCER INCIDENCE RATE BY ANATOMIC SITES IN VARIOUS AGE GROUPS,  
2003 (CONCLUDED)

順位	0-9		10-19		20-29	
	男	女	男	女	男	女
6	(C47, C49), (C64.9), (C74-C75) 結締組織、軟組織及其他皮下組織，腎，其他內分泌腺並列	(C64.9) 腎	(C73) 甲狀腺	(C47, C49), (C77) 結締組織、軟組織及其他皮下組織，淋巴結並列	(C62), (C77) 睪丸，淋巴結並列	(C77) 淋巴結
發生數	8	6	14	15	37	30
發生率	0.53	0.44	0.83	0.96	1.87	1.58
百分比	3.94%	4.58%	5.58%	8.47%	7.17%	4.91%
7	(C47, C49), (C64.9), (C74-C75) 結締組織、軟組織及其他皮下組織，腎，其他內分泌腺並列	(C22) 肝及肝內膽管	(C22), (C62) 肝及肝內膽管，睪丸並列	(C40-C41) 骨、關節及關節軟骨	(C62), (C77) 睪丸，淋巴結並列	(C47, C49) 結締組織、軟組織及其他皮下組織
發生數	8	5	11	8	37	25
發生率	0.53	0.36	0.65	0.51	1.87	1.32
百分比	3.94%	3.82%	4.38%	4.52%	7.17%	4.09%
8	(C22), (C48) 肝及肝內膽管，後腹膜腔及腹膜並列	(C48), (C40-C41), (C77) 後腹膜腔及腹膜，骨、關節及關節軟骨，淋巴結並列	(C22), (C62) 肝及肝內膽管，睪丸並列	(C11) 鼻咽	(C70-C72) 中樞神經系統	(C11) 鼻咽
發生數	6	4	11	5	25	22
發生率	0.40	0.29	0.65	0.32	1.26	1.16
百分比	2.96%	3.05%	4.38%	2.82%	4.84%	3.60%
9	(C22), (C48) 肝及肝內膽管，後腹膜腔及腹膜並列	(C48), (C40-C41), (C77) 後腹膜腔及腹膜，骨、關節及關節軟骨，淋巴結並列	(C37-C38.3, C38.8) 胸腺、心臟與中隔	(C44) 皮膚	(C44) 皮膚	(C53) 子宮頸
發生數	6	4	8	4	24	21
發生率	0.40	0.29	0.47	0.26	1.21	1.11
百分比	2.96%	3.05%	3.19%	2.26%	4.65%	3.44%
10	(C42), (C40-C41) 造血系統及網狀內皮系統，骨、關節及關節軟骨並列	(C48), (C40-C41), (C77) 後腹膜腔及腹膜，骨、關節及關節軟骨，淋巴結並列	(C00-C14) <sup>3</sup> , (C48) 口腔，後腹膜腔及腹膜並列	(C22), (C53) 肝及肝內膽管，子宮頸並列	(C73) 甲狀腺	(C70-C72) 中樞神經系統
發生數	4	4	7	3	23	19
發生率	0.27	0.29	0.41	0.19	1.16	1.00
百分比	1.97%	3.05%	2.79%	1.69%	4.46%	3.11%

註：1. 括號內為國際疾病分類-腫瘤學第三版代號，ICD-O-3；白血病包含 M-98003 - M-99643 - M-99803 - M-99863 - M-99893。

2. 由上至下依序為腫瘤學代號，癌症部位，申報發生數，每 10 萬人口年齡別發生率及佔該性別年齡層所有癌症個案之百分比。

30-39		40-49		50-59		60-69		70+	
男	女	男	女	男	女	男	女	男	女
(C16) 胃	(C54) 子宮體	(C15) 食道	(C56, C57.0- C57.4) 卵巢、輸 卵管及寬 韌帶	(C16) 胃	(C54) 子宮體	(C61) 攝護腺	(C16) 胃	(C67) 膀胱	(C53) 子宮頸
62 3.29 3.39%	82 4.48 3.99%	272 14.71 5.61%	241 13.28 4.96%	276 23.82 4.39%	242 20.80 4.86%	475 66.10 5.77%	267 34.68 4.80%	667 90.23 4.72%	443 65.99 5.62%
(C44) 皮膚	(C11) 鼻咽	(C16) 胃	(C54) 子宮體	(C11) 鼻咽	(C56, C57.0- C57.4) 卵巢、輸 卵管及寬 韌帶	(C67) 膀胱	(C65-C66, C68) 腎盂及其 他泌尿器 官	(C44) 皮膚	(C44) 皮膚
60 3.19 3.28%	66 3.60 3.21%	207 11.19 4.27%	240 13.23 4.94%	249 21.49 3.96%	205 17.62 4.12%	334 46.48 4.06%	176 22.86 3.16%	446 60.33 3.16%	417 62.12 5.29%
(C33-C34) 肺、支氣 管及氣管	(C22) 肝及肝內 膽管	(C44) · (C67) 皮膚，膀 胱並列	(C16) 胃	(C67) 膀胱	(C16) 胃	(C15) 食道	(C44) 皮膚	(C00-C14) <sup>3</sup> 口腔	(C67) 膀胱
59 3.13 3.23%	60 3.28 2.92%	81 4.38 1.67%	160 8.82 3.29%	194 16.74 3.08%	180 15.47 3.62%	287 39.94 3.49%	143 18.57 2.57%	416 56.28 2.95%	284 42.30 3.60%
(C73) 甲狀腺	(C16) 胃	(C44) · (C67) 皮膚，膀 胱並列	(C22) 肝及肝內 膽管	(C44) 皮膚	(C73) 甲狀腺	(C44) 皮膚	(C67) 膀胱	(C15) 食道	(C65-C66, C68) 腎盂及其 他泌尿器 官
56 2.98 3.06%	57 3.11 2.77%	81 4.38 1.67%	151 8.32 3.11%	124 10.70 1.97%	175 15.04 3.52%	217 30.20 2.64%	137 17.79 2.46%	351 47.48 2.49%	250 37.24 3.17%
(C70-C72) 中樞神經 系統	(C33-C34) 肺、支氣 管及氣管	(M-980-998) 白血病	(C11) 鼻咽	(C25) 胰	(C44) 皮膚	(C11) 鼻咽	(C25) 胰	(C25) 胰	(C25) 胰
44 2.34 2.41%	54 2.95 2.63%	73 3.95 1.50%	107 5.90 2.20%	116 10.01 1.84%	92 7.91 1.85%	166 23.10 2.02%	134 17.40 2.41%	337 45.59 2.39%	206 30.69 2.61%

3. 口腔、口咽及下咽：包括 ICD-O-3 C00-C06、C09-C10、C12-C14。