

民國 93 年

癌症申報發生人數分類統計表

表一之一 台灣癌症申報發生人數按原發部位、性別及年齡分類，民國 93 年

PRIMARY SITES, SEX AND AGE DISTRIBUTION OF CANCERS, 2004

ICD-O-3	原發部位別	性別	總計					
			0	1-4	5-9	10-14	15-19	
C00-C80	全癌症 (總計)	男	39,074	32	86	74	105	112
		女	28,821	24	82	50	70	103
		計	67,895	56	168	124	175	215
C00-C14	唇、口腔及咽	男	5,575	-	2	3	4	7
		女	883	-	1	-	3	4
		計	6,458	-	3	3	7	11
C00-C14 ¹	口腔、口咽及下咽	男	4,363	-	2	1	2	1
		女	420	-	1	-	-	1
		計	4,783	-	3	1	2	2
C00	唇 (唇的皮膚 C44.0 除外)	男	146	-	-	-	1	-
		女	15	-	-	-	-	-
		計	161	-	-	-	1	-
C01-C02	舌	男	1,183	-	-	1	-	-
		女	173	-	-	-	-	-
		計	1,356	-	-	1	-	-
C03	齒齦	男	265	-	-	-	-	-
		女	24	-	-	-	-	-
		計	289	-	-	-	-	-
C04	口底	男	89	-	-	-	-	-
		女	10	-	-	-	-	-
		計	99	-	-	-	-	-
C05-C06	口腔之其他及未詳細說明部位	男	1,619	-	-	-	-	-
		女	89	-	-	-	-	1
		計	1,708	-	-	-	-	1
C09-C10	口咽	男	416	-	2	-	-	1
		女	77	-	1	-	-	-
		計	493	-	3	-	-	1
C12-C13	下咽	男	578	-	-	-	-	-
		女	32	-	-	-	-	-
		計	610	-	-	-	-	-
C14	咽和唇、口腔及咽之分界不明部位	男	67	-	-	-	1	-
		女	-	-	-	-	-	-
		計	67	-	-	-	1	-
C07-C08	主唾液腺	男	89	-	-	1	-	1
		女	93	-	-	-	3	1
		計	182	-	-	1	3	2

註：1. 口腔、口咽及下咽：包括 ICD-O-3 C00-C06、C09-C10、C12-C14。

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+	ICD-O-3
223	353	607	1,228	2,195	2,996	3,628	3,270	4,085	4,598	5,612	5,471	2,966	1,433	C00-C80
208	428	783	1,429	2,329	3,146	3,226	2,412	2,890	3,214	3,064	2,528	1,747	1,088	
431	781	1,390	2,657	4,524	6,142	6,854	5,682	6,975	7,812	8,676	7,999	4,713	2,521	
24	62	216	453	785	1,011	915	575	533	407	289	180	81	28	C00-C14
14	28	48	59	99	109	128	77	86	77	65	37	29	19	
38	90	264	512	884	1,120	1,043	652	619	484	354	217	110	47	
4	37	149	328	615	804	748	457	447	316	221	139	69	23	C00-C14 ¹
1	6	18	16	26	46	55	41	54	51	46	23	21	14	
5	43	167	344	641	850	803	498	501	367	267	162	90	37	
-	1	8	5	11	25	25	24	17	8	12	3	4	2	C00
-	-	1	-	1	-	1	2	1	3	3	-	2	1	
-	1	9	5	12	25	26	26	18	11	15	3	6	3	
1	20	53	125	207	212	200	101	97	67	42	35	17	5	C01-C02
1	3	6	6	9	23	28	21	21	17	15	14	4	5	
2	23	59	131	216	235	228	122	118	84	57	49	21	10	
-	3	11	14	23	46	37	24	33	30	26	10	5	3	C03
-	-	1	2	1	1	3	2	2	3	5	-	3	1	
-	3	12	16	24	47	40	26	35	33	31	10	8	4	
-	-	1	7	10	23	18	12	8	6	2	1	1	-	C04
-	-	1	-	-	2	2	1	-	1	-	1	1	1	
-	-	2	7	10	25	20	13	8	7	2	2	2	1	
1	10	60	120	215	321	291	186	171	129	58	37	17	3	C05-C06
-	1	6	4	5	6	5	7	15	11	13	3	8	4	
1	11	66	124	220	327	296	193	186	140	71	40	25	7	
2	1	4	28	63	65	82	45	48	25	22	18	5	5	C09-C10
-	2	2	3	6	11	10	7	12	8	7	5	2	1	
2	3	6	31	69	76	92	52	60	33	29	23	7	6	
-	1	10	26	77	100	84	62	65	48	50	31	19	5	C12-C13
-	-	1	1	4	3	6	1	3	8	3	-	1	1	
-	1	11	27	81	103	90	63	68	56	53	31	20	6	
-	1	2	3	9	12	11	3	8	3	9	4	1	-	C14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	2	3	9	12	11	3	8	3	9	4	1	-	
3	-	2	5	3	13	9	14	12	10	6	7	3	-	C07-C08
6	6	6	4	10	10	14	9	4	5	5	4	3	3	
9	6	8	9	13	23	23	23	16	15	11	11	6	3	

表一之一 台灣癌症申報發生人數按原發部位、性別及年齡分類，民國 93 年（續）

PRIMARY SITES, SEX AND AGE DISTRIBUTION OF CANCERS, 2004 (CONTINUED)

ICD-O-3	原發部位別	性別總計	年齡					
			0-4	5-9	10-14	15-19	20-24	25-29
C11	鼻咽	男	1,123	-	-	1	2	5
		女	370	-	-	-	-	2
		計	1,493	-	-	1	2	7
C15-C26, C48	消化器官及腹膜	男	17,537	6	7	8	5	14
		女	9,337	6	8	4	2	4
		計	26,874	12	15	12	7	18
C15	食道	男	1,374	-	-	-	-	-
		女	97	-	-	-	-	-
		計	1,471	-	-	-	-	-
C16	胃	男	2,380	-	-	-	-	2
		女	1,338	-	-	-	1	1
		計	3,718	-	-	-	1	3
C17	小腸	男	165	-	-	1	-	-
		女	131	-	-	-	-	-
		計	296	-	-	1	-	-
C18-C21	結腸、直腸、乙狀結腸連結部及肛門	男	5,426	-	-	-	-	5
		女	4,109	-	-	-	-	-
		計	9,535	-	-	-	-	5
C18	結腸	男	3,018	-	-	-	-	5
		女	2,387	-	-	-	-	-
		計	5,405	-	-	-	-	5
C19-C21	直腸、乙狀結腸連結部及肛門	男	2,408	-	-	-	-	-
		女	1,722	-	-	-	-	-
		計	4,130	-	-	-	-	-
C22	肝及肝內膽管	男	7,051	5	4	3	2	2
		女	2,779	1	4	3	1	1
		計	9,830	6	8	6	3	3
C23-C24	膽囊及肝外膽管	男	418	-	-	-	-	-
		女	327	-	-	-	-	-
		計	745	-	-	-	-	-
C25	胰	男	644	-	-	-	1	-
		女	473	-	-	-	-	1
		計	1,117	-	-	-	1	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+	ICD-O-3
17	25	65	120	167	194	158	104	74	81	62	34	9	5	C11
7	16	24	39	63	53	59	27	28	21	14	10	5	2	
24	41	89	159	230	247	217	131	102	102	76	44	14	7	
46	110	222	464	894	1,295	1,769	1,686	2,104	2,261	2,472	2,293	1,275	606	C15-C26,
23	75	121	171	343	562	765	742	1,106	1,396	1,469	1,227	789	524	C48
69	185	343	635	1,237	1,857	2,534	2,428	3,210	3,657	3,941	3,520	2,064	1,130	
-	-	6	37	120	178	201	180	173	139	153	97	63	27	C15
-	-	-	1	2	3	7	6	8	12	20	16	9	13	
-	-	6	38	122	181	208	186	181	151	173	113	72	40	
7	9	24	46	80	124	171	144	220	270	387	475	273	148	C16
2	14	33	33	89	117	108	89	137	137	170	170	149	88	
9	23	57	79	169	241	279	233	357	407	557	645	422	236	
-	1	2	8	12	18	16	8	15	13	26	26	12	7	C17
-	2	1	3	3	6	11	14	8	13	26	18	12	14	
-	3	3	11	15	24	27	22	23	26	52	44	24	21	
16	47	67	125	175	294	438	469	636	746	832	852	485	239	C18-C21
8	34	55	84	161	275	395	324	490	581	605	531	315	251	
24	81	122	209	336	569	833	793	1,126	1,327	1,437	1,383	800	490	
12	29	29	83	104	164	216	227	340	393	474	515	288	139	C18
7	23	38	50	88	148	221	184	261	329	348	340	193	157	
19	52	67	133	192	312	437	411	601	722	822	855	481	296	
4	18	38	42	71	130	222	242	296	353	358	337	197	100	C19-C21
1	11	17	34	73	127	174	140	229	252	257	191	122	94	
5	29	55	76	144	257	396	382	525	605	615	528	319	194	
19	49	116	237	462	616	853	774	936	964	869	653	358	129	C22
8	19	27	37	58	104	186	231	380	516	506	367	223	107	
27	68	143	274	520	720	1,039	1,005	1,316	1,480	1,375	1,020	581	236	
1	1	1	4	15	24	25	40	45	48	82	69	40	23	C23-C24
-	1	-	2	6	23	24	30	35	48	50	53	36	19	
1	2	1	6	21	47	49	70	80	96	132	122	76	42	
-	-	4	6	26	40	56	67	70	71	113	114	44	32	C25
3	3	4	9	17	21	29	40	40	80	87	69	42	28	
3	3	8	15	43	61	85	107	110	151	200	183	86	60	

表一之一 台灣癌症申報發生人數按原發部位、性別及年齡分類，民國 93 年（續）
PRIMARY SITES, SEX AND AGE DISTRIBUTION OF CANCERS, 2004 (CONTINUED)

ICD-O-3	原發部位別	性別總計	年齡					
			0	1-4	5-9	10-14	15-19	
C48	後腹膜腔及腹膜	男	64	1	3	4	2	4
		女	69	5	4	1	-	1
		計	133	6	7	5	2	5
C26	消化器官之其他部位及與腹膜間分界不明部位	男	15	-	-	-	-	1
		女	14	-	-	-	-	-
		計	29	-	-	-	-	1
C30-C39	呼吸系統及胸腔內器官	男	6,307	1	1	3	3	8
		女	2,791	2	2	-	-	5
		計	9,098	3	3	3	3	13
C30-C31	鼻腔、副竇、中耳及內耳	男	134	-	1	-	1	1
		女	59	-	-	-	-	-
		計	193	-	1	-	1	1
C32	喉	男	493	-	-	-	-	-
		女	30	-	-	-	-	-
		計	523	-	-	-	-	-
C33-C34	肺、支氣管及氣管	男	5,537	1	-	1	2	1
		女	2,605	-	1	-	-	2
		計	8,142	1	1	1	2	3
C38.4	胸膜	男	16	-	-	-	-	-
		女	4	-	-	-	-	-
		計	20	-	-	-	-	-
C37-C38.3, C38.8	胸腺、心臟及縱隔	男	127	-	-	2	-	6
		女	93	2	1	-	-	3
		計	220	2	1	2	-	9
C42 ²	白血病	男	797	9	42	26	28	23
		女	550	7	32	19	16	9
		計	1,347	16	74	45	44	32
C42	造血系統及網狀內皮系統（白血病除外）	男	258	1	-	3	1	1
		女	180	1	3	-	-	1
		計	438	2	3	3	1	2
C40-C41	骨、關節及關節軟骨	男	73	-	2	2	14	8
		女	58	-	1	3	7	4
		計	131	-	3	5	21	12

註：2. 白血病：ICD-O-3 M-98003 - M-99643、M-99803 - M-99893。

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+	ICD-O-3
3	3	2	1	4	1	9	4	6	8	5	4	-	-	C48
2	2	1	2	7	12	5	4	8	5	4	2	3	1	
5	5	3	3	11	13	14	8	14	13	9	6	3	1	
-	-	-	-	-	-	-	-	3	2	5	3	-	1	C26
-	-	-	-	-	1	-	4	-	4	1	1	-	3	
-	-	-	-	-	1	-	4	3	6	6	4	-	4	
16	22	18	77	165	259	413	425	611	840	1,202	1,241	691	311	C30-C39
9	17	25	63	128	185	215	226	328	402	412	342	272	158	
25	39	43	140	293	444	628	651	939	1,242	1,614	1,583	963	469	
2	3	-	14	14	8	10	15	16	7	18	9	10	5	C30-C31
1	6	1	-	4	8	5	10	5	5	5	4	4	1	
3	9	1	14	18	16	15	25	21	12	23	13	14	6	
-	1	1	14	22	42	52	54	64	56	73	64	40	10	C32
1	-	1	1	2	4	4	-	1	5	4	1	4	2	
1	1	2	15	24	46	56	54	65	61	77	65	44	12	
4	12	15	43	118	189	332	345	523	768	1,098	1,158	635	292	C33-C34
2	6	19	60	116	162	193	209	307	383	398	332	262	153	
6	18	34	103	234	351	525	554	830	1,151	1,496	1,490	897	445	
-	-	-	2	-	1	6	1	2	-	1	2	1	-	C38.4
-	-	-	-	-	1	-	-	-	2	-	1	-	-	
-	-	-	2	-	2	6	1	2	2	1	3	1	-	
10	6	2	4	11	19	13	10	6	9	12	8	5	4	C37-C38.3,
5	5	4	2	6	10	13	7	15	7	5	4	2	2	C38.8
15	11	6	6	17	29	26	17	21	16	17	12	7	6	
28	31	27	29	45	38	40	49	59	58	83	108	50	24	C42²
19	17	20	20	27	49	44	31	37	45	42	50	38	28	
47	48	47	49	72	87	84	80	96	103	125	158	88	52	
-	2	1	7	10	10	21	16	26	32	56	40	26	5	C42
1	-	2	2	6	11	26	14	13	36	27	22	11	4	
1	2	3	9	16	21	47	30	39	68	83	62	37	9	
5	5	3	6	4	3	1	2	4	2	1	4	6	1	C40-C41
3	4	3	7	1	3	7	3	2	6	-	3	1	-	
8	9	6	13	5	6	8	5	6	8	1	7	7	1	

表一之一 台灣癌症申報發生人數按原發部位、性別及年齡分類，民國 93 年（續）

PRIMARY SITES, SEX AND AGE DISTRIBUTION OF CANCERS, 2004 (CONTINUED)

ICD-O-3	原發部位別	性別	總計	年齡				
				0-4	5-9	10-14	15-19	20-24
C47, C49	結締組織、軟組織及其他皮下組織	男	238	3	4	3	8	7
		女	188	-	4	1	5	8
		計	426	3	8	4	13	15
C44	皮膚	男	1,195	-	-	2	2	1
		女	965	2	1	1	4	8
		計	2,160	2	1	3	6	9
C44 ³	皮膚，惡性黑色素瘤	男	90	-	-	-	-	-
		女	82	-	1	1	-	1
		計	172	-	1	1	-	1
C44	皮膚，非惡性黑色素瘤	男	1,105	-	-	2	2	1
		女	883	2	-	-	4	7
		計	1,988	2	-	2	6	8
C50	女性乳房	女	6,176	-	-	-	1	-
C50	男性乳房	男	48	-	-	-	-	-
C51-C58	女性生殖器官	女	4,132	-	-	2	5	15
C55	子宮，未明示部位	女	6	-	-	-	-	-
C53	子宮頸	女	2,292	-	-	-	-	-
C54	子宮體	女	877	-	-	-	-	2
C56, C57.0-C57.4	卵巢、輸卵管及寬韌帶	女	841	-	-	2	5	13

註：3. 皮膚，惡性黑色素瘤：ICD-O-3 C44， M-87203 - M-87903。

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+	ICD-O-3
7	17	10	16	14	16	15	11	21	18	26	28	6	8	C47, C49
8	5	13	11	19	13	29	15	17	10	10	10	7	3	
15	22	23	27	33	29	44	26	38	28	36	38	13	11	C44
10	17	21	35	45	63	64	92	116	132	160	219	121	95	
14	15	15	22	37	55	48	59	82	106	134	118	138	106	C44
24	32	36	57	82	118	112	151	198	238	294	337	259	201	
2	-	-	5	1	6	3	11	9	11	14	15	5	8	C44 ³
1	3	2	3	5	5	8	5	10	17	9	5	4	2	
3	3	2	8	6	11	11	16	19	28	23	20	9	10	C44
8	17	21	30	44	57	61	81	107	121	146	204	116	87	
13	12	13	19	32	50	40	54	72	89	125	113	134	104	C44
21	29	34	49	76	107	101	135	179	210	271	317	250	191	
21	90	220	565	937	1,218	1,003	632	534	405	273	159	87	31	C50
1	-	-	-	2	3	5	5	7	3	7	9	6	-	C50
34	62	162	293	479	646	616	362	358	352	267	239	150	90	C51-C58
-	-	1	-	1	-	2	1	-	1	-	-	-	-	C55
4	24	89	183	269	353	293	159	197	223	175	168	97	58	C53
-	14	35	49	113	157	176	110	76	55	44	19	19	8	C54
28	19	36	56	90	119	137	86	74	64	38	36	23	15	C56, C57.0-C57.

表一之一 台灣癌症申報發生人數按原發部位、性別及年齡分類，民國 93 年（續）
 PRIMARY SITES, SEX AND AGE DISTRIBUTION OF CANCERS, 2004 (CONTINUED)

ICD-O-3	原發部位別	性別	總計					
			0	1-4	5-9	10-14	15+	
C51-C52, C57.7-C57.9	陰道、外陰部及其他未詳細說明之女性生殖器官	女	116	-	-	-	-	-
C60-C63	男性生殖器官	男	2,878	2	4	-	3	9
C61	攝護腺	男	2,660	-	-	-	-	-
C62	睪丸	男	131	2	4	-	2	8
C60,C63	陰莖及其他男性生殖器官	男	87	-	-	-	1	1
C64-C68	泌尿器官	男	2,272	1	5	2	1	2
		女	1,311	1	6	1	1	-
		計	3,583	2	11	3		2
C67	膀胱	男	1,380	-	1	-	-	2
		女	524	-	-	1	-	-
		計	1,904	-	1	1	-	2
C64	腎	男	407	1	4	2	1	-
		女	239	1	6	-	1	-
		計	646	2	10	2	2	-
C65	腎盂	男	237	-	-	-	-	-
		女	262	-	-	-	-	-
		計	499	-	-	-	-	-
C66	輸尿管	男	149	-	-	-	-	-
		女	175	-	-	-	-	-
		計	324	-	-	-	-	-
C68.0-C68.1	尿道及其週邊腺體	男	16	-	-	-	-	-
		女	6	-	-	-	-	-
		計	22	-	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+	ICD-O-3
2	5	1	5	6	17	8	6	11	9	10	16	11	9	C51-C52, C57.7-C57.9
27	34	10	18	15	22	40	93	232	355	706	741	391	176	C60-C63
-	1	-	2	3	16	28	86	223	345	688	713	380	175	C61
26	32	10	12	9	4	4	3	2	3	4	5	1	-	C62
1	1	-	4	3	2	8	4	7	7	14	23	10	1	C60,C63
6	5	18	41	83	128	186	167	235	292	383	406	193	118	C64-C68
1	5	12	23	32	58	100	108	167	207	213	185	118	73	
7	10	30	64	115	186	286	275	402	499	596	591	311	191	
1	3	9	22	37	68	104	98	144	173	241	262	125	90	C67
-	-	5	5	15	27	35	38	70	77	74	80	54	43	
1	3	14	27	52	95	139	136	214	250	315	342	179	133	
3	1	6	14	30	38	45	32	36	47	54	61	25	7	C64
1	3	5	11	12	16	28	24	29	31	32	25	7	7	
4	4	11	25	42	54	73	56	65	78	86	86	32	14	
-	-	2	4	7	12	18	22	30	32	41	36	24	9	C65
-	2	-	3	2	7	25	25	29	43	51	40	25	10	
-	2	2	7	9	19	43	47	59	75	92	76	49	19	
2	-	-	1	3	6	11	11	12	20	31	34	11	7	C66
-	-	-	-	-	4	7	11	19	41	33	29	21	10	
2	-	-	1	3	10	18	22	31	61	64	63	32	17	
-	1	-	-	1	-	-	-	1	3	4	4	1	1	C68.0-C68. 1
-	-	-	-	-	-	-	-	3	-	3	-	-	-	
-	1	-	-	1	-	-	-	4	3	7	4	1	1	

表一之一 台灣癌症申報發生人數按原發部位、性別及年齡分類，民國 93 年（續完）
PRIMARY SITES, SEX AND AGE DISTRIBUTION OF CANCERS, 2004 (CONCLUDED)

ICD-O-3	原發部位別	性別	總計					
			0	1 4	5 9	10 14	15 19	
C68.8	跨越泌尿器官兩個以上相鄰部位之病變	男	10	-	-	-	-	-
		女	18	-	-	-	-	-
		計	28	-	-	-	-	-
C68.9	泌尿系統，未明示部位	男	73	-	-	-	-	-
		女	87	-	-	-	-	-
		計	160	-	-	-	-	-
C69	眼及淚腺	男	37	5	3	1	2	-
		女	23	-	4	-	-	-
		計	60	5	7	1	2	-
C70-C72	中樞神經系統	男	374	1	8	9	16	12
		女	288	3	10	13	15	15
		計	662	4	18	22	31	27
C71	腦	男	340	1	7	8	15	10
		女	258	3	9	12	15	14
		計	598	4	16	20	30	24
C70, C72	其他神經系統及未詳細說明部位	男	34	-	1	1	1	2
		女	30	-	1	1	-	1
		計	64	-	2	2	1	3
C73	甲狀腺	男	335	-	1	-	1	4
		女	1,132	-	2	-	6	22
		計	1,467	-	3	-	7	26
C74-C75	其他內分泌腺	男	40	2	4	4	1	3
		女	25	2	3	2	-	-
		計	65	4	7	6	1	3
C76	其他分界不明的部位	男	4	-	-	-	-	-
		女	5	-	-	-	-	-
		計	9	-	-	-	-	-
C77	淋巴結	男	518	-	3	8	16	13
		女	384	-	5	4	5	8
		計	902	-	8	12	21	21
C80	不明原發部位	男	588	1	-	-	-	-
		女	393	-	-	-	-	-
		計	981	1	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+	ICD-O-3
-	-	-	-	1	1	1	1	-	5	-	1	-	-	C68.8
-	-	1	1	-	-	-	4	1	3	3	3	2	-	
-	-	1	1	1	1	1	5	1	8	3	4	2	-	
-	-	1	-	4	3	7	3	12	12	12	8	7	4	C68.9
-	-	1	3	3	4	5	6	16	12	17	8	9	3	
-	-	2	3	7	7	12	9	28	24	29	16	16	7	
-	-	2	1	5	-	4	3	-	3	-	2	5	1	C69
-	-	-	-	1	-	2	2	4	3	3	1	1	2	
-	-	2	1	6	-	6	5	4	6	3	3	6	3	
15	11	13	17	27	32	33	29	30	41	40	25	10	5	C70-C72
2	12	16	16	29	25	31	13	22	21	21	14	7	3	
17	23	29	33	56	57	64	42	52	62	61	39	17	8	
14	9	13	16	25	29	31	25	27	40	35	23	7	5	C71
2	12	15	16	27	24	28	10	16	17	16	14	6	2	
16	21	28	32	52	53	59	35	43	57	51	37	13	7	
1	2	-	1	2	3	2	4	3	1	5	2	3	-	C70, C72
-	-	1	-	2	1	3	3	6	4	5	-	1	1	
1	2	1	1	4	4	5	7	9	5	10	2	4	1	
11	19	23	35	43	38	31	26	18	28	27	17	8	5	C73
50	80	100	144	158	153	138	76	57	52	37	32	19	6	
61	99	123	179	201	191	169	102	75	80	64	49	27	11	
1	2	2	1	1	3	1	-	3	3	5	2	1	1	C74-C75
1	1	1	2	1	7	3	-	-	1	-	1	-	-	
2	3	3	3	2	10	4	-	3	4	5	3	1	1	
-	-	-	-	-	-	-	1	1	-	-	-	1	1	C76
-	-	-	1	-	-	-	-	-	1	3	-	-	-	
-	-	-	1	-	-	-	1	1	1	3	-	1	1	
21	10	15	16	30	39	44	35	37	49	58	60	42	22	C77
7	14	21	18	18	26	35	24	39	46	34	35	34	11	
28	24	36	34	48	65	79	59	76	95	92	95	76	33	
5	6	6	12	27	36	46	55	48	74	97	96	53	26	C80
1	3	4	12	14	26	36	28	38	48	54	53	46	30	
6	9	10	24	41	62	82	83	86	122	151	149	99	56	

表一之二 台灣白血病及惡性淋巴瘤申報發生人數按性別及年齡分類，民國 93 年
LEUKEMIA, LYMPHOMA, SEX AND AGE DISTRIBUTION OF CANCERS, 2004

白血病及惡性淋巴瘤	性別	總計	年齡				
			0	1	5	10	15
			4	9	14	19	
白血病 (ICD-O-3 M-98003 - M-99643、M-99803 - M-99893)	男	797	9	42	26	28	23
	女	550	7	32	19	16	9
	計	1,347	16	74	45	44	32
急性淋巴芽細胞白血病 (ICD-O-3 M-98353 - M-98373)	男	124	4	39	18	16	4
	女	92	5	26	12	9	3
	計	216	9	65	30	25	7
慢性淋巴球白血病 (ICD-O-3 M-98233)	男	59	-	-	-	-	-
	女	35	-	-	-	-	-
	計	94	-	-	-	-	-
急性骨髓樣白血病 (ICD-O-3 M-98403、M-98613、M-98663、M-98673、M-98713 - M-98743、M-98953 - M-98973、M-99203)	男	298	3	1	3	7	12
	女	213	1	4	3	5	4
	計	511	4	5	6	12	16
慢性骨髓樣白血病 (ICD-O-3 M-98633、M-98753、M-98763、M-99453、M-99463、M-99633)	男	94	-	1	-	1	4
	女	69	1	1	1	1	1
	計	163	1	2	1	2	5
其他類型白血病 ¹	男	222	2	1	5	4	3
	女	141	-	1	3	1	1
	計	363	2	2	8	5	4
惡性淋巴瘤 (ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643)	男	974	2	6	15	21	20
	女	727	2	9	6	7	14
	計	1,701	4	15	21	28	34
何杰金氏淋巴瘤 (ICD-O-3 M-96503 - M-96673)	男	81	-	1	5	8	10
	女	45	-	1	1	1	7
	計	126	-	2	6	9	17
非何杰金氏淋巴瘤 (ICD-O-3 M-95903 - M-95963、M-96703 - M-97293、M-97503 - M-97583、M-97643)	男	893	2	5	10	13	10
	女	682	2	8	5	6	7
	計	1,575	4	13	15	19	17

註：1. 其他類型白血病：除急性淋巴芽細胞白血病、慢性淋巴球白血病、急性骨髓樣白血病、慢性骨髓樣白血病外之所有白血病代碼。

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
28	31	27	29	45	38	40	49	59	58	83	108	50	24
19	17	20	20	27	49	44	31	37	45	42	50	38	28
47	48	47	49	72	87	84	80	96	103	125	158	88	52
9	4	3	3	2	6	2	5	2	1	-	4	-	2
5	6	2	2	3	5	3	4	4	1	-	-	2	-
14	10	5	5	5	11	5	9	6	2	-	4	2	2
-	-	-	-	5	1	8	4	10	6	7	10	5	3
-	-	1	1	1	4	1	4	6	2	5	7	1	2
-	-	1	1	6	5	9	8	16	8	12	17	6	5
12	14	14	11	20	13	13	18	28	20	37	45	18	9
11	7	9	8	11	23	22	11	13	24	19	19	12	7
23	21	23	19	31	36	35	29	41	44	56	64	30	16
2	9	6	8	9	6	3	9	7	6	6	8	7	2
1	1	4	4	9	7	6	2	2	6	3	7	7	5
3	10	10	12	18	13	9	11	9	12	9	15	14	7
5	4	4	7	9	12	14	13	12	25	33	41	20	8
2	3	4	5	3	10	12	10	12	12	15	17	16	14
7	7	8	12	12	22	26	23	24	37	48	58	36	22
31	23	28	39	50	62	87	62	80	90	119	126	73	40
16	24	35	31	44	56	62	56	75	77	64	68	60	21
47	47	63	70	94	118	149	118	155	167	183	194	133	61
11	4	4	2	3	5	3	2	2	6	3	7	4	1
6	9	7	3	1	2	1	1	3	2	-	-	-	-
17	13	11	5	4	7	4	3	5	8	3	7	4	1
20	19	24	37	47	57	84	60	78	84	116	119	69	39
10	15	28	28	43	54	61	55	72	75	64	68	60	21
30	34	52	65	90	111	145	115	150	159	180	187	129	60