

表四之一 台灣癌症申報發生人數按原發部位及診斷依據分類，民國 93 年
METHODS OF ESTABLISHING CANCER DIAGNOSIS IN VARIOUS ANATOMIC
SITES, 2004

ICD-O-3	原 發 部 位 別	總 計
C00-C80	全癌症（總計）	67,895
C00-C14	唇、口腔及咽	6,458
C00-C14 ¹	口腔、口咽及下咽	4,783
C00	唇（唇的皮膚 C44.0 除外）	161
C01-C02	舌	1,356
C03	齒齦	289
C04	口底	99
C05-C06	口腔之其他及未詳細說明部位	1,708
C09-C10	口咽	493
C12-C13	下咽	610
C14	咽和唇、口腔及咽之分界不明部位	67
C07-C08	主唾液腺	182
C11	鼻咽	1,493
C15-C26, C48	消化器官及腹膜	26,874
C15	食道	1,471
C16	胃	3,718
C17	小腸	296
C18-C21	結腸、直腸、乙狀結腸連結部及肛門	9,535
C18	結腸	5,405
C19-C21	直腸、乙狀結腸連結部及肛門	4,130
C22	肝及肝內膽管	9,830
C23-C24	膽囊及肝外膽管	745
C25	胰	1,117
C48	後腹膜腔及腹膜	133
C26	消化器官之其他部位及與腹膜分界不明部位	29

註：1. 口腔、口咽及下咽：包括 ICD-O-3 C00-C06、C09-C10、C12-C14。

臨床診斷依據					病理診斷依據					ICD-O-3
臨床病狀	實驗診斷	影像檢查	內視鏡	探查手術	細胞病理	血液病理	組織病理	屍體解剖	百分比診斷	
826	352	6,814	258	21	2,507	504	56,613	-	87.82	C00-C80
92	5	45	16	-	23	-	6,277	-	97.55	C00-C14
61	3	21	8	-	13	-	4,677	-	98.06	C00-C14 ¹
4	-	-	-	-	-	-	157	-	97.52	C00
9	1	5	1	-	3	-	1,337	-	98.82	C01-C02
3	-	-	-	-	-	-	286	-	98.96	C03
2	-	-	-	-	-	-	97	-	97.98	C04
26	1	3	-	-	1	-	1,677	-	98.24	C05-C06
6	-	2	-	-	2	-	483	-	98.38	C09-C10
10	-	11	7	-	7	-	575	-	95.41	C12-C13
1	1	-	-	-	-	-	65	-	97.01	C14
3	-	1	1	-	3	-	174	-	97.25	C07-C08
28	2	23	7	-	7	-	1,426	-	95.98	C11
319	222	5,650	197	14	465	-	20,007	-	76.18	C15-C26, C48
6	-	27	20	-	16	-	1,402	-	96.40	C15
27	2	26	44	3	11	-	3,605	-	97.26	C16
6	1	6	3	-	-	-	280	-	94.59	C17
104	2	128	45	5	15	-	9,236	-	97.02	C18-C21
78	2	88	28	3	12	-	5,194	-	96.32	C18
26	-	40	17	2	3	-	4,042	-	97.94	C19-C21
129	198	5,002	35	2	342	-	4,122	-	45.41	C22
13	4	119	18	1	12	-	578	-	79.19	C23-C24
29	15	330	32	3	64	-	644	-	63.38	C25
3	-	10	-	-	1	-	119	-	90.23	C48
2	-	2	-	-	4	-	21	-	86.21	C26

表四之一 台灣癌症申報發生人數按原發部位及診斷依據分類，民國 93 年（續）
METHODS OF ESTABLISHING CANCER DIAGNOSIS IN VARIOUS ANATOMIC
SITES, 2004 (CONTINUED)

ICD-O-3	原 發 部 位 別	總 計
C30-C39	呼吸系統及胸腔內器官	9,098
C30-C31	鼻腔、副竇、中耳及內耳	193
C32	喉	523
C33-C34	肺、支氣管及氣管	8,142
C38.4	胸膜	20
C37-C38.3, C38.8	胸腺、心臟及縱膈	220
C42	造血系統及網狀內皮系統（白血病除外）	438
C42²	白血病	1,347
C40-C41	骨、關節及關節軟骨	131
C47, C49	結締組織、軟組織及其他皮下組織	426
C44	皮膚	2,160
C44 ³	皮膚，惡性黑色素瘤	172
C44	皮膚，非惡性黑色素瘤	1,988
C50	女性乳房	6,176
C50	男性乳房	48
C51-C58	女性生殖器官	4,132
C55	子宮，未明示部位	6
C53	子宮頸	2,292
C54	子宮體	877
C56, C57.0-C57.4	卵巢、輸卵管及寬韌帶	841
C51-C52, C57.7-C57.9	陰道、外陰部及其他未詳細說明之女性生殖器官	116
C60-C63	男性生殖器官	2,878
C61	攝護腺	2,660
C62	睪丸	131
C60, C63	陰莖及其他男性生殖器官	87

註：2. 白血病：ICD-O-3 M-98003 - M-99643、M-99803 - M-99893。

3. 皮膚，惡性黑色素瘤：ICD-O-3 C44， M-87203 - M-87903。

臨床診斷依據					病理診斷依據					ICD-O-3
臨床病狀	實驗診斷	影像檢查	內視鏡	探查手術	細胞病理	血液病理	組織病理	屍體解剖	百分比診斷	
122	10	597	26	1	1,625	-	6,717	-	91.69	C30-C39
-	-	1	-	-	1	-	191	-	99.48	C30-C31
14	-	4	4	-	2	-	499	-	95.79	C32
103	10	584	22	-	1,617	-	5,806	-	91.17	C33-C34
-	-	-	-	-	1	-	19	-	100.00	C38.4
5	-	8	-	1	4	-	202	-	93.64	C37-C38.3, C38.8
14	11	13	-	-	11	59	330	-	91.32	C42
30	53	7	-	-	26	432	799	-	93.32	C42²
1	-	9	-	-	1	-	120	-	92.37	C40-C41
11	-	2	-	-	2	-	411	-	96.95	C47, C49
18	-	2	-	-	1	-	2,139	-	99.07	C44
2	-	1	-	-	-	-	169	-	98.26	C44 ³
16	-	1	-	-	1	-	1,970	-	99.14	C44
31	-	18	-	-	32	-	6,095	-	99.21	C50
-	-	-	-	-	1	-	47	-	100.00	C50
47	11	39	1	1	71	-	3,962	-	97.60	C51-C58
-	-	-	-	-	-	-	6	-	100.00	C55
30	6	14	1	-	47	-	2,194	-	97.77	C53
6	1	2	-	-	-	-	868	-	98.97	C54
9	1	20	-	1	24	-	786	-	96.31	C56, C57.0-C57.4
2	3	3	-	-	-	-	108	-	93.10	C51-C52, C57.7-C57.9
34	31	51	4	2	4	-	2,752	-	95.76	C60-C63
28	31	51	4	-	4	-	2,542	-	95.71	C61
3	-	-	-	2	-	-	126	-	96.18	C62
3	-	-	-	-	-	-	84	-	96.55	C60, C63

表四之一 台灣癌症申報發生人數按原發部位及診斷依據分類，民國 93 年（續完）
METHODS OF ESTABLISHING CANCER DIAGNOSIS IN VARIOUS ANATOMIC SITES,
2004 (CONCLUDED)

ICD-O-3	原 發 部 位 別	總 計
C64-C68	泌尿器官	3,583
C67	膀胱	1,904
C64	腎	646
C65	腎盂	499
C66	輸尿管	324
C68.0-C68.1	尿道及其週邊腺體	22
C68.8	跨越泌尿器官兩個以上相鄰部位之病變	28
C68.9	泌尿系統，未明示部位	160
C69	眼及淚腺	60
C70-C72	中樞神經系統	662
C71	腦	598
C70, C72	其他神經系統及未詳細說明部位	64
C73	甲狀腺	1,467
C74-C75	其他內分泌腺	65
C76	其他分界不明的部位	9
C77	淋巴結	902
C80	不明原發部位	981

臨床診斷依據					病理診斷依據					ICD-O-3
臨床病狀	實驗診斷	影像檢查	內視鏡	探查手術	細胞病理	血液病理	組織病理	屍體解剖	百分比診斷	
27	3	73	8	2	91	-	3,379	-	96.85	C64-C68
11	1	15	4	-	19	-	1,854	-	98.37	C67
10	-	39	-	-	9	-	588	-	92.41	C64
2	2	15	3	2	31	-	444	-	95.19	C65
3	-	3	1	-	17	-	300	-	97.84	C66
1	-	-	-	-	1	-	20	-	95.45	C68.0-C68.1
-	-	-	-	-	1	-	27	-	100.00	C68.8
-	-	1	-	-	13	-	146	-	99.38	C68.9
2	1	4	-	-	-	-	53	-	88.33	C69
7	-	67	1	1	5	-	581	-	88.52	C70-C72
5	-	59	1	1	3	-	529	-	88.96	C71
2	-	8	-	-	2	-	52	-	84.38	C70, C72
20	1	42	-	-	30	-	1,374	-	95.71	C73
4	-	7	-	-	-	-	54	-	83.08	C74-C75
-	-	5	-	-	-	-	4	-	44.44	C76
15	1	5	-	-	11	12	858	-	97.67	C77
32	3	178	5	-	108	1	654	-	77.78	C80

表四之二 台灣白血病及惡性淋巴瘤申報發生人數按診斷依據分類，民國 93 年
METHODS OF ESTABLISHING CANCER DIAGNOSIS OF LEUKEMIA AND
LYMPHOMA, 2004

白 血 病 及 惡 性 淋 巴 瘤	總 計
白血病 (ICD-O-3 M-98003 - M-99643、M-99803 - M-99893)	1,347
急性淋巴芽細胞白血病 (ICD-O-3 M-98353 - M-98373)	216
慢性淋巴球白血病 (ICD-O-3 M-98233)	94
急性骨髓樣白血病 (ICD-O-3 M-98403、M-98613、M-98663、M-98673、M-98713 - M-98743、 M-98953 - M-98973、M-99203)	511
慢性骨髓樣白血病 (ICD-O-3 M-98633、M-98753、M-98763、M-99453、M-99463、M-99633)	163
其他類型白血病 ¹	363
惡性淋巴瘤 (ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643)	1,701
何杰金氏淋巴瘤 (ICD-O-3 M-96503 - M-96673)	126
非何杰金氏淋巴瘤 (ICD-O-3 M-95903 - M-95963、M-96703 - M-97293、M-97503 - M-97583、 M-97643)	1,575

註：1. 其他類型白血病：除急性淋巴芽細胞白血病、慢性淋巴球白血病、急性骨髓樣白血病、慢性骨髓樣白血病外之所有白血病代碼。

臨床診斷依據					病理診斷依據				
臨床病狀	實驗診斷	影像檢查	內視鏡	探查手術	細胞病理	血液病理	組織病理	屍體解剖	百分比 病理診斷
30	53	7	-	-	26	432	799	-	93.32
3	-	-	-	-	2	83	128	-	98.61
2	3	1	-	-	2	25	61	-	93.62
7	3	2	-	-	12	171	316	-	97.65
4	8	1	-	-	4	50	96	-	92.02
14	39	3	-	-	6	103	198	-	84.57
17	2	14	2	-	24	19	1,623	-	97.94
2	-	-	-	-	1	2	121	-	98.41
15	2	14	2	-	23	17	1,502	-	97.90