

表五之一 台灣癌症申報發生人數按原發部位及治療方法分類，民國 93 年
METHODS OF CANCER TREATMENT IN VARIOUS ANATOMIC SITES, 2004

ICD-O-3	原 發 部 位 別	個案數
C00-C80	全癌症（總計）	67,895
C00-C14	唇、口腔及咽	6,458
C00-C14 ²	口腔、口咽及下咽	4,783
C00	唇（唇的皮膚 C44.0 除外）	161
C01-C02	舌	1,356
C03	齒齦	289
C04	口底	99
C05-C06	口腔之其他及未詳細說明部位	1,708
C09-C10	口咽	493
C12-C13	下咽	610
C14	咽和唇、口腔及咽之分界不明部位	67
C07-C08	主唾液腺	182
C11	鼻咽	1,493
C15-C26, C48	消化器官及腹膜	26,874
C15	食道	1,471
C16	胃	3,718
C17	小腸	296
C18-C21	結腸、直腸、乙狀結腸連結部及肛門	9,535
C18	結腸	5,405
C19-C21	直腸、乙狀結腸連結部及肛門	4,130
C22	肝及肝內膽管	9,830
C23-C24	膽囊及肝外膽管	745
C25	胰	1,117
C48	後腹膜腔及腹膜	133
C26	消化器官之其他部位及與腹膜分界不明部位	29

註：1. 每名個案所接受之治療方式均分別計數，（）內為該治療方式佔該個案數之百分比。

2. 口腔、口咽及下咽：包括 ICD-O-3 C00-C06、C09-C10、C12-C14。

申報治療方法 ¹							ICD-O-3
手術治療	放射線治療	化學藥物治療	免疫治療	荷爾蒙治療	未治療	支持、其他治療或不詳	
36,623 (53.94)	14,090 (20.75)	24,916 (36.70)	260 (0.38)	4,244 (6.25)	8,844 (13.03)	16,015 (23.59)	C00-C80
3,452 (53.45)	3,387 (52.45)	2,577 (39.90)	1 (0.02)	5 (0.08)	651 (10.08)	708 (10.96)	C00-C14
3,191 (66.72)	2,208 (46.16)	1,641 (34.31)	1 (0.02)	2 (0.04)	462 (9.66)	470 (9.83)	C00-C14 ²
137 (85.09)	31 (19.25)	20 (12.42)	- (0.00)	- (0.00)	11 (6.83)	6 (3.73)	C00
1,021 (75.29)	569 (41.96)	415 (30.60)	- (0.00)	1 (0.07)	109 (8.04)	119 (8.78)	C01-C02
232 (80.28)	143 (49.48)	91 (31.49)	- (0.00)	- (0.00)	24 (8.30)	23 (7.96)	C03
67 (67.68)	50 (50.51)	29 (29.29)	- (0.00)	- (0.00)	14 (14.14)	6 (6.06)	C04
1,293 (75.70)	681 (39.87)	461 (26.99)	1 (0.06)	- (0.00)	131 (7.67)	177 (10.36)	C05-C06
187 (37.93)	326 (66.13)	294 (59.63)	- (0.00)	1 (0.20)	48 (9.74)	45 (9.13)	C09-C10
223 (36.56)	378 (61.97)	301 (49.34)	- (0.00)	- (0.00)	117 (19.18)	85 (13.93)	C12-C13
31 (46.27)	30 (44.78)	30 (44.78)	- (0.00)	- (0.00)	8 (11.94)	9 (13.43)	C14
155 (85.16)	79 (43.41)	30 (16.48)	- (0.00)	- (0.00)	14 (7.69)	12 (6.59)	C07-C08
106 (7.10)	1,100 (73.68)	906 (60.68)	- (0.00)	3 (0.20)	175 (11.72)	226 (15.14)	C11
13,674 (50.88)	3,090 (11.50)	9,423 (35.06)	39 (0.15)	89 (0.33)	4,078 (15.17)	9,913 (36.89)	C15-C26, C48
445 (30.25)	784 (53.30)	724 (49.22)	1 (0.07)	1 (0.07)	193 (13.12)	440 (29.91)	C15
2,146 (57.72)	265 (7.13)	1,023 (27.51)	8 (0.22)	3 (0.08)	550 (14.79)	1,037 (27.89)	C16
212 (71.62)	19 (6.42)	68 (22.97)	- (0.00)	- (0.00)	30 (10.14)	61 (20.61)	C17
7,641 (80.14)	1,005 (10.54)	3,925 (41.16)	2 (0.02)	8 (0.08)	886 (9.29)	1,371 (14.38)	C18-C21
4,285 (79.28)	221 (4.09)	2,180 (40.33)	1 (0.02)	4 (0.07)	554 (10.25)	831 (15.37)	C18
3,356 (81.26)	784 (18.98)	1,745 (42.25)	1 (0.02)	4 (0.10)	332 (8.04)	540 (13.08)	C19-C21
2,446 (24.88)	810 (8.24)	3,136 (31.90)	27 (0.27)	75 (0.76)	2,066 (21.02)	6,264 (63.72)	C22
420 (56.38)	74 (9.93)	133 (17.85)	- (0.00)	1 (0.13)	112 (15.03)	232 (31.14)	C23-C24
263 (23.55)	115 (10.30)	368 (32.95)	- (0.00)	1 (0.09)	221 (19.79)	487 (43.60)	C25
88 (66.17)	17 (12.78)	39 (29.32)	- (0.00)	- (0.00)	17 (12.78)	11 (8.27)	C48
13 (44.83)	1 (3.45)	7 (24.14)	1 (3.45)	- (0.00)	3 (10.34)	10 (34.48)	C26

表五之一 台灣癌症申報發生人數按原發部位及治療方法分類，民國 93 年（續）
METHODS OF CANCER TREATMENT IN VARIOUS ANATOMIC SITES, 2004 (CONTINUED)

ICD-O-3	原 發 部 位 別	個案數
C30-C39	呼吸系統及胸腔內器官	9,098
C30-C31	鼻腔、副竇、中耳及內耳	193
C32	喉	523
C33-C34	肺、支氣管及氣管	8,142
C38.4	胸膜	20
C37-C38.3, C38.8	胸腺、心臟及縱隔	220
C42³	白血病	1,347
C42	造血系統及網狀內皮系統（白血病除外）	438
C40-C41	骨、關節及關節軟骨	131
C47, C49	結締組織、軟組織及其他皮下組織	426
C44	皮膚	2,160
C44 ⁴	皮膚，惡性黑色素瘤	172
C44	皮膚，非惡性黑色素瘤	1,988
C50	女性乳房	6,176
C50	男性乳房	48
C51-C58	女性生殖器官	4,132
C55	子宮，未明示部位	6
C53	子宮頸	2,292
C54	子宮體	877
C56, C57.0-C57.4	卵巢、輸卵管及寬韌帶	841
C51-C52, C57.7-C57.9	陰道、外陰部及其他未詳細說明之女性生殖器官	116
C60-C63	男性生殖器官	2,878
C61	攝護腺	2,660
C62	睪丸	131
C60, C63	陰莖及其他男性生殖器官	87

註：1. 每名個案所接受之治療方式均分別計數，（）內為該治療方式佔該個案數之百分比。

3. 白血病：ICD-O-3 M-98003 - M-99643、M-99803 - M-99893。

4. 皮膚，惡性黑色素瘤：ICD-O-3 C44，M-87203 - M-87903。

申報治療方法 ¹									ICD-O-3					
手術治療	放射線治療	化學藥物治療	免疫治療	荷爾蒙治療	未治療	支持、其他治療或不詳								
1,936	(21.28)	2,231	(24.52)	4,229	(46.48)	14	(0.15)	16	(0.18)	1,828	(20.09)	2,220	(24.40)	C30-C39
105	(54.40)	95	(49.22)	79	(40.93)	-	(0.00)	1	(0.52)	20	(10.36)	20	(10.36)	C30-C31
293	(56.02)	259	(49.52)	107	(20.46)	-	(0.00)	-	(0.00)	55	(10.52)	59	(11.28)	C32
1,426	(17.51)	1,785	(21.92)	3,931	(48.28)	14	(0.17)	12	(0.15)	1,726	(21.20)	2,111	(25.93)	C33-C34
8	(40.00)	4	(20.00)	7	(35.00)	-	(0.00)	-	(0.00)	2	(10.00)	4	(20.00)	C38.4
104	(47.27)	88	(40.00)	105	(47.73)	-	(0.00)	3	(1.36)	25	(11.36)	26	(11.82)	C37-C38.3, C38.8
25	(1.86)	41	(3.04)	838	(62.21)	18	(1.34)	17	(1.26)	248	(18.41)	392	(29.10)	C42³
50	(11.42)	91	(20.78)	266	(60.73)	7	(1.60)	7	(1.60)	69	(15.75)	135	(30.82)	C42
82	(62.60)	24	(18.32)	54	(41.22)	-	(0.00)	-	(0.00)	16	(12.21)	19	(14.50)	C40-C41
323	(75.82)	144	(33.80)	109	(25.59)	1	(0.23)	1	(0.23)	33	(7.75)	57	(13.38)	C47, C49
1,796	(83.15)	143	(6.62)	93	(4.31)	6	(0.28)	1	(0.05)	214	(9.91)	189	(8.75)	C44
142	(82.56)	21	(12.21)	28	(16.28)	5	(2.91)	1	(0.58)	12	(6.98)	30	(17.44)	C44 ⁴
1,654	(83.20)	122	(6.14)	65	(3.27)	1	(0.05)	-	(0.00)	202	(10.16)	159	(8.00)	C44
5,664	(91.71)	2,011	(32.56)	3,873	(62.71)	6	(0.10)	2,932	(47.47)	175	(2.83)	335	(5.42)	C50
42	(87.50)	9	(18.75)	18	(37.50)	1	(2.08)	23	(47.92)	1	(2.08)	2	(4.17)	C50
2,929	(70.89)	982	(23.77)	1,398	(33.83)	1	(0.02)	38	(0.92)	366	(8.86)	378	(9.15)	C51-C58
3	(50.00)	-	(0.00)	3	(50.00)	-	(0.00)	-	(0.00)	1	(16.67)	1	(16.67)	C55
1,374	(59.95)	691	(30.15)	712	(31.06)	1	(0.04)	8	(0.35)	258	(11.26)	220	(9.60)	C53
775	(88.37)	197	(22.46)	130	(14.82)	-	(0.00)	21	(2.39)	58	(6.61)	55	(6.27)	C54
715	(85.02)	42	(4.99)	523	(62.19)	-	(0.00)	9	(1.07)	37	(4.40)	88	(10.46)	C56, C57.0-C57.4
62	(53.45)	52	(44.83)	30	(25.86)	-	(0.00)	-	(0.00)	12	(10.34)	14	(12.07)	C51-C52, C57.7-C57.9
1,393	(48.40)	572	(19.87)	143	(4.97)	4	(0.14)	921	(32.00)	366	(12.72)	441	(15.32)	C60-C63
1,212	(45.56)	540	(20.30)	94	(3.53)	3	(0.11)	918	(34.51)	359	(13.50)	423	(15.90)	C61
109	(83.21)	18	(13.74)	40	(30.53)	-	(0.00)	3	(2.29)	2	(1.53)	7	(5.34)	C62
72	(82.76)	14	(16.09)	9	(10.34)	1	(1.15)	-	(0.00)	5	(5.75)	11	(12.64)	C60, C63

表五之一 台灣癌症申報發生人數按原發部位及治療方法分類，民國 93 年(續完)
METHODS OF CANCER TREATMENT IN VARIOUS ANATOMIC SITES, 2004 (CONCLUDED)

ICD-O-3	原 發 部 位 別	個案數
C64-C68	泌尿器官	3,583
C67	膀胱	1,904
C64	腎	646
C65	腎盂	499
C66	輸尿管	324
C68.0-C68.1	尿道及其週邊腺體	22
C68.8	跨越泌尿器官兩個以上相鄰部位之病變	28
C68.9	泌尿系統，未明示部位	160
C69	眼及淚腺	60
C70-C72	中樞神經系統	662
C71	腦	598
C70, C72	其他神經系統及未詳細說明部位	64
C73	甲狀腺	1,467
C74-C75	其他內分泌腺	65
C76	其他分界不明的部位	9
C77	淋巴結	902
C80	不明原發部位	981

註：1. 每名個案所接受之治療方式均分別計數，（）內為該治療方式佔該個案數之百分比。

申報治療方法 ¹							ICD-O-3
手術治療	放射線治療	化學藥物治療	免疫治療	荷爾蒙治療	未治療	支持、其他治療或不詳	
2,988 (83.39)	253 (7.06)	828 (23.11)	139 (3.88)	14 (0.39)	252 (7.03)	478 (13.34)	C64-C68
1,678 (88.13)	136 (7.14)	558 (29.31)	111 (5.83)	8 (0.42)	91 (4.78)	227 (11.92)	C67
508 (78.64)	50 (7.74)	67 (10.37)	15 (2.32)	3 (0.46)	48 (7.43)	96 (14.86)	C64
396 (79.36)	35 (7.01)	87 (17.43)	1 (0.20)	- (0.00)	54 (10.82)	53 (10.62)	C65
237 (73.15)	22 (6.79)	61 (18.83)	3 (0.93)	2 (0.62)	41 (12.65)	62 (19.14)	C66
16 (72.73)	2 (9.09)	8 (36.36)	- (0.00)	- (0.00)	3 (13.64)	6 (27.27)	C68.0-C68.1
22 (78.57)	2 (7.14)	5 (17.86)	2 (7.14)	- (0.00)	2 (7.14)	5 (17.86)	C68.8
131 (81.88)	6 (3.75)	42 (26.25)	7 (4.38)	1 (0.63)	13 (8.13)	29 (18.13)	C68.9
38 (63.33)	17 (28.33)	13 (21.67)	- (0.00)	- (0.00)	10 (16.67)	3 (5.00)	C69
470 (71.00)	328 (49.55)	124 (18.73)	2 (0.30)	3 (0.45)	49 (7.40)	102 (15.41)	C70-C72
428 (71.57)	296 (49.50)	108 (18.06)	1 (0.17)	3 (0.50)	44 (7.36)	97 (16.22)	C71
42 (65.63)	32 (50.00)	16 (25.00)	1 (1.56)	- (0.00)	5 (7.81)	5 (7.81)	C70, C72
1,296 (88.34)	404 (27.54)	52 (3.54)	- (0.00)	167 (11.38)	72 (4.91)	159 (10.84)	C73
34 (52.31)	12 (18.46)	22 (33.85)	- (0.00)	1 (1.54)	11 (16.92)	15 (23.08)	C74-C75
2 (22.22)	- (0.00)	- (0.00)	- (0.00)	- (0.00)	1 (11.11)	6 (66.67)	C76
213 (23.61)	147 (16.30)	626 (69.40)	20 (2.22)	7 (0.78)	114 (12.64)	149 (16.52)	C77
216 (22.02)	204 (20.80)	230 (23.45)	1 (0.10)	2 (0.20)	290 (29.56)	314 (32.01)	C80

表五之二 台灣白血病及惡性淋巴瘤申報發生人數按治療方法分類，民國 93 年
METHODS OF CANCER TREATMENT OF LEUKEMIA AND LYMPHOMA, 2004

白 血 病 及 惡 性 淋 巴 瘤	個案數
白血病 (ICD-O-3 M-98003 - M-99643、M-99803 - M-99893)	1,347
急性淋巴芽細胞白血病 (ICD-O-3 M-98353 - M-98373)	216
慢性淋巴球白血病 (ICD-O-3 M-98233)	94
急性骨髓樣白血病 (ICD-O-3 M-98403、M-98613、M-98663、M-98673、 M-98713 - M-98743、M-98953 - M-98973、M-99203)	511
慢性骨髓樣白血病 (ICD-O-3 M-98633、M-98753、M-98763、M-99453、 M-99463、M-99633)	163
其他類型白血病 ²	363
惡性淋巴瘤(ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643)	1,701
何杰金氏淋巴瘤 (ICD-O-3 M-96503 - M-96673)	126
非何杰金氏淋巴瘤 (ICD-O-3 M-95903 - M-95963、M-96703 - M-97293、 M-97503 - M-97583、M-97643)	1,575

註：1. 每名個案所接受之治療方式均分別計數，（）內為該治療方式佔該個案數之百分比。

2. 其他類型白血病：除急性淋巴芽細胞白血病、慢性淋巴球白血病、急性骨髓樣白血病、慢性骨髓樣白血病外之所有白血病代碼。

申報治療方法 ¹						
手術治療	放射線治療	化學藥物治療	免疫治療	荷爾蒙治療	未治療	支持、其他治療或不詳
25 (1.86)	41 (3.04)	838 (62.21)	18 (1.34)	17 (1.26)	248 (18.41)	392 (29.10)
2 (0.93)	12 (5.56)	192 (88.89)	- (0.00)	12 (5.56)	13 (6.02)	32 (14.81)
3 (3.19)	3 (3.19)	47 (50.00)	- (0.00)	1 (1.06)	30 (31.91)	21 (22.34)
6 (1.17)	15 (2.94)	373 (72.99)	2 (0.39)	1 (0.20)	67 (13.11)	148 (28.96)
6 (3.68)	6 (3.68)	96 (58.90)	9 (5.52)	1 (0.61)	32 (19.63)	50 (30.67)
8 (2.20)	5 (1.38)	130 (35.81)	7 (1.93)	2 (0.55)	106 (29.20)	141 (38.84)
500 (29.39)	322 (18.93)	1,102 (64.79)	30 (1.76)	11 (0.65)	219 (12.87)	291 (17.11)
32 (25.40)	33 (26.19)	102 (80.95)	1 (0.79)	1 (0.79)	5 (3.97)	18 (14.29)
468 (29.71)	289 (18.35)	1,000 (63.49)	29 (1.84)	10 (0.63)	214 (13.59)	273 (17.33)