

表五之一 台灣癌症申報發生人數按原發部位及治療方法分類，民國 94 年
METHODS OF CANCER TREATMENT IN VARIOUS ANATOMIC SITES, 2005

ICD-O-3	原 發 部 位 別	個案數
C00-C80	全癌症（總計）	68,907
C00-C14	唇、口腔及咽	6,463
C00-C14 ²	口腔、口咽及下咽	4,743
C00	唇（唇的皮膚 C44.0 除外）	184
C01-C02	舌	1,363
C03	齒齦	308
C04	口底	113
C05-C06	口腔之其他及未詳細說明部位	1,698
C09-C10	口咽	472
C12-C13	下咽	560
C14	咽和唇、口腔及咽之分界不明部位	45
C07-C08	主唾液腺	190
C11	鼻咽	1,530
C15-C26, C48	消化器官及腹膜	26,923
C15	食道	1,495
C16	胃	3,580
C17	小腸	299
C18-C21	結腸、直腸、乙狀結腸連結部及肛門	9,604
C18	結腸	5,557
C19-C21	直腸、乙狀結腸連結部及肛門	4,047
C22	肝及肝內膽管	9,916
C23-C24	膽囊及肝外膽管	704
C25	胰	1,163
C48	後腹膜腔及腹膜	135
C26	消化器官之其他部位及與腹膜分界不明部位	27

註：1. 每名個案所接受之治療方式均分別計數，（）內為該治療方式佔該個案數之百分比。

2. 口腔、口咽及下咽：包括 ICD-O-3 C00-C06、C09-C10、C12-C14。

申報治療方法 ¹							ICD-O-3
手術治療	放射線治療	化學藥物治療	免疫治療	荷爾蒙治療	未治療	支持、其他治療或不詳	
36,649 (53.19)	13,291 (19.29)	26,326 (38.21)	236 (0.34)	4,614 (6.70)	10,394 (15.08)	13,698 (19.88)	C00-C80
3,401 (52.62)	3,358 (51.96)	2,816 (43.57)	3 (0.05)	5 (0.08)	665 (10.29)	542 (8.39)	C00-C14
3,177 (66.98)	2,160 (45.54)	1,787 (37.68)	2 (0.04)	2 (0.04)	433 (9.13)	342 (7.21)	C00-C14 ²
153 (83.15)	35 (19.02)	24 (13.04)	- (0.00)	- (0.00)	16 (8.70)	1 (0.54)	C00
1,032 (75.72)	536 (39.33)	437 (32.06)	- (0.00)	- (0.00)	107 (7.85)	92 (6.75)	C01-C02
237 (76.95)	136 (44.16)	88 (28.57)	- (0.00)	- (0.00)	35 (11.36)	15 (4.87)	C03
83 (73.45)	50 (44.25)	38 (33.63)	- (0.00)	- (0.00)	8 (7.08)	10 (8.85)	C04
1,267 (74.62)	674 (39.69)	543 (31.98)	1 (0.06)	1 (0.06)	148 (8.72)	109 (6.42)	C05-C06
167 (35.38)	306 (64.83)	302 (63.98)	1 (0.21)	1 (0.21)	50 (10.59)	41 (8.69)	C09-C10
227 (40.54)	398 (71.07)	331 (59.11)	- (0.00)	- (0.00)	60 (10.71)	63 (11.25)	C12-C13
11 (24.44)	25 (55.56)	24 (53.33)	- (0.00)	- (0.00)	9 (20.00)	11 (24.44)	C14
151 (79.47)	77 (40.53)	29 (15.26)	- (0.00)	- (0.00)	14 (7.37)	15 (7.89)	C07-C08
73 (4.77)	1,121 (73.27)	1,000 (65.36)	1 (0.07)	3 (0.20)	218 (14.25)	185 (12.09)	C11
13,600 (50.51)	2,884 (10.71)	9,862 (36.63)	16 (0.06)	55 (0.20)	4,751 (17.65)	8,429 (31.31)	C15-C26, C48
391 (26.15)	823 (55.05)	775 (51.84)	1 (0.07)	1 (0.07)	192 (12.84)	458 (30.64)	C15
2,078 (58.04)	226 (6.31)	1,001 (27.96)	6 (0.17)	8 (0.22)	573 (16.01)	965 (26.96)	C16
190 (63.55)	9 (3.01)	70 (23.41)	- (0.00)	2 (0.67)	36 (12.04)	75 (25.08)	C17
7,718 (80.36)	968 (10.08)	4,267 (44.43)	2 (0.02)	7 (0.07)	999 (10.40)	995 (10.36)	C18-C21
4,453 (80.13)	170 (3.06)	2,386 (42.94)	1 (0.02)	5 (0.09)	622 (11.19)	617 (11.10)	C18
3,265 (80.68)	798 (19.72)	1,881 (46.48)	1 (0.02)	2 (0.05)	377 (9.32)	378 (9.34)	C19-C21
2,498 (25.19)	654 (6.60)	3,194 (32.21)	7 (0.07)	34 (0.34)	2,520 (25.41)	5,266 (53.11)	C22
373 (52.98)	63 (8.95)	115 (16.34)	- (0.00)	- (0.00)	143 (20.31)	185 (26.28)	C23-C24
255 (21.93)	112 (9.63)	392 (33.71)	- (0.00)	3 (0.26)	262 (22.53)	458 (39.38)	C25
84 (62.22)	27 (20.00)	39 (28.89)	- (0.00)	- (0.00)	21 (15.56)	21 (15.56)	C48
13 (48.15)	2 (7.41)	9 (33.33)	- (0.00)	- (0.00)	5 (18.52)	6 (22.22)	C26

表五之一 台灣癌症申報發生人數按原發部位及治療方法分類，民國 94 年（續）
METHODS OF CANCER TREATMENT IN VARIOUS ANATOMIC SITES, 2005 (CONTINUED)

ICD-O-3	原 發 部 位 別	個案數
C30-C39	呼吸系統及胸腔內器官	9,309
C30-C31	鼻腔、副竇、中耳及內耳	178
C32	喉	540
C33-C34	肺、支氣管及氣管	8,312
C38.4	胸膜	31
C37-C38.3, C38.8	胸腺、心臟及縱膈	248
C42³	白血病	1,464
C42	造血系統及網狀內皮系統（白血病除外）	439
C40-C41	骨、關節及關節軟骨	176
C47, C49	結締組織、軟組織及其他皮下組織	406
C44	皮膚	2,177
C44 ⁴	皮膚，惡性黑色素瘤	158
C44	皮膚，非惡性黑色素瘤	2,019
C50	女性乳房	6,594
C50	男性乳房	48
C51-C58	女性生殖器官	4,000
C55	子宮，未明示部位	5
C53	子宮頸	1,977
C54	子宮體	987
C56, C57.0-C57.4	卵巢、輸卵管及寬韌帶	894
C51-C52, C57.7-C57.9	陰道、外陰部及其他未詳細說明之女性生殖器官	137
C60-C63	男性生殖器官	2,930
C61	攝護腺	2,704
C62	睪丸	142
C60, C63	陰莖及其他男性生殖器官	84

註：1. 每名個案所接受之治療方式均分別計數，（）內為該治療方式佔該個案數之百分比。

3. 白血病：ICD-O-3 M-98003 - M-99643、M-99803 - M-99893。

4. 皮膚，惡性黑色素瘤：ICD-O-3 C44，M-87203 - M-87903。

申報治療方法 ¹									ICD-O-3					
手術治療	放射線治療	化學藥物治療	免疫治療	荷爾蒙治療	未治療	支持、其他治療或不詳								
1,715	(18.42)	1,911	(20.53)	4,535	(48.72)	10	(0.11)	8	(0.09)	2,286	(24.56)	1,789	(19.22)	C30-C39
85	(47.75)	89	(50.00)	73	(41.01)	-	(0.00)	3	(1.69)	26	(14.61)	22	(12.36)	C30-C31
263	(48.70)	260	(48.15)	121	(22.41)	-	(0.00)	-	(0.00)	98	(18.15)	64	(11.85)	C32
1,242	(14.94)	1,458	(17.54)	4,214	(50.70)	10	(0.12)	3	(0.04)	2,125	(25.57)	1,667	(20.06)	C33-C34
12	(38.71)	4	(12.90)	12	(38.71)	-	(0.00)	-	(0.00)	8	(25.81)	7	(22.58)	C38.4
113	(45.56)	100	(40.32)	115	(46.37)	-	(0.00)	2	(0.81)	29	(11.69)	29	(11.69)	C37-C38.3, C38.8
15	(1.02)	33	(2.25)	865	(59.08)	14	(0.96)	8	(0.55)	326	(22.27)	425	(29.03)	C42³
43	(9.79)	96	(21.87)	264	(60.14)	3	(0.68)	4	(0.91)	66	(15.03)	136	(30.98)	C42
113	(64.20)	31	(17.61)	72	(40.91)	-	(0.00)	-	(0.00)	20	(11.36)	17	(9.66)	C40-C41
286	(70.44)	102	(25.12)	84	(20.69)	-	(0.00)	-	(0.00)	46	(11.33)	38	(9.36)	C47, C49
1,827	(83.92)	135	(6.20)	87	(4.00)	9	(0.41)	2	(0.09)	213	(9.78)	151	(6.94)	C44
130	(82.28)	22	(13.92)	23	(14.56)	5	(3.16)	1	(0.63)	16	(10.13)	16	(10.13)	C44 ⁴
1,697	(84.05)	113	(5.60)	64	(3.17)	4	(0.20)	1	(0.05)	197	(9.76)	135	(6.69)	C44
6,020	(91.30)	2,107	(31.95)	4,175	(63.32)	2	(0.03)	3,215	(48.76)	241	(3.65)	304	(4.61)	C50
46	(95.83)	9	(18.75)	13	(27.08)	-	(0.00)	21	(43.75)	1	(2.08)	2	(4.17)	C50
2,822	(70.55)	719	(17.98)	1,438	(35.95)	2	(0.05)	31	(0.78)	405	(10.13)	309	(7.73)	C51-C58
-	(0.00)	-	(0.00)	1	(20.00)	-	(0.00)	-	(0.00)	1	(20.00)	3	(60.00)	C55
1,105	(55.89)	441	(22.31)	681	(34.45)	-	(0.00)	-	(0.00)	287	(14.52)	150	(7.59)	C53
869	(88.04)	206	(20.87)	150	(15.20)	-	(0.00)	19	(1.93)	64	(6.48)	50	(5.07)	C54
770	(86.13)	23	(2.57)	570	(63.76)	1	(0.11)	11	(1.23)	38	(4.25)	86	(9.62)	C56, C57.0-C57.4
78	(56.93)	49	(35.77)	36	(26.28)	1	(0.73)	1	(0.73)	15	(10.95)	20	(14.60)	C51-C52, C57.7-C57.9
1,408	(48.05)	527	(17.99)	128	(4.37)	4	(0.14)	1,032	(35.22)	429	(14.64)	374	(12.76)	C60-C63
1,221	(45.16)	500	(18.49)	65	(2.40)	3	(0.11)	1,030	(38.09)	413	(15.27)	356	(13.17)	C61
130	(91.55)	22	(15.49)	47	(33.10)	1	(0.70)	2	(1.41)	5	(3.52)	8	(5.63)	C62
57	(67.86)	5	(5.95)	16	(19.05)	-	(0.00)	-	(0.00)	11	(13.10)	10	(11.90)	C60, C63

表五之一 台灣癌症申報發生人數按原發部位及治療方法分類，民國 94 年(續完)
METHODS OF CANCER TREATMENT IN VARIOUS ANATOMIC SITES, 2005 (CONCLUDED)

ICD-O-3	原 發 部 位 別	個案數
C64-C68	泌尿器官	3,715
C67	膀胱	1,900
C64	腎	733
C65	腎盂	512
C66	輸尿管	356
C68.0-C68.1	尿道及其週邊腺體	30
C68.8	跨越泌尿器官兩個以上相鄰部位之病變	39
C68.9	泌尿系統，未明示部位	145
C69	眼及淚腺	74
C70-C72	中樞神經系統	677
C71	腦	603
C70, C72	其他神經系統及未詳細說明部位	74
C73	甲狀腺	1,505
C74-C75	其他內分泌腺	49
C76	其他分界不明的部位	10
C77	淋巴結	924
C80	不明原發部位	1,024

註：1. 每名個案所接受之治療方式均分別計數，（）內為該治療方式佔該個案數之百分比。

申報治療方法 ¹							ICD-O-3
手術治療	放射線治療	化學藥物治療	免疫治療	荷爾蒙治療	未治療	支持、其他治療或不詳	
3,098 (83.39)	249 (6.70)	881 (23.71)	156 (4.20)	15 (0.40)	264 (7.11)	509 (13.70)	C64-C68
1,682 (88.53)	122 (6.42)	598 (31.47)	111 (5.84)	7 (0.37)	91 (4.79)	249 (13.11)	C67
555 (75.72)	55 (7.50)	62 (8.46)	34 (4.64)	4 (0.55)	70 (9.55)	102 (13.92)	C64
423 (82.62)	30 (5.86)	98 (19.14)	5 (0.98)	2 (0.39)	38 (7.42)	73 (14.26)	C65
275 (77.25)	34 (9.55)	63 (17.70)	3 (0.84)	1 (0.28)	37 (10.39)	57 (16.01)	C66
17 (56.67)	2 (6.67)	10 (33.33)	- (0.00)	- (0.00)	7 (23.33)	1 (3.33)	C68.0-C68.1
34 (87.18)	2 (5.13)	7 (17.95)	- (0.00)	- (0.00)	3 (7.69)	3 (7.69)	C68.8
112 (77.24)	4 (2.76)	43 (29.66)	3 (2.07)	1 (0.69)	18 (12.41)	24 (16.55)	C68.9
47 (63.51)	14 (18.92)	18 (24.32)	- (0.00)	1 (1.35)	12 (16.22)	2 (2.70)	C69
498 (73.56)	356 (52.58)	150 (22.16)	2 (0.30)	- (0.00)	55 (8.12)	61 (9.01)	C70-C72
450 (74.63)	326 (54.06)	134 (22.22)	2 (0.33)	- (0.00)	45 (7.46)	50 (8.29)	C71
48 (64.86)	30 (40.54)	16 (21.62)	- (0.00)	- (0.00)	10 (13.51)	11 (14.86)	C70, C72
1,272 (84.52)	447 (29.70)	28 (1.86)	2 (0.13)	183 (12.16)	126 (8.37)	135 (8.97)	C73
25 (51.02)	6 (12.24)	10 (20.41)	- (0.00)	- (0.00)	8 (16.33)	8 (16.33)	C74-C75
1 (10.00)	1 (10.00)	2 (20.00)	- (0.00)	- (0.00)	3 (30.00)	4 (40.00)	C76
219 (23.70)	127 (13.74)	671 (72.62)	11 (1.19)	32 (3.46)	116 (12.55)	150 (16.23)	C77
193 (18.85)	179 (17.48)	227 (22.17)	2 (0.20)	2 (0.20)	361 (35.25)	313 (30.57)	C80

表五之二 台灣白血病及惡性淋巴瘤申報發生人數按治療方法分類，民國 94 年
METHODS OF CANCER TREATMENT OF LEUKEMIA AND LYMPHOMA, 2005

白 血 病 及 惡 性 淋 巴 瘤	個案數
白血病 (ICD-O-3 M-98003 - M-99643、M-99803 - M-99893)	1,464
急性淋巴芽細胞白血病 (ICD-O-3 M-98353 - M-98373)	238
慢性淋巴球白血病 (ICD-O-3 M-98233)	93
急性骨髓樣白血病 (ICD-O-3 M-98403、M-98613、M-98663、M-98673、M-98713 - M-98743、M-98953 - M-98973、M-99203)	560
慢性骨髓樣白血病 (ICD-O-3 M-98633、M-98753、M-98763、M-99453、M-99463、M-99633)	161
其他類型白血病 ²	412
惡性淋巴瘤 (ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643)	1,802
何杰金氏淋巴瘤 (ICD-O-3 M-96503 - M-96673)	112
非何杰金氏淋巴瘤 (ICD-O-3 M-95903 - M-95963、M-96703 - M-97293、M-97503 - M-97583、M-97643)	1,690

註：1. 每名個案所接受之治療方式均分別計數，（）內為該治療方式佔該個案數之百分比。

2. 其他類型白血病：除急性淋巴芽細胞白血病、慢性淋巴球白血病、急性骨髓樣白血病、慢性骨髓樣白血病外之所有白血病代碼。

申報治療方法 ¹						
手術治療	放射線治療	化學藥物治療	免疫治療	荷爾蒙治療	未治療	支持、其他治療或不詳
15 (1.02)	33 (2.25)	865 (59.08)	14 (0.96)	8 (0.55)	326 (22.27)	425 (29.03)
4 (1.68)	12 (5.04)	212 (89.08)	- (0.00)	5 (2.10)	13 (5.46)	35 (14.71)
1 (1.08)	- (0.00)	43 (46.24)	- (0.00)	1 (1.08)	32 (34.41)	26 (27.96)
3 (0.54)	12 (2.14)	390 (69.64)	3 (0.54)	1 (0.18)	95 (16.96)	165 (29.46)
- (0.00)	1 (0.62)	83 (51.55)	6 (3.73)	- (0.00)	46 (28.57)	43 (26.71)
7 (1.70)	8 (1.94)	137 (33.25)	5 (1.21)	1 (0.24)	140 (33.98)	156 (37.86)
513 (28.47)	276 (15.32)	1,166 (64.71)	20 (1.11)	48 (2.66)	267 (14.82)	311 (17.26)
32 (28.57)	29 (25.89)	87 (77.68)	- (0.00)	- (0.00)	7 (6.25)	14 (12.50)
481 (28.46)	247 (14.62)	1,079 (63.85)	20 (1.18)	48 (2.84)	260 (15.38)	297 (17.57)