

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005

口腔（含口咽及下咽） C00 - C06，C09 - C10，C12 - C14

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80323 80523	鱗狀細胞癌	男	3,917	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA	女	327	-	-	-	1
80723 80733							
80743 80753							
80763							
80513	疣狀癌	男	165	-	-	-	-
	VERRUCOUS CARCINOMA	女	18	-	-	-	-
80203 80213	未分化癌	男	8	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女	1	-	-	-	-
81403 82003	小唾液腺癌	男	38	-	-	-	-
83103 84303	CARCINOMA OF MINOR SALIVARY GLANDS	女	32	-	-	1	1
84403 85603							
89403							
80333 80413	其他明示癌	男	12	-	-	-	-
80823 80833	OTHER SPECIFIED CARCINOMA	女	4	-	-	-	-
82463 89803							
89823							
80103	未明示癌	男	32	-	-	-	-
	CARCINOMA, NOS	女	4	-	-	-	-
95903-97293	惡性淋巴瘤	男	65	-	1	1	-
97503-97583	MALIGNANT LYMPHOMA	女	37	-	-	-	-
97643							
87203	惡性黑色素瘤	男	3	-	-	-	-
	MALIGNANT MELANOMA	女	2	-	-	-	-
88013 88513	明示之肉瘤	男	5	-	-	-	-
88903 89103	SPECIFIED SARCOMA	女	1	-	-	-	-
91403							
88003	未明示之肉瘤	男	1	-	-	-	-
	SARCOMA, NOS	女	1	-	-	-	-
80003	其他惡性腫瘤	男	64	-	-	-	-
	OTHER MALIGNANCY	女	6	-	-	-	-
	總計	男	4,310	-	1	1	-
	TOTAL	女	433	-	-	1	2

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
3	31	125	311	557	729	739	463	361	245	174	118	44	17
3	3	10	8	34	40	36	33	38	37	36	20	20	8
-	1	7	13	22	35	29	26	12	7	8	5	-	-
-	-	-	-	1	-	1	2	3	1	5	3	2	-
-	-	-	-	-	1	2	1	1	-	2	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	2	3	-	6	11	3	2	1	6	3	1	-
1	-	-	2	2	2	5	2	4	3	1	5	1	2
-	-	-	1	-	1	4	1	1	2	-	2	-	-
-	-	-	-	1	-	-	-	-	-	2	-	1	-
-	-	-	-	4	5	4	1	6	4	6	2	-	-
-	-	1	-	-	-	1	-	-	-	1	-	1	-
1	2	2	4	-	4	11	5	6	6	8	6	3	5
-	-	1	2	3	1	3	3	3	6	6	4	5	-
-	-	-	-	-	-	-	-	1	-	1	1	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-	-
1	2	-	-	-	-	1	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	3	3	6	9	13	4	8	7	5	3	2	1
-	-	1	-	1	-	2	-	1	1	-	-	-	-
5	36	139	335	589	790	814	504	399	272	211	141	50	23
4	4	13	12	42	43	48	40	50	50	52	32	30	10

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

		唇（唇的皮膚 C44.0 除外） C00					
ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80323 80523	鱗狀細胞癌	男	132	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA	女	17	-	-	-	-
80723 80763							
80513	疣狀癌	男	23	-	-	-	-
	VERRUCOUS CARCINOMA	女	3	-	-	-	-
84303 84403	小唾液腺癌	男	1	-	-	-	-
	CARCINOMA OF MINOR SALIVARY GLANDS	女	2	-	-	-	-
80103	未明示癌	男	1	-	-	-	-
	CARCINOMA, NOS	女	-	-	-	-	-
88513	明示之肉瘤	男	-	-	-	-	-
	SPECIFIED SARCOMA	女	1	-	-	-	-
95903-97293	惡性淋巴瘤	男	1	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	-	-	-	-	-
97643							
80003	其他惡性腫瘤	男	3	-	-	-	-
	OTHER MALIGNANCY	女	-	-	-	-	-
	總計	男	161	-	-	-	-
	TOTAL	女	23	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	1	1	9	11	26	21	29	12	7	7	5	1	1
-	-	-	-	1	1	1	-	4	6	1	1	1	1
-	-	-	2	4	3	5	2	3	2	-	2	-	-
-	-	-	-	-	-	-	1	1	-	-	1	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	1	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	1	11	16	30	28	31	15	9	7	9	1	1
-	-	-	-	1	1	1	1	6	8	1	2	1	1

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

舌 C01 - C02

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80323 80523	鱗狀細胞癌	男	1,129	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA	女	141	-	-	-	-
80723 80743							
80763 80833							
80513	疣狀癌	男	35	-	-	-	-
	VERRUCOUS CARCINOMA	女	6	-	-	-	-
80203	未分化癌	男	1	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女	-	-	-	-	-
81403 82003	小唾液腺癌	男	5	-	-	-	-
84303 85603	CARCINOMA OF MINOR SALIVARY GLANDS	女	6	-	-	-	-
80333	其他明示癌	男	1	-	-	-	-
	OTHER SPECIFIED CARCINOMA	女	-	-	-	-	-
80103	未明示癌	男	6	-	-	-	-
	CARCINOMA, NOS	女	1	-	-	-	-
95903-97293	惡性淋巴瘤	男	11	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	4	-	-	-	-
97643							
80003	其他惡性腫瘤	男	15	-	-	-	-
	OTHER MALIGNANCY	女	2	-	-	-	-
	總計	男	1,203	-	-	-	-
	TOTAL	女	160	-	-	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
2	15	46	114	170	211	209	117	93	65	44	29	10	4
2	2	7	4	17	19	16	16	16	15	12	5	5	5
-	-	1	3	6	9	9	4	2	1	-	-	-	-
-	-	-	-	-	-	-	-	1	1	1	1	2	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	4	-	-	-	1	-	-	-
-	-	-	-	-	1	2	-	2	-	-	1	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	2	-	1	-	1	1	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	2	-	-	-	-	1	-	1	3	3	-	1	-
-	-	-	-	-	-	-	1	-	2	-	-	1	-
-	-	-	-	-	2	2	3	2	3	1	-	1	1
-	-	1	-	-	-	-	-	-	1	-	-	-	-
2	17	47	118	177	222	227	125	99	72	50	30	12	5
2	2	8	4	17	20	19	17	19	19	13	7	8	5

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

齒齦 C03

ICD-O-3	組織形態	年齡		0	5	10	15
				4	9	14	19
		性別	總計				
80323 80703	鱗狀細胞癌			男	268	-	-
80713 80723	SQUAMOUS CELL CARCINOMA	女	23	-	-	-	1
80733 80763							
80833							
80513	疣狀癌	男	3	-	-	-	-
	VERRUCOUS CARCINOMA	女	-	-	-	-	-
83103 84303	小唾液腺癌	男	3	-	-	-	-
85603	CARCINOMA OF MINOR SALIVARY GLANDS	女	1	-	-	-	-
80103	未明示癌	男	2	-	-	-	-
	CARCINOMA, NOS	女	-	-	-	-	-
88013	明示之肉瘤	男	1	-	-	-	-
	SPECIFIED SARCOMA	女	-	-	-	-	-
95903-97293	惡性淋巴瘤	男	2	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	2	-	-	-	-
97643							
87203	惡性黑色素瘤	男	1	-	-	-	-
	MALIGNANT MELANOMA	女	-	-	-	-	-
80003	其他惡性腫瘤	男	2	-	-	-	-
	OTHER MALIGNANCY	女	-	-	-	-	-
總計		男	282	-	-	-	-
TOTAL		女	26	-	-	-	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	3	7	20	28	40	49	31	32	20	16	16	4	2
-	1	-	-	1	3	-	3	-	4	2	3	3	2
-	-	-	-	1	-	-	1	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	1	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	1	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	3	7	20	29	41	51	33	35	22	18	16	4	2
-	1	-	-	2	3	-	3	-	4	3	4	3	2

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

□底 C04

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80523 80703 80713	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	96	-	-	-	-
		女	8	-	-	-	-
80513	疣狀癌 VERRUCOUS CARCINOMA	男	2	-	-	-	-
		女	1	-	-	-	-
81403 82003 84303	小唾液腺癌 CARCINOMA OF MINOR SALIVARY GLANDS	男	1	-	-	-	-
		女	4	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	1	-	-	-	-
		女	-	-	-	-	-
	總計 TOTAL	男	100	-	-	-	-
		女	13	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	2	1	7	13	22	22	11	7	7	1	-	3	-
-	-	-	-	2	-	1	-	3	-	-	1	1	-
-	-	-	-	-	-	-	1	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	1	7	13	23	22	12	7	7	2	1	3	-
-	-	-	-	2	-	2	1	4	-	-	2	2	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

		口腔之其他及未詳細說明部位 C05 - C06					
ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80323 80523	鱗狀細胞癌	男	1,409	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA	女	87	-	-	-	-
80723 80743							
80753 80763							
80513	疣狀癌	男	99	-	-	-	-
	VERRUCOUS CARCINOMA	女	7	-	-	-	-
81403 82003	小唾液腺癌	男	24	-	-	-	-
84303 89403	CARCINOMA OF MINOR SALIVARY GLANDS	女	17	-	-	1	1
80333 80413	其他明示癌	男	3	-	-	-	-
80823 80833	OTHER SPECIFIED CARCINOMA	女	3	-	-	-	-
89823							
80103	未明示癌	男	4	-	-	-	-
	CARCINOMA, NOS	女	1	-	-	-	-
88003 88903	明示之肉瘤	男	3	-	-	-	-
91403	SPECIFIED SARCOMA	女	1	-	-	-	-
95903-97293	惡性淋巴瘤	男	4	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	3	-	-	-	-
97643							
87203	惡性黑色素瘤	男	2	-	-	-	-
	MALIGNANT MELANOMA	女	2	-	-	-	-
80003 97313	其他惡性腫瘤	男	25	-	-	-	-
	OTHER MALIGNANCY	女	4	-	-	-	-
	總計	男	1,573	-	-	-	-
	TOTAL	女	125	-	-	1	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
- 1	10 -	61 3	106 2	226 8	265 9	244 11	179 7	122 11	92 6	61 12	32 9	10 8	1 -
- -	1 -	6 -	7 -	11 1	23 -	15 -	16 1	7 -	3 -	8 4	2 1	- -	- -
- 1	- -	2 -	3 2	- 2	4 -	6 2	3 -	- 1	- 2	3 -	2 3	1 -	- 2
- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- 2	2 -	- 1	- -
- -	- -	- 1	- -	2 -	1 -	- -	- -	- -	- -	1 -	- -	- -	- -
- -	1 1	- -	- -	- -	- -	1 -	- -	- -	- -	1 -	- -	- -	- -
- -	- -	1 -	1 -	- -	- -	- -	- -	- -	1 -	- -	- 1	1 2	- -
- -	- -	- -	- -	- -	- -	- -	- -	- 1	- 1	1 -	1 -	- -	- -
- -	- -	2 -	2 -	3 -	3 -	5 2	- -	4 -	3 1	1 -	1 1	1 -	- -
- 2	12 1	72 4	119 4	242 11	296 9	271 15	198 8	134 13	99 10	76 18	40 15	13 11	1 2

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

□咽 C09 - C10

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80523 80703	鱗狀細胞癌	男	344	-	-	-	-
80713 80723	SQUAMOUS CELL CARCINOMA	女	31	-	-	-	-
80733 80743							
80763 80833							
80513	疣狀癌	男	1	-	-	-	-
	VERRUCOUS CARCINOMA	女	1	-	-	-	-
80203 80213	未分化癌	男	4	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女	1	-	-	-	-
81403 84303	小唾液腺癌	男	1	-	-	-	-
	CARCINOMA OF MINOR SALIVARY GLANDS	女	2	-	-	-	-
80823	其他明示癌	男	1	-	-	-	-
	OTHER SPECIFIED CARCINOMA	女	-	-	-	-	-
80103	未明示癌	男	6	-	-	-	-
	CARCINOMA, NOS	女	1	-	-	-	-
91403	明示之肉瘤	男	1	-	-	-	-
	SPECIFIED SARCOMA	女	-	-	-	-	-
95903-97293	惡性淋巴瘤	男	45	-	1	1	-
97503-97583	MALIGNANT LYMPHOMA	女	23	-	-	-	-
97643							
80003	其他惡性腫瘤	男	9	-	-	-	-
	OTHER MALIGNANCY	女	1	-	-	-	-
	總計	男	412	-	1	1	-
	TOTAL	女	60	-	-	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	3	23	55	71	76	39	31	22	8	9	5	2
-	-	-	2	4	7	6	5	3	-	3	-	1	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	1	1	-	1	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	1	-	1	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	1	2	-	2	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	3	-	3	9	5	5	2	4	5	1	5
-	-	1	1	1	1	3	2	3	2	6	1	2	-
-	-	1	1	1	2	2	1	1	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	1	5	27	56	79	90	46	40	25	14	14	6	7
-	-	1	3	6	9	10	8	6	2	10	1	4	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

下咽 C12 - C13

ICD-O-3	組織形態	年齡		0	5	10	15
		性別	總計	4	9	14	19
80323 80523	鱗狀細胞癌	男	508	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA	女	20	-	-	-	-
80723 80733							
80833							
80203	未分化癌	男	3	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女	-	-	-	-	-
85603	小唾液腺癌	男	3	-	-	-	-
	CARCINOMA OF MINOR SALIVARY GLANDS	女	-	-	-	-	-
82463 89803	其他明示癌	男	2	-	-	-	-
	OTHER SPECIFIED CARCINOMA	女	-	-	-	-	-
80103	未明示癌	男	10	-	-	-	-
	CARCINOMA, NOS	女	1	-	-	-	-
89103	明示之肉瘤	男	1	-	-	-	-
	SPECIFIED SARCOMA	女	-	-	-	-	-
95903-97293	惡性淋巴瘤	男	1	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	2	-	-	-	-
97643							
80003	其他惡性腫瘤	男	9	-	-	-	-
	OTHER MALIGNANCY	女	-	-	-	-	-
	總計	男	537	-	-	-	-
	TOTAL	女	23	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	6	32	51	85	110	55	60	32	33	26	11	7
-	-	-	-	2	-	1	2	1	6	6	1	1	-
-	-	-	-	-	-	1	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	3	-	-	2	3	2	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-	-
-	-	-	-	1	2	1	-	1	1	2	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	6	32	52	90	114	55	64	36	40	29	11	7
-	-	-	-	3	-	1	2	1	7	7	1	1	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

咽和唇、口腔及咽之分界不明部位 C14

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80323 80703 80723	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	36	-	-	-	-
		女	1	-	-	-	-
80513	疣狀癌 VERRUCOUS CARCINOMA	男	2	-	-	-	-
		女	-	-	-	-	
80103	未明示癌 CARCINOMA, NOS	男	2	-	-	-	-
		女	-	-	-	-	
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	1	-	-	-	-
		女	1	-	-	-	
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	1	-	-	-	-
		女	1	-	-	-	
	總計 TOTAL	男	42	-	-	-	-
		女	3	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	3	9	10	3	4	2	4	1	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	1	4	9	11	4	5	2	4	2	-	-
-	-	-	1	-	1	-	-	1	-	-	-	-	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

主唾液腺 C07 - C08

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
84303	黏液表皮樣癌 MUCOEPIDERMOID CARCINOMA	男	22	-	-	-	2
		女	22	-	1	-	-
80703 80713	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	8	-	-	-	-
		女	5	-	-	-	-
81403 84803 84813	腺癌 ADENOCARCINOMA	男	11	-	-	-	-
		女	2	-	-	-	-
82003	腺樣囊狀癌 ADENOID CYSTIC CARCINOMA	男	11	-	-	-	-
		女	14	-	-	-	-
85503 85513	腺泡細胞癌 ACINAR CELL CARCINOMA	男	12	-	-	-	1
		女	10	-	-	-	1
80103	未明示癌 CARCINOMA, NOS	男	4	-	-	-	-
		女	3	-	-	-	-
89403 89413	惡性混合性腫瘤 MALIGNANT MIXED TUMOR	男	9	-	-	-	-
		女	5	-	-	-	-
80203	未分化癌 CARCINOMA, UNDIFFERENTIATED	男	2	-	-	-	-
		女	1	-	-	-	-
80223 80413 80823 83103	其他明示癌 OTHER SPECIFIED CARCINOMA	男	14	-	-	-	-
		女	9	-	-	2	-
85003 88063 89823	其他明示癌 OTHER SPECIFIED CARCINOMA	男	14	-	-	-	-
		女	9	-	-	2	-
88503 89013 89803	明示之肉瘤 SPECIFIED SARCOMA	男	2	-	-	-	-
		女	1	-	-	-	-
88003	未明示之肉瘤 SARCOMA, NOS	男	1	-	-	-	-
		女	-	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	12	-	-	-	1
		女	7	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	1	-	-	-	-
		女	2	-	-	-	-
	總計 TOTAL	男	109	-	-	-	4
		女	81	-	1	2	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	2	1	-	1	2	3	2	1	3	1	2	1	-
3	-	5	2	-	3	2	1	-	1	2	1	1	-
-	-	-	-	-	-	2	2	1	-	1	-	2	-
1	-	-	1	-	-	-	-	-	-	-	1	1	1
-	1	-	-	-	-	1	2	2	-	2	1	1	1
-	-	-	-	1	-	-	-	-	-	1	-	-	-
-	-	1	-	1	4	2	2	1	-	-	-	-	-
-	-	3	3	2	2	1	-	1	1	1	-	-	-
2	1	-	2	1	1	3	-	1	-	-	-	-	-
-	-	1	1	2	-	1	-	1	-	1	2	-	-
-	-	-	1	-	-	1	-	-	-	-	-	2	-
-	-	-	-	1	1	-	-	-	-	-	-	1	-
-	-	1	-	-	2	1	1	1	1	2	-	-	-
-	-	1	-	-	-	1	-	1	-	-	2	-	-
-	-	1	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	1	2	-	-	3	-	-	1	1	5	1	-	-
-	-	-	-	2	1	2	-	-	-	1	-	1	-
-	-	-	1	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	2	-	1	1	-	3	-	-	1	1	1
-	-	1	-	2	2	1	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	1	-	-	-	-	-	-	1
4	5	6	6	3	13	14	9	11	5	12	7	7	3
4	-	11	7	10	9	10	1	3	3	6	6	4	3

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

鼻咽 C11

ICD-O-3	組織形態	性別		年齡			
				0 4	5 9	10 14	15 19
80703 80833	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	75	-	-	-	2
		女	29	-	-	-	-
80713	角化鱗狀細胞癌 KERATINIZING SQUAMOUS CELL CARCINOMA	男	27	-	-	-	-
		女	7	-	-	-	-
80723	非角化鱗狀細胞癌 NON-KERATINIZING SQUAMOUS CELL CARCINOMA	男	423	-	-	-	2
		女	148	-	-	-	1
80203 80323	未分化癌 CARCINOMA, UNDIFFERENTIATED	男	475	-	-	1	4
80413 80823		女	167	-	-	1	2
81403 82003	小唾液腺癌 CARCINOMA OF MINOR SALIVARY GLANDS	男	4	-	-	1	-
84303 85253		女	3	-	-	-	-
80523 80733	其他明示癌 OTHER SPECIFIED CARCINOMA	男	3	-	-	-	-
85603		女	-	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	84	-	-	-	-
		女	29	-	-	-	2
89003	明示之肉瘤 SPECIFIED SARCOMA	男	-	-	-	-	-
		女	1	-	1	-	-
88003	未明示之肉瘤 SARCOMA, NOS	男	-	-	-	-	-
		女	1	-	-	-	-
95903-97293	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	12	-	-	-	-
97503-97583 97643		女	15	-	1	-	1
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	20	-	-	-	-
		女	7	-	-	-	-
	總計 TOTAL	男	1,123	-	-	2	8
		女	407	-	2	1	6

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	6	6	15	12	9	5	7	4	4	2	2	-
-	1	4	2	2	5	2	3	4	2	2	2	-	-
-	1	-	3	3	3	3	4	4	1	3	2	-	-
-	1	2	-	-	3	-	-	-	-	1	-	-	-
4	7	28	47	62	71	78	40	21	31	11	14	6	1
1	2	11	15	21	23	23	11	10	11	12	5	2	-
4	9	22	55	68	93	72	53	33	28	11	18	4	-
3	4	13	19	33	23	27	17	5	7	4	8	1	-
-	-	-	-	-	-	-	1	-	-	1	1	-	-
-	-	-	-	-	-	1	-	1	-	-	-	1	-
-	1	-	1	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	2	5	4	14	10	17	5	3	8	9	4	2	-
-	1	1	1	3	7	11	-	1	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1
1	1	-	1	2	1	-	1	-	2	1	1	-	1
-	-	-	-	2	-	1	1	4	-	-	5	-	-
1	1	1	1	2	2	2	2	3	3	1	1	-	-
-	-	1	-	-	-	1	-	2	1	1	1	-	-
11	23	62	118	166	192	181	111	71	78	41	43	14	2
4	9	32	37	61	61	66	32	27	22	21	21	4	1

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

食道 C15

ICD-O-3	組織形態	年齡		0	5	10	15
				4	9	14	19
		性別	總計				
80703 80713	鱗狀細胞癌			男	1,261	-	-
80723 80743	SQUAMOUS CELL CARCINOMA	女	77	-	-	-	-
80763 80943 81233							
81403 82553	腺癌	男	53	-	-	-	-
84803 84903	ADENOCARCINOMA	女	9	-	-	-	-
85603	腺性鱗狀癌	男	2	-	-	-	-
	ADENOSQUAMOUS CARCINOMA	女	-	-	-	-	-
80203 80213	其他明示癌	男	23	-	-	-	-
80333 80413	OTHER SPECIFIED CARCINOMA	女	2	-	-	-	-
80833 82403 82463							
80103	未明示癌	男	30	-	-	-	-
	CARCINOMA, NOS	女	2	-	-	-	-
88903	明示之肉瘤	男	1	-	-	-	-
	SPECIFIED SARCOMA	女	-	-	-	-	-
88003	未明示之肉瘤	男	1	-	-	-	-
	SARCOMA, NOS	女	-	-	-	-	-
87203	惡性黑色素瘤	男	-	-	-	-	-
	MALIGNANT MELANOMA	女	1	-	-	-	-
95903-97293	惡性淋巴瘤	男	1	-	-	-	-
97503-97583 97643	MALIGNANT LYMPHOMA	女	-	-	-	-	-
80003	其他惡性腫瘤	男	31	-	-	-	-
	OTHER MALIGNANCY	女	1	-	-	-	-
總計		男	1,403	-	-	-	-
TOTAL		女	92	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	9	35	114	192	209	152	155	147	101	78	42	27
-	-	1	3	3	5	12	5	5	12	8	7	6	10
-	-	-	3	3	4	3	4	6	2	12	5	10	1
-	-	-	-	-	-	-	-	-	3	3	2	-	1
-	-	-	1	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	3	5	2	-	1	6	4	-	1
-	-	-	1	-	-	-	-	-	1	-	-	-	-
-	-	-	1	4	3	2	2	2	1	2	6	4	3
-	-	-	-	-	-	-	-	1	-	-	-	1	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	2	-	3	3	2	1	7	2	3	5	3
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	9	42	124	206	222	162	165	158	123	96	61	35
-	-	1	4	3	5	12	7	6	16	11	9	7	11

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

胃 C16

ICD-O-3	組織形態	性別	年齡 總計	年齡			
				0 4	5 9	10 14	15 19
81403 81423	腺癌	男	1,953	-	-	1	-
81433 81443	ADENOCARCINOMA	女	1,068	1	-	-	-
81453 82103							
82113 82553							
82603 82633							
83233 84803							
84903							
85603	腺性鱗狀癌	男	5	-	-	-	-
	ADENOSQUAMOUS CARCINOMA	女	5	-	-	-	-
80133 80703	鱗狀細胞癌	男	19	-	-	-	-
80713 80723	SQUAMOUS CELL CARCINOMA	女	3	-	-	-	-
80823							
80203 80323	其他明示癌	男	22	-	-	-	-
80413 80453	OTHER SPECIFIED CARCINOMA	女	9	-	-	-	-
80463 82303							
82403 82443							
82463 82493							
85743 85763							
80103	未明示癌	男	38	-	-	-	-
	CARCINOMA, NOS	女	14	-	-	-	-
88903	平滑肌肉瘤	男	4	-	-	-	-
	LEIOMYOSARCOMA	女	2	-	-	-	-
89363	胃腸基質肉瘤	男	87	-	-	-	-
	GASTROINTESTINAL STROMAL SARCOMA	女	80	-	-	-	-
88003	其他明示之肉瘤	男	3	-	-	-	-
	OTHER SPECIFIED SARCOMA	女	-	-	-	-	-
95903-97293	惡性淋巴瘤	男	103	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA		(30)	(-)	(-)	(-)	(-)
97643	(INCLUDING MALT LYMPHOMA)*	女	86	-	-	-	1
			(22)	(-)	(-)	(-)	(-)
80003 90803	其他惡性腫瘤	男	54	1	-	-	-
	OTHER MALIGNANCY	女	25	-	-	-	-
	總計	男	2,288	1	-	1	-
	TOTAL	女	1,292	1	-	-	1

(INCLUDING MALT LYMPHOMA)* : () 內為 MALT LYMPHOMA, ICD-O-3 M-96993 之發生人數。

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	3	6	23	59	104	138	125	166	206	310	414	251	146
2	8	21	42	50	85	101	68	81	119	134	144	122	90
-	-	-	-	1	-	-	1	-	1	1	1	-	-
-	-	-	-	-	1	-	-	1	-	-	2	-	1
-	-	-	-	1	1	4	2	4	1	2	3	1	-
-	-	-	-	-	1	-	-	-	-	1	-	1	-
-	-	-	1	1	2	1	-	2	1	3	5	2	4
-	-	-	-	1	-	2	-	2	1	-	1	1	1
-	-	-	-	-	4	2	1	-	5	9	7	5	5
-	-	1	1	-	1	1	1	2	-	3	2	2	-
-	-	-	-	-	1	-	-	-	3	-	-	-	-
-	-	-	-	-	-	-	-	2	-	-	-	-	-
-	-	-	2	5	7	9	8	8	15	15	11	4	3
-	1	2	1	6	6	8	6	13	9	14	7	3	4
-	-	-	-	-	1	-	-	-	1	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	2	4	-	9	7	5	7	5	17	13	18	10	5
(-)	(-)	(-)	(-)	(4)	(-)	(2)	(2)	(2)	(5)	(5)	(5)	(4)	(1)
-	-	-	6	3	10	12	6	7	10	11	10	7	3
(-)	(-)	(-)	(-)	(1)	(4)	(5)	(-)	(1)	(2)	(3)	(2)	(2)	(2)
-	1	-	-	1	1	2	2	3	6	3	10	11	13
-	-	-	1	-	1	3	-	-	4	3	5	2	6
2	6	10	26	77	128	161	146	188	256	356	469	285	176
2	9	24	51	60	105	127	81	108	143	166	171	138	105

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

小腸 C17

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81403 82613	腺癌	男	59	-	-	-	-
82633 84803	ADENOCARCINOMA	女	35	-	-	-	-
82403	類癌腫瘤	男	3	-	-	-	-
	CARCINOID TUMOR	女	3	-	-	-	-
80203 80213	其他明示癌	男	7	-	-	-	-
80413 80703	OTHER SPECIFIED CARCINOMA	女	1	-	-	-	-
80723 82463							
85763 89803							
80103	未明示癌	男	8	-	-	-	-
	CARCINOMA, NOS	女	3	-	-	-	-
88903	平滑肌肉瘤	男	5	-	-	-	-
	LEIOMYOSARCOMA	女	-	-	-	-	-
89363	胃腸基質肉瘤	男	68	-	-	-	-
	GASTROINTESTINAL STROMAL SARCOMA	女	33	-	-	-	-
81533 88013	其他明示之肉瘤	男	2	-	-	-	-
95403	OTHER SPECIFIED SARCOMA	女	1	-	-	-	-
88003	未明示之肉瘤	男	3	-	-	-	-
	SARCOMA, NOS	女	1	-	-	-	-
95903-97293	惡性淋巴瘤	男	40	1	2	2	-
97503-97583	MALIGNANT LYMPHOMA	女	15	-	-	-	-
97643							
80003 93643	其他惡性腫瘤	男	5	-	-	-	1
	OTHER MALIGNANCY	女	7	-	-	-	-
	總計	男	200	1	2	2	1
	TOTAL	女	99	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	2	3	5	4	3	7	8	9	12	5	1
-	1	-	1	2	4	4	2	5	3	5	5	1	2
-	-	-	-	-	-	-	-	-	1	1	1	-	-
-	-	-	-	-	-	-	-	-	1	1	1	-	-
-	-	-	-	-	1	-	-	1	1	2	2	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	2	1	1	1	1	1	1	-
-	-	-	-	-	-	-	-	-	-	1	-	2	-
-	-	-	-	1	1	-	-	2	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	4	7	6	8	6	9	8	7	9	2	2
-	-	1	-	4	3	2	4	3	4	4	5	3	-
-	-	-	-	-	1	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	1	1	4	3	4	4	6	3	3	3	3
-	-	1	-	1	1	2	1	2	1	2	1	1	2
-	-	-	-	1	-	1	-	-	-	-	1	1	-
-	-	-	-	-	-	1	-	2	1	-	3	-	-
-	-	-	7	13	18	18	14	24	25	27	30	12	6
-	1	2	1	7	8	9	8	12	12	13	15	7	4

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

結腸、直腸、乙狀結腸連結部及肛門 C18 - C21

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81403 81413	腺癌	男	5,176	-	-	-	1
81443 82103	ADENOCARCINOMA	女	3,847	-	-	-	2
82113 82203							
82213 82603							
82613 82623							
82633 84703							
84803 84813							
84903							
82403 82433	類癌腫瘤	男	41	-	-	-	-
82453 82493	CARCINOID TUMOR	女	26	-	-	1	-
80133 80143	其他明示癌	男	33	-	-	-	-
80203 80333	OTHER SPECIFIED CARCINOMA	女	37	-	-	-	-
80413 80703							
80713 80743							
80833 81203							
81233 81243							
82133 82443							
82463 85423							
85603 85743							
80103	未明示癌	男	53	-	-	-	-
	CARCINOMA, NOS	女	37	-	-	-	-
88043 88903	明示之肉瘤	男	12	-	-	-	-
89363	SPECIFIED SARCOMA	女	10	-	-	-	-
88003 88013	未明示之肉瘤	男	2	-	-	-	-
	SARCOMA, NOS	女	1	-	-	-	-
87203	惡性黑色素瘤	男	6	-	-	-	-
	MALIGNANT MELANOMA	女	6	-	-	-	-
95903-97293	惡性淋巴瘤	男	16	-	-	1	-
97503-97583	MALIGNANT LYMPHOMA	女	14	-	1	-	-
97643							
80003	其他惡性腫瘤	男	158	-	-	-	-
	OTHER MALIGNANCY	女	129	-	-	-	1
	總計	男	5,497	-	-	1	1
	TOTAL	女	4,107	-	1	1	3

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
13 8	25 30	54 53	99 84	149 150	236 270	422 402	444 343	605 405	796 516	771 517	851 498	481 324	229 245
1 -	2 -	3 1	5 2	4 5	4 1	7 2	4 1	2 3	3 4	2 2	- 3	4 1	- -
- -	- 1	1 -	- 1	1 2	1 4	4 2	5 2	2 4	3 4	3 4	8 4	4 -	1 9
- 1	2 -	- -	- 1	1 -	2 1	4 2	3 3	6 2	6 4	8 6	8 7	7 6	6 4
- -	1 -	- -	- -	- -	1 2	1 3	3 2	2 -	1 1	1 1	1 -	1 1	- -
- -	- -	- -	- -	1 -	- -	- -	- -	- -	1 -	- -	- -	- -	- 1
- -	- -	- -	- 1	1 -	- -	1 -	1 1	- 1	1 1	- 1	- 1	- 1	2 -
- -	- 1	- 1	- 1	1 1	3 -	1 1	1 1	- -	1 -	3 1	3 2	2 1	- 3
1 -	2 -	- 1	1 3	4 2	6 6	11 8	10 7	8 10	17 14	26 16	32 17	20 11	20 33
15 9	32 32	58 56	105 93	162 160	253 284	451 420	471 360	625 425	829 544	814 548	903 531	519 345	258 295

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

結腸 C18

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81403 81413	腺癌	男	2,867	-	-	-	1
81443 82103	ADENOCARCINOMA	女	2,346	-	-	-	2
82113 82203							
82213 82603							
82613 82623							
82633 84703							
84803 84813							
84903							
82403 82433	類癌腫瘤	男	12	-	-	-	-
82453 82493	CARCINOID TUMOR	女	4	-	-	1	-
80133 80143	其他明示癌	男	12	-	-	-	-
80203 80333	OTHER SPECIFIED CARCINOMA	女	8	-	-	-	-
80413 80703							
82133 82463							
85603 85743							
80103	未明示癌	男	37	-	-	-	-
	CARCINOMA, NOS	女	29	-	-	-	-
88043 88903	明示之肉瘤	男	4	-	-	-	-
89363	SPECIFIED SARCOMA	女	7	-	-	-	-
88003	未明示之肉瘤	男	1	-	-	-	-
	SARCOMA, NOS	女	1	-	-	-	-
95903-97293	惡性淋巴瘤	男	15	-	-	1	-
97503-97583	MALIGNANT LYMPHOMA	女	10	-	1	-	-
97643							
80003	其他惡性腫瘤	男	113	-	-	-	-
	OTHER MALIGNANCY	女	91	-	-	-	-
	總計	男	3,061	-	-	1	1
	TOTAL	女	2,496	-	1	1	2

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
9	20	37	54	85	120	230	239	307	423	421	506	292	123
5	15	33	56	90	161	255	204	238	298	322	303	204	160
1	-	1	2	-	1	1	2	-	1	1	-	2	-
-	-	-	-	-	-	-	1	-	-	-	2	-	-
-	-	-	-	-	-	1	3	2	1	1	2	2	-
-	-	-	1	-	2	-	1	-	-	1	1	-	2
-	1	-	-	-	2	2	3	4	5	5	6	6	3
1	-	-	-	-	1	2	2	1	4	6	4	4	4
-	1	-	-	-	-	1	-	1	1	-	-	-	-
-	-	-	-	-	2	1	2	-	-	1	-	1	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	1	3	1	1	-	1	3	3	1	-
-	1	-	1	-	-	1	-	-	-	1	1	1	3
1	2	-	-	3	5	8	6	5	11	19	25	13	15
-	-	1	2	2	4	5	3	8	12	9	11	8	26
11	24	38	56	90	131	244	254	319	443	450	542	316	141
6	16	34	60	92	170	264	213	247	314	340	322	218	196

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

直腸、乙狀結腸連結部及肛門 C19 - C21

ICD-O-3	組織形態	性別		年齡			
				0 4	5 9	10 14	15 19
81403 81443	腺癌	男	2,309	-	-	-	-
82103 82113	ADENOCARCINOMA	女	1,501	-	-	-	-
82603 82613							
82623 82633							
84803 84813							
84903							
82403 82433	類癌腫瘤	男	29	-	-	-	-
	CARCINOID TUMOR	女	21	-	-	-	-
80413 80703	其他明示癌	男	21	-	-	-	-
80713 80743	OTHER SPECIFIED CARCINOMA	女	29	-	-	-	-
80833 81203							
81233 81243							
82443 82463							
85423 85743							
80103	未明示癌	男	16	-	-	-	-
	CARCINOMA, NOS	女	8	-	-	-	-
88903 89363	明示之肉瘤	男	8	-	-	-	-
	SPECIFIED SARCOMA	女	3	-	-	-	-
88013	未明示之肉瘤	男	1	-	-	-	-
	SARCOMA, NOS	女	-	-	-	-	-
87203	惡性黑色素瘤	男	6	-	-	-	-
	MALIGNANT MELANOMA	女	6	-	-	-	-
95903-97293	惡性淋巴瘤	男	1	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	4	-	-	-	-
97643							
80003 82493	其他惡性腫瘤	男	45	-	-	-	-
	OTHER MALIGNANCY	女	39	-	-	-	1
	總計	男	2,436	-	-	-	-
	TOTAL	女	1,611	-	-	-	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
4	5	17	45	64	116	192	205	298	373	350	345	189	106
3	15	20	28	60	109	147	139	167	218	195	195	120	85
-	2	2	3	4	3	6	2	2	2	1	-	2	-
-	-	1	2	5	1	2	-	3	4	2	-	1	-
-	-	1	-	1	1	3	2	-	2	2	6	2	1
-	1	-	-	2	2	2	1	4	4	3	3	-	7
-	1	-	-	1	-	2	-	2	1	3	2	1	3
-	-	-	1	-	-	-	1	1	-	-	3	2	-
-	-	-	-	-	1	-	3	1	-	1	1	1	-
-	-	-	-	-	-	2	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	1	1	-	1	-	-	-	2
-	-	-	1	-	-	-	1	1	1	1	1	-	1
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	1	-	1	-	-	1	-	-	-	1	-	-
-	-	-	1	1	1	3	4	3	6	7	7	7	5
-	-	-	1	-	2	3	4	2	2	7	7	3	7
4	8	20	49	72	122	207	217	306	386	364	361	203	117
3	16	22	33	68	114	156	147	178	230	208	209	127	99

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

肝及肝內膽管 C22

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81703 81713	肝細胞癌	男	6,600	-	-	3	2
81723 81733	HEPATOCELLULAR CARCINOMA	女	2,352	1	-	1	4
81743 81753							
81603 81623	膽管癌	男	349	-	-	-	-
84813	CHOLANGIOCARCINOMA	女	280	-	-	-	-
81803	合併肝細胞癌和膽管癌	男	18	-	-	-	-
	COMBINED HEPATOCELLULAR CARCINOMA AND CHOLANGIOCARCINOMA	女	10	-	-	-	-
81403 81413	腺癌	男	56	-	-	-	-
81613 81903	ADENOCARCINOMA	女	42	-	-	-	-
82603 84403							
84703 84803							
89703 91303	肝芽細胞瘤	男	7	5	-	1	-
	HEPATOBLASTOMA	女	4	3	-	-	-
80333 80413	其他明示癌	男	5	-	-	-	-
80703 80823	OTHER SPECIFIED CARCINOMA	女	6	-	-	-	-
82463 85033							
85603 89803							
80103 80203	未明示癌	男	21	-	-	-	-
	CARCINOMA, NOS	女	13	-	-	-	-
91203	血管肉瘤	男	4	-	-	-	-
	ANGIOSARCOMA	女	4	-	-	-	-
88023 88303	其他明示之肉瘤	男	4	-	-	-	-
89913	OTHER SPECIFIED SARCOMA	女	1	-	1	-	-
88053	未明示之肉瘤	男	1	-	-	-	-
	SARCOMA, NOS	女	-	-	-	-	-
80003	其他惡性腫瘤	男	94	-	-	-	-
	OTHER MALIGNANCY	女	45	-	-	-	-
	總計	男	7,159	5	-	4	2
	TOTAL	女	2,757	4	1	1	4

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
8	55	115	239	387	637	841	739	802	907	778	626	324	137
5	10	19	27	46	68	159	225	316	423	426	329	207	86
-	1	1	7	11	25	34	32	53	43	54	46	31	11
2	1	2	2	6	14	25	26	41	47	42	38	20	14
-	-	-	1	2	4	1	2	5	-	2	1	-	-
-	-	1	1	-	-	-	1	1	3	1	1	1	-
-	-	1	3	1	4	6	3	7	9	9	9	3	1
1	-	-	1	2	1	4	4	4	8	7	1	8	1
-	-	-	-	-	-	-	-	1	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	1	-	-	1	1	-	1	-	-
-	-	-	2	-	1	1	-	-	1	1	-	-	-
1	-	-	-	2	3	2	2	1	6	2	2	-	-
-	-	-	-	-	-	1	3	1	3	1	2	1	1
-	-	-	-	-	-	1	1	1	1	-	-	-	-
-	-	-	-	-	-	1	-	-	-	1	1	1	-
-	-	-	1	1	-	1	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	2	1	3	4	10	7	12	6	12	14	12	10
-	-	-	-	1	-	-	4	5	4	11	12	3	5
9	57	119	252	408	678	896	786	883	975	857	699	370	159
9	11	22	33	55	84	191	263	368	489	490	384	241	107

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

膽囊及肝外膽管 C23 - C24

ICD-O-3	組織形態	年齡		0	5	10	15
		性別	總計	4	9	14	19
81403 81603	腺癌	男	304	-	-	-	-
81613 81623	ADENOCARCINOMA	女	277	-	-	-	-
82103 82603							
82613 82633							
83103 84803							
84903 85743							
85603	腺性鱗狀癌	男	2	-	-	-	-
	ADENOSQUAMOUS CARCINOMA	女	3	-	-	-	-
80203 80413	其他明示癌	男	8	-	-	-	-
80503 80703	OTHER SPECIFIED CARCINOMA	女	10	-	-	-	-
81443 82403							
82443 82463							
85003							
80103	未明示癌	男	9	-	-	-	-
	CARCINOMA, NOS	女	18	-	-	-	-
80003	其他惡性腫瘤	男	31	-	-	-	-
	OTHER MALIGNANCY	女	42	-	-	-	-
	總計	男	354	-	-	-	-
	TOTAL	女	350	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	1	2	4	2	14	29	32	32	44	59	39	30	15
-	-	-	2	5	7	25	27	39	46	40	42	23	21
-	-	-	-	-	-	-	-	1	-	-	1	-	-
-	-	-	-	-	-	-	-	-	2	-	1	-	-
-	-	-	-	1	-	-	2	1	-	1	2	-	1
-	-	-	-	2	-	1	2	1	2	-	2	-	-
-	-	-	-	-	-	1	1	-	2	3	1	1	-
-	-	-	-	-	1	2	1	1	2	6	-	4	1
-	-	-	-	-	2	-	1	3	5	2	6	9	3
-	-	-	-	-	-	2	1	1	3	5	8	12	10
1	1	2	4	3	16	30	36	37	51	65	49	40	19
-	-	-	2	7	8	30	31	42	55	51	53	39	32

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

胰 C25

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81403 82603	腺癌	男	349	-	-	-	-
84403 84413	ADENOCARCINOMA	女	278	-	-	-	-
84533 84703							
84723 84803							
84903 85003							
85033							
85503	腺泡細胞癌	男	2	-	-	-	-
	ACINAR CELL CARCINOMA	女	3	-	-	-	-
81503 81513	胰島細胞癌	男	2	-	-	-	-
81523	ISLET CELL CARCINOMA	女	4	-	-	-	-
80033 80213	其他明示癌	男	15	-	-	-	-
80323 80413	OTHER SPECIFIED CARCINOMA	女	15	-	-	-	-
80703 81543							
82403 82463							
83103 85603							
85743							
80103 80203	未明示癌	男	96	-	-	-	-
	CARCINOMA, NOS	女	60	-	-	-	-
91203	明示之肉瘤	男	1	-	-	-	-
	SPECIFIED SARCOMA	女	-	-	-	-	-
88003	未明示之肉瘤	男	-	-	-	-	-
	SARCOMA, NOS	女	1	-	-	-	-
80003	未明示之惡性腫瘤	男	178	-	-	-	-
	MALIGNANT NEOPLASM, NOS	女	155	-	-	-	-
95903-97293	惡性淋巴瘤	男	3	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	-	-	-	-	-
97643							
81553	其他惡性腫瘤	男	-	-	-	-	-
	OTHER MALIGNANCY	女	1	-	-	-	-
	總計	男	646	-	-	-	-
	TOTAL	女	517	-	-	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	1	9	9	19	37	44	48	38	54	61	21	8
2	2	1	4	13	15	27	37	33	45	36	36	22	5
-	-	-	-	-	-	-	2	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	2	-
-	-	-	-	-	-	-	-	1	-	1	-	-	-
-	-	-	-	1	-	-	-	1	2	-	-	-	-
-	-	1	1	2	3	-	1	3	2	1	-	1	-
-	-	1	1	1	-	1	4	2	1	2	2	-	-
1	-	-	2	7	7	5	7	10	9	16	14	9	9
-	-	-	-	2	2	3	4	2	9	12	8	10	8
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	1	6	4	11	8	11	13	18	22	39	24	21
-	-	-	2	4	2	5	7	5	11	30	37	28	24
-	-	-	-	-	1	-	-	1	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
1	-	3	18	22	41	50	65	76	67	95	115	55	38
2	2	2	7	21	19	36	53	44	68	81	83	62	37

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

後腹膜腔及腹膜 C48

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
88503 88513	脂肪肉瘤	男	18	3	-	1	-
88523 88543	LIPOSARCOMA	女	19	2	-	-	-
88553 88583 95003							
88903	平滑肌肉瘤	男	3	-	-	-	-
	LEIOMYOSARCOMA	女	18	-	-	-	-
88303	惡性纖維組織細胞瘤	男	4	-	-	-	-
	MALIGNANT FIBROHISTIOCYTOMA	女	2	-	-	-	-
80413 86803	周邊原始神經外胚層腫瘤	男	4	-	-	1	-
93643 94903	PERIPHERAL PRIMITIVE	女	2	-	-	-	-
95403	NEUROECTODERMAL TUMOR						
90643 90713	胚細胞瘤和惡性畸胎瘤	男	12	1	-	3	4
90803 90843	GERM CELL TUMOR AND MALIGNANT TERATOMA	女	7	4	1	1	-
90503	惡性間皮瘤	男	5	-	-	-	-
	MALIGNANT MESOTHELIOMA	女	9	-	-	-	-
88013 88063	明示之肉瘤	男	4	-	-	1	-
88253 89003	SPECIFIED SARCOMA	女	4	-	-	1	-
89013 90533 92603							
88003	未明示之肉瘤	男	5	-	-	-	-
	SARCOMA, NOS	女	10	-	-	-	-
95903-97293	惡性淋巴瘤	男	2	-	-	-	-
97503-97583 97643	MALIGNANT LYMPHOMA	女	1	-	-	-	-
80003 84523	其他惡性腫瘤	男	1	-	-	-	-
	OTHER MALIGNANCY	女	5	-	-	-	-
	總計	男	58	4	-	6	4
	TOTAL	女	77	6	1	2	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	1	-	2	1	3	1	3	1	1	1	-	-
-	-	1	2	1	3	1	2	2	3	1	-	1	-
-	-	-	-	-	-	1	-	-	-	1	-	-	1
-	-	1	-	3	3	4	-	1	2	2	2	-	-
-	-	-	-	-	1	-	-	2	-	-	-	1	-
-	-	-	-	-	-	-	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	2	1	-
-	-	-	-	-	1	-	1	-	-	-	-	-	-
2	2	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	1	1	-	-	-	-	1	1	-
1	-	-	1	-	1	-	2	1	-	2	-	-	1
-	-	-	1	1	-	-	-	-	1	-	-	-	-
-	-	-	-	-	2	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	1	1	1	-	-	1
-	-	1	-	1	1	1	-	-	1	1	3	1	-
-	-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	1	-	-	2	1	1
2	2	1	2	3	4	6	1	6	3	3	5	3	3
1	-	3	4	5	11	6	7	5	6	7	8	3	2

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

消化器官之其他部位及與腹膜分界不明部位 C26

ICD-O-3	組 織 形 態	性 別	年 齡 總 計	0	5	10	15
				4	9	14	19
81403 84603	腺癌 ADENOCARCINOMA	男	1	-	-	-	-
		女	4	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	1	-	-	-	-
		女	1	-	-	-	-
88903 89363	明示之肉瘤 SPECIFIED SARCOMA	男	5	-	-	-	1
		女	8	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	3	-	-	-	-
		女	2	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	-	-	-	-	-
		女	2	-	-	-	-
	總計	男	10	-	-	-	1
	TOTAL	女	17	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	2	1	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	1	2	-	-	-	1	-	-	-	-
-	-	-	-	-	1	1	1	3	1	1	-	-	-
-	-	-	-	-	-	-	-	1	-	1	-	1	-
-	-	-	-	-	-	-	-	1	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	1	-
-	-	-	-	1	2	-	1	1	1	2	-	1	-
-	-	-	-	-	1	1	1	5	1	5	2	1	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

鼻腔、副竇、中耳及內耳 C30 - C31

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80523 80703	鱗狀細胞癌	男	57	-	-	-	-
80713 80723	SQUAMOUS CELL CARCINOMA	女	13	-	-	-	-
80733 80833							
81403 82003	腺癌	男	9	-	-	-	-
83103	ADENOCARCINOMA	女	8	-	-	-	-
80413	小細胞癌	男	1	-	-	-	-
	SMALL CELL CARCINOMA	女	1	-	-	-	-
80323 80503	其他明示癌	男	9	-	-	-	-
80823 80903	OTHER SPECIFIED CARCINOMA	女	3	-	-	-	-
81213 81303							
82463 85503							
80103 80203	未明示癌	男	11	-	-	-	-
	CARCINOMA, NOS	女	2	-	-	-	-
87203	惡性黑色素瘤	男	4	-	-	-	-
	MALIGNANT MELANOMA	女	-	-	-	-	-
88303 88903	明示之肉瘤	男	6	1	-	1	-
89003 89103	SPECIFIED SARCOMA	女	1	-	-	-	1
89203 93703							
88003 92603	未明示之肉瘤	男	1	-	-	-	-
	SARCOMA, NOS	女	1	-	-	-	-
95903-97293	惡性淋巴瘤	男	26	1	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	16	-	-	-	-
97643							
97313	漿細胞瘤	男	2	-	-	-	-
	PLASMACYTOMA, NOS	女	-	-	-	-	-
80003 94733	其他惡性腫瘤	男	6	-	-	-	1
95203 95233	OTHER MALIGNANCY	女	1	-	-	-	-
	總計	男	132	2	-	1	1
	TOTAL	女	46	-	-	-	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	2	-	6	5	9	5	6	8	3	5	5	2
-	1	-	-	-	1	2	1	1	2	2	1	-	2
-	-	1	-	1	1	1	-	2	-	1	-	2	-
-	-	-	-	1	1	1	1	1	1	2	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	1	-	1	-	-	1	3	-	3	-	-	-
-	-	-	-	1	1	1	-	-	-	-	-	-	-
-	-	2	-	3	-	-	1	-	2	2	-	1	-
-	-	-	-	-	-	2	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	-	1	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	2	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-
2	1	1	1	2	6	1	1	-	2	1	5	-	2
-	1	1	2	1	-	1	3	-	3	1	1	1	1
-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	2	1	-	1	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
3	2	7	3	18	13	13	10	12	12	11	10	10	4
-	2	2	3	3	3	7	5	2	6	5	2	2	3

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

喉 C32

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80513 80523	鱗狀細胞癌	男	470	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA	女	19	-	-	-	-
80723 80763							
80413	小細胞癌	男	3	-	-	-	-
	SMALL CELL CARCINOMA	女	-	-	-	-	-
80833 81403	其他明示癌	男	5	-	-	-	-
82493 84303	OTHER SPECIFIED CARCINOMA	女	1	-	-	-	-
80103 82463	未明示癌	男	15	-	-	-	-
	CARCINOMA, NOS	女	-	-	-	-	-
89013	明示之肉瘤	男	1	-	-	-	-
	SPECIFIED SARCOMA	女	-	-	-	-	-
95903-97293	惡性淋巴瘤	男	2	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	1	-	-	-	-
97643							
80003	其他惡性腫瘤	男	22	-	-	-	-
	OTHER MALIGNANCY	女	1	-	-	-	-
	總計	男	518	-	-	-	-
	TOTAL	女	22	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	2	5	28	48	62	59	55	52	69	61	19	9
-	-	-	-	-	-	1	3	5	2	-	4	4	-
-	-	-	-	-	-	-	-	-	-	2	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	1	-	-	-	2	-	-	1
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	1	-	-	-	3	2	4	2	2	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	1	1	1	2	1	-	1	2	7	4	-	2
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	1	4	6	30	50	68	61	60	58	82	65	21	12
-	-	-	-	-	-	2	4	5	2	-	5	4	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

肺、支氣管及氣管 C33 - C34

ICD-O-3	組織形態	性別		年齡			
				0 4	5 9	10 14	15 19
80523 80703	鱗狀細胞癌	男	1,531	-	-	-	-
80713 80723	SQUAMOUS CELL CARCINOMA	女	229	-	-	-	-
80733 80823							
80833 80843							
81403 81413	腺癌	男	2,007	-	-	1	-
82503 82513	ADENOCARCINOMA	女	1,782	-	-	-	-
82553 82603							
83103 84603							
84803 84813							
84903							
85603 85703	腺性鱗狀癌	男	64	-	-	-	-
	ADENOSQUAMOUS CARCINOMA	女	26	-	-	-	-
80123 80143	大細胞癌	男	47	-	-	-	-
80203 80213	LARGE CELL CARCINOMA	女	19	-	-	-	-
80313							
80413 80423	小細胞癌	男	660	-	-	-	-
80443 80453	SMALL CELL CARCINOMA	女	86	-	-	-	-
80133 82403	神經內分泌癌	男	37	-	-	-	-
82463 82493	NEUROENDOCRINE CARCINOMA	女	11	-	-	-	-
80223 82003	氣管腺體癌	男	24	-	-	-	-
82903 84303	BRONCHIAL GLAND CARCINOMA	女	12	-	-	-	-
85503							
82523 82533	細支氣管肺泡癌	男	11	-	-	-	-
82543	BRONCHIOLO-ALVEOLAR CARCINOMA	女	19	-	-	-	-
80323 80333	其他明示癌	男	442	-	-	-	-
80463 83203	OTHER SPECIFIED CARCINOMA	女	213	-	-	-	-
85623 85743							
80103	未明示癌	男	261	-	-	-	-
	CARCINOMA, NOS	女	105	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	2	2	7	19	44	70	81	176	225	331	343	163	68
-	-	2	2	9	11	22	18	15	29	41	31	34	15
1	3	11	27	65	123	150	193	214	258	292	374	210	85
3	5	17	39	71	112	181	177	207	237	280	217	149	87
-	-	-	1	2	3	5	11	3	4	13	15	6	1
-	-	-	-	-	6	2	2	7	4	4	1	-	-
-	-	-	-	-	2	1	4	9	3	6	13	5	4
-	-	-	-	-	3	2	1	2	4	2	2	2	1
-	1	1	1	8	19	29	52	74	94	133	147	73	28
-	-	1	-	1	1	5	5	8	19	14	11	15	6
-	-	-	1	-	1	2	1	4	6	9	7	5	1
-	-	-	1	-	-	1	2	1	3	2	-	-	1
1	-	1	-	4	1	3	2	2	4	-	4	2	-
1	-	-	-	-	-	3	2	1	2	1	2	-	-
-	-	-	-	1	1	3	-	5	-	1	-	-	-
-	-	-	1	1	-	1	2	5	5	2	2	-	-
-	-	2	5	15	16	29	19	41	54	92	104	46	19
-	1	3	3	9	12	19	19	21	30	29	30	29	8
-	1	1	2	3	10	13	18	22	35	45	63	34	14
-	-	1	1	1	2	7	6	11	14	11	16	21	14

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

肺、支氣管及氣管 C33 - C34 (續)

ICD-O-3	組織形態	性別		年齡			
				0 4	5 9	10 14	15 19
88013 88023	明示之肉瘤	男	8	-	-	-	-
88103 88153	SPECIFIED SARCOMA	女	8	-	-	-	-
89803 90413							
91203 91403							
88003	未明示之肉瘤	男	4	-	-	-	-
	SARCOMA, NOS	女	2	-	-	-	-
95903-97293	惡性淋巴瘤	男	13	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	8	-	-	-	-
97643							
97313	漿細胞瘤	男	1	-	-	-	-
	PLASMACYTOMA	女	-	-	-	-	-
80003 80033	其他惡性腫瘤	男	456	-	-	-	-
80043 89723	OTHER MALIGNANCY	女	226	-	-	-	-
	總計	男	5,566	-	-	1	-
	TOTAL	女	2,746	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	-	-	-	-	1	1	1	-	1	1	1	1	-
-	-	-	-	-	-	-	2	1	2	1	2	-	-
-	-	-	-	1	-	-	-	-	1	1	-	1	-
-	1	-	-	-	-	-	1	-	-	-	-	-	-
-	-	1	-	-	1	2	2	1	1	2	1	1	1
-	-	-	-	-	1	-	-	1	2	3	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	2	1	3	4	7	11	19	18	46	64	131	83	66
-	-	1	3	1	3	9	5	16	19	32	61	36	40
4	9	20	47	122	229	319	403	569	732	990	1,203	631	287
4	7	25	50	93	151	252	242	296	370	422	376	286	172

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

胸膜 C38.4

ICD-O-3	組織形態	性別	年齡				
			0 4	5 9	10 14	15 19	
90403 90503	惡性間皮瘤	男	19	-	-	-	-
90513 90523 90533	MALIGNANT MESOTHELIOMA	女	10	-	-	-	-
80003	其他惡性腫瘤	男	1	-	-	-	-
	OTHER MALIGNANCY	女	1	-	-	-	-
	總計	男	20	-	-	-	-
	TOTAL	女	11	-	-	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	1	2	-	-	1	2	2	5	1	2	2	-	1
-	1	-	1	-	1	1	-	1	2	2	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	2	-	-	1	2	2	5	1	3	2	-	1
-	1	-	1	-	1	1	-	1	2	2	2	-	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

胸腺、心臟及縱膈 C37 - C38.3, C38.8

ICD-O-3	組織形態	年齡		0	5	10	15
		性別	總計	4	9	14	19
80703 80713	惡性胸腺瘤及胸腺癌	男	69	-	-	-	1
80723 85803	MALIGNANT THYMOMA AND THYMIC	女	74	-	1	-	1
85813 85823	CARCINOMA						
85833 85843							
85853 85863							
90613 90643	胚細胞瘤和惡性畸胎瘤	男	6	-	-	-	2
90713 90803	GERM CELL TUMOR AND MALIGNANT	女	-	-	-	-	-
	TERATOMA						
80203 80213	其他明示癌	男	17	-	-	-	-
80413 80463	OTHER SPECIFIED CARCINOMA	女	4	-	-	-	-
80823 81403							
82403 82463							
82493 90813							
80103	未明示癌	男	8	-	-	-	-
	CARCINOMA, NOS	女	6	-	-	-	-
80133 94903	惡性神經原腫瘤	男	7	3	1	-	-
95003 95403	NEUROGENIC MALIGNANCIES	女	5	1	-	1	1
88013 88303	明示之肉瘤	男	12	-	-	1	-
88403 88523	SPECIFIED SARCOMA	女	4	2	-	-	-
88553 88583							
89003 89363							
91203 92403							
93643							
88003	未明示之肉瘤	男	1	-	-	-	-
	SARCOMA, NOS	女	-	-	-	-	-
95903-97293	惡性淋巴瘤	男	16	-	-	2	1
97503-97583	MALIGNANT LYMPHOMA	女	16	-	-	-	1
97643							
80003	其他惡性腫瘤	男	3	-	-	-	-
	OTHER MALIGNANCY	女	-	-	-	-	-
	總計	男	139	3	1	3	4
	TOTAL	女	109	3	1	1	3

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	1	6	4	6	8	7	7	5	11	3	7	1	1
2	1	2	5	5	12	10	6	9	7	6	5	1	1
2	2	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	2	1	2	2	-	4	3	2	-	-
-	-	-	-	-	-	1	-	1	1	-	-	1	-
-	-	1	-	1	1	1	-	2	-	2	-	-	-
-	-	-	-	1	-	1	-	1	1	-	1	-	1
1	-	-	1	-	1	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	1	-	-
-	1	-	2	1	1	3	-	-	1	-	-	1	1
-	-	-	-	1	-	-	-	-	-	1	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	1	2	1	1	-	3	-	-	2	1	-	-
5	4	3	-	-	1	1	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	4	9	9	11	14	13	12	7	17	11	10	3	2
7	5	5	6	7	13	13	7	11	9	7	7	2	2

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

白血病 ICD-O-3 M-98003 - M-99643, M-99803 - M-99893

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
98403 98613	急性骨髓樣白血病	男	317	5	7	7	5
98663 98673	ACUTE MYELOID LEUKEMIA	女	243	7	5	6	5
98713 98723							
98733 98743							
98953 98963							
98973							
98633 98753	慢性骨髓樣白血病	男	104	2	1	1	4
98763 99453	CHRONIC MYELOID LEUKEMIA	女	57	2	1	-	-
99463 99633							
98913	急性單核球白血病	男	25	2	-	1	1
	ACUTE MONOCYTIC LEUKEMIA	女	12	-	-	-	-
98353 98363	急性淋巴芽細胞白血病	男	131	38	23	18	9
98373	ACUTE LYMPHOBLASTIC LEUKEMIA	女	107	35	15	7	14
98233	慢性淋巴球白血病	男	59	-	-	-	-
	CHRONIC LYMPHOCYTIC LEUKEMIA	女	34	-	-	-	-
98603 99853	未明示之骨髓樣白血病	男	10	-	-	-	-
	MYELOID LEUKEMIA, NOS	女	3	-	-	-	-
98203	未明示之淋巴樣白血病	男	-	-	-	-	-
	LYMPHOID LEUKEMIA, NOS	女	2	-	-	-	-
98013 98053	其他類型白血病	男	204	-	2	3	2
98263 98273	OTHER TYPES OF LEUKEMIA	女	140	3	2	1	2
99103 99303							
99313 99403							
99483 99503							
99603 99613							
99623 99643							
99803 99823							
99833 99843							
99863 99873							
99893							
98003	未明示之白血病	男	7	3	-	1	-
	LEUKEMIA, NOS	女	9	-	1	-	-
	總計	男	857	50	33	31	21
	TOTAL	女	607	47	24	14	21

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
13 9	6 10	13 9	9 16	25 15	17 19	24 18	27 12	15 24	35 25	29 20	44 15	24 20	12 8
7 2	4 3	3 4	6 -	4 5	4 2	12 5	11 2	5 3	5 5	9 6	12 5	9 5	5 7
1 -	1 -	- -	- -	1 2	1 1	- -	1 1	1 2	5 2	3 2	2 1	3 1	2 -
6 8	10 2	4 2	2 6	6 3	5 1	2 4	- 3	- 3	2 2	1 -	3 2	- -	2 -
- -	- -	2 1	- -	1 2	2 3	2 -	5 3	9 5	9 5	6 4	10 5	6 5	7 1
1 -	- -	- -	- 1	- -	- -	- -	1 -	- 1	3 1	- -	5 -	- -	- -
- -	- -	- -	- -	- 1	- -	- -	- 1	- -	- -	- -	- -	- -	- -
3 4	4 3	6 3	9 6	3 6	14 7	17 10	13 10	16 11	22 9	31 22	31 13	18 20	10 8
1 -	- -	- -	- -	- -	- 1	1 -	- 2	- -	- 1	- 1	1 -	- 1	- 2
32 23	25 18	28 19	26 29	40 34	43 34	58 37	58 34	46 49	81 50	79 55	108 41	60 52	38 26

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

		造血系統及網狀內皮系統（白血病除外） C42					
ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
97313 97323	多發性骨髓瘤	男	194	-	-	-	-
97333	MULTIPLE MYELOMA	女	147	-	-	-	-
95903 95913	非何杰金氏淋巴瘤	男	49	-	1	1	-
96703 96713	NON-HODGKIN LYMPHOMA	女	27	-	-	-	-
96753 96803							
96873 96893							
96903 96983							
96993 97023							
97053 97283							
97293 97503							
97543 97583							
96503 96523	何杰金氏淋巴瘤	男	4	-	-	-	-
96623	HODGKIN LYMPHOMA	女	2	-	-	-	-
97603	其他惡性淋巴瘤	男	1	-	-	-	-
	OTHER MALIGNANT LYMPHOMA	女	-	-	-	-	-
80003 91303	其他惡性腫瘤	男	9	-	-	-	-
97613	OTHER MALIGNANCY	女	6	-	-	-	-
	總計	男	257	-	1	1	-
	TOTAL	女	182	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	1	3	4	10	15	8	26	29	37	30	23	8
-	-	-	1	3	8	16	16	15	20	26	26	13	3
2	-	1	1	2	1	3	7	3	7	8	4	6	2
-	-	2	-	-	2	-	2	4	1	2	8	4	2
-	-	-	-	-	-	-	1	-	1	-	1	1	-
-	-	-	-	-	1	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	2	3	2	-	1	1
-	-	-	-	-	1	2	-	-	-	2	-	-	1
2	-	2	4	6	11	18	16	31	40	48	35	31	11
-	-	2	1	3	12	19	18	19	21	30	34	17	6

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

骨、關節及關節軟骨 C40 - C41

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
91803 91813	骨肉瘤	男	37	-	1	9	11
91823 91833	OSTEOSARCOMA	女	26	-	3	6	5
91923							
92203 92313	軟骨肉瘤	男	20	-	-	-	-
92403 92433	CHONDROSARCOMA	女	11	-	-	-	-
92503	惡性骨巨大細胞瘤	男	4	-	-	-	-
	MALIGNANT GIANT CELL TUMOR	女	3	-	-	-	-
92603	Ewing 氏肉瘤	男	17	3	-	5	1
	EWING SARCOMA	女	5	1	-	1	-
93703	脊索瘤	男	8	-	-	-	-
	CHORDOMA	女	5	-	-	1	-
92703 93103	惡性成釉細胞瘤	男	5	-	-	-	-
	MALIGNANT AMELOBLASTOMA	女	1	-	-	-	-
88103 88113	其他明示之肉瘤	男	11	-	1	1	1
88303 88583	OTHER SPECIFIED SARCOMA	女	12	-	2	1	1
88903 90403							
91203 91503							
91853 92303							
93643 95403							
97503 97543							
88003	未明示之肉瘤	男	2	-	-	-	-
	SARCOMA, NOS	女	2	-	-	-	1
90433	滑膜肉瘤	男	-	-	-	-	-
	SYNOVIAL SARCOMA	女	1	-	-	-	1
80003 86803	其他惡性腫瘤	男	4	-	-	-	-
	OTHER MALIGNANCY	女	2	-	-	-	-
	總計	男	108	3	2	15	13
	TOTAL	女	68	1	5	9	8

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
3	2	-	2	2	-	-	3	-	1	-	2	-	1
2	3	-	-	1	2	-	1	-	2	-	-	1	-
-	2	1	2	3	-	6	1	1	1	2	1	-	-
1	1	1	2	1	-	2	-	1	1	-	-	1	-
-	-	1	-	1	-	-	-	1	-	-	-	-	1
1	1	-	1	-	-	-	-	-	-	-	-	-	-
-	-	1	-	1	3	-	-	-	-	-	1	-	-
-	-	-	-	1	-	1	-	-	-	-	-	-	-
-	-	-	-	1	-	3	1	-	2	1	-	-	-
-	-	-	-	1	-	1	-	-	2	-	-	-	-
-	1	1	-	-	2	1	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
2	-	1	1	-	1	-	1	-	2	-	-	-	-
-	1	-	1	-	1	1	-	1	2	-	1	-	-
-	-	1	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	1	-	-	-	1	-	-	-	1	-
-	-	-	-	-	-	1	-	-	-	-	1	-	-
6	6	6	6	8	8	10	6	3	6	3	4	1	2
4	6	2	4	5	3	7	1	2	7	-	2	2	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

結締組織、軟組織及其他皮下組織 C47, C49

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
88103 88113	惡性纖維組織細胞瘤和纖維肉瘤	男	46	-	-	1	-
88303 88323	MALIGNANT FIBROHISTIOCYTOMA AND FIBROSARCOMA	女	34	-	1	-	-
88503 88513	脂肪肉瘤	男	52	1	-	-	-
88523 88533	LIPOSARCOMA	女	42	-	-	-	-
88543 88553							
88583							
88903 88913	平滑肌肉瘤	男	15	-	1	-	-
	LEIOMYOSARCOMA	女	6	-	-	-	-
89003 89013	橫紋肌肉瘤	男	13	-	1	1	-
89103 89203	RHABDOMYOSARCOMA	女	11	2	1	3	-
95813							
91203 91403	血管肉瘤	男	17	-	-	-	-
91503	ANGIOSARCOMA	女	12	1	1	-	-
90403 90413	滑膜肉瘤	男	5	-	-	-	1
90423 90433	SYNOVIAL SARCOMA	女	13	-	1	1	-
95403 95603	惡性神經鞘瘤 (包含惡性 Schwann 氏細胞瘤)	男	6	-	-	-	-
	MALIGNANT NERVE SHEATH TUMOR (INCLUDING MALIGNANT SCHWANNOMA)	女	12	-	-	1	-
93643 95003	周邊原始神經外胚層腫瘤	男	7	2	1	1	-
95033	PERIPHERAL PRIMITIVE NEUROECTODERMAL TUMOR	女	3	1	-	-	2
80043 88013	其他明示之肉瘤	男	27	-	1	-	-
88023 88033	OTHER SPECIFIED SARCOMA	女	13	-	-	-	-
88043 88403							
90443 91803							
92313 92513							

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
3 1	5 1	4 2	- 2	2 -	1 2	2 3	2 3	8 6	5 2	4 2	4 2	3 3	2 4
3 3	2 1	1 4	3 2	7 6	7 5	4 3	4 7	3 1	4 5	6 1	5 4	2 -	- -
1 -	- -	- -	1 -	2 1	2 -	1 1	2 1	1 -	- 2	- 1	3 -	1 -	- -
4 1	3 1	1 1	- -	- -	- -	1 -	- -	- -	1 -	1 -	- -	- 2	- -
1 -	1 -	- -	- -	- -	1 -	- 1	1 1	2 1	2 2	2 4	- -	5 1	2 -
2 2	- 2	1 -	1 -	- 1	- 3	- -	- -	- 1	- 1	- 1	- -	- -	- -
- -	1 2	- -	- -	- 1	1 -	- -	2 -	1 5	1 1	- -	- 2	- -	- -
1 -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -
- -	2 -	1 1	1 1	2 -	3 2	4 3	- -	1 2	6 3	3 1	1 -	2 -	- -

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

結締組織、軟組織及其他皮下組織 C47, C49 (續)

ICD-O-3	組織形態	性別		年齡			
				0 4	5 9	10 14	15 19
88003	未明示之肉瘤 SARCOMA, NOS	男	17	-	-	-	-
		女	10	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	22	1	-	1	1
		女	11	-	-	-	-
97313	漿細胞瘤 PLASMACYTOMA	男	-	-	-	-	-
		女	1	-	-	-	-
82003	明示癌 SPECIFIED CARCINOMA	男	1	-	-	-	-
		女	-	-	-	-	-
80003 88063 90603	其他惡性腫瘤 OTHER MALIGNANCY	男	5	-	-	-	-
		女	5	-	-	-	-
	總計	男	233	4	4	4	2
	TOTAL	女	173	4	4	5	2

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	-	1	-	1	-	3	1	-	2	2	2	2	2
1	-	-	1	1	1	2	1	-	2	-	1	-	-
-	1	-	-	4	2	-	2	1	1	1	2	3	2
1	1	2	2	-	-	1	-	-	-	3	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	1	-	1	1	-	-	-	1	-	-
-	1	-	-	1	-	-	1	-	-	-	-	1	1
16	15	10	7	19	17	16	15	17	23	19	19	18	8
9	9	10	8	11	13	15	14	16	18	13	9	7	6

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

皮膚 C44

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80903 80913	基底細胞癌	男	507	-	-	-	-
80923 80943	BASAL CELL CARCINOMA	女	551	-	1	1	-
80973 80983							
82003							
80513 80703	鱗狀細胞癌	男	330	-	-	1	2
80713 80723	SQUAMOUS CELL CARCINOMA	女	268	-	-	-	-
80743 80763							
80843							
81023 81403	皮膚附件癌	男	45	-	-	-	-
83103 83903	CARCINOMA OF SKIN APPENDAGES	女	32	-	-	-	-
84003 84073							
84093 84103							
84133 84203							
84803 85423							
87203 87213	惡性黑色素瘤	男	88	-	-	-	1
87303 87433	MALIGNANT MELANOMA	女	70	-	-	-	-
87443 87453							
87463 87713							
80323 80413	其他明示癌	男	10	-	-	-	-
80503 80523	OTHER SPECIFIED CARCINOMA	女	8	-	-	-	-
80753 80833							
81473 81903							
82473 84303							
84903							
80103	未明示癌	男	7	-	-	-	-
	CARCINOMA, NOS	女	5	-	-	-	-
88013 88033	明示之肉瘤	男	97	2	-	1	5
88043 88103	SPECIFIED SARCOMA	女	72	-	2	-	4
88113 88303							
88323 88333							
88523 88903							
91203 91303							
91403 95403							
95603							

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	3	2	12	24	31	39	35	53	79	66	87	50	25
2	2	5	17	16	36	50	31	53	78	77	86	58	38
1	1	-	3	11	14	12	17	23	49	55	67	42	32
-	-	1	3	3	8	12	4	13	21	38	52	44	69
1	-	-	1	2	4	5	1	6	7	7	3	6	2
-	2	-	-	1	1	4	1	4	2	2	7	3	5
2	1	1	5	4	5	6	5	1	12	16	13	15	1
2	3	1	4	8	4	7	7	10	5	5	7	6	1
-	-	-	-	-	-	-	1	2	3	2	-	1	1
-	-	-	1	-	1	1	-	-	-	1	2	1	1
-	-	-	-	-	-	-	-	-	1	1	2	1	2
-	-	1	1	-	-	1	-	-	-	-	1	-	1
3	8	8	7	4	12	7	4	10	8	7	5	4	2
6	7	13	4	6	8	3	4	3	1	5	3	1	2

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

皮膚 C44 (續)

ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
88003	未明示之肉瘤 SARCOMA, NOS	男	-	-	-	-	
		女	2	-	-	-	
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	48	3	-	1	
		女	26	-	-	2	
80003 81033	其他惡性腫瘤 OTHER MALIGNANCY	男	6	-	-	-	
		女	5	-	-	-	
	總計 TOTAL	男	1,138	5	0	2	9
		女	1,039	0	3	1	6

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	1	-	-	-	-	-
1	-	2	1	6	6	2	2	3	3	2	8	7	1
2	-	1	-	2	1	4	3	1	2	4	-	1	3
-	-	-	-	-	-	1	-	-	2	-	-	3	-
-	-	1	-	1	-	-	1	-	-	-	-	-	2
9	13	13	29	51	72	72	65	98	164	156	185	129	66
12	14	23	30	37	60	82	51	85	109	132	158	114	122

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

女性乳房 C50

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15	
				4	9	14	19	
80223 80713	浸潤性管道癌	女	5,831	-	-	-	2	
81403 82113	INFILTRATING DUCTAL CARCINOMA							
84013 85003								
85013 85033								
85043 85213								
85223 85233								
85413 85433								
85753								
84803 84813	黏液性腺癌			178	-	-	-	-
	MUCINOUS ADENOCARCINOMA							
85103 85133	髓質癌	58	-	-	-	-		
	MEDULLARY CARCINOMA							
85203	浸潤性小葉癌	244	-	-	-	-		
	INFILTRATING LOBULAR CARCINOMA							
90203	惡性葉狀腫瘤	39	-	-	-	-		
	MALIGNANT PHYLLODES TUMOR							
85403	乳房 Paget 氏病	15	-	-	-	-		
	PAGET DISEASE, MAMMARY							
80313 80323	其他明示癌	女	79	-	-	-	-	
80333 80353	OTHER SPECIFIED CARCINOMA							
80503 80703								
80823 82003								
82013 82303								
82463 84903								
85023 85073								
85243 85303								
85503 85603								
85743								
80103	未明示癌			61	-	-	-	-
	CARCINOMA, NOS							
88013 88303	明示之肉瘤			6	-	-	-	-
88323 88903	SPECIFIED SARCOMA							
89803								

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
11	51	211	509	874	1,138	1,007	651	509	385	202	152	79	50
-	8	15	22	27	28	19	11	13	18	6	2	7	2
-	1	6	6	10	10	7	5	7	4	1	1	-	-
-	4	6	12	36	62	39	30	21	16	7	7	1	3
2	-	-	4	4	11	9	6	2	-	1	-	-	-
-	-	1	3	2	-	1	1	1	2	3	-	-	1
1	1	2	3	14	14	8	6	8	8	6	5	1	2
-	1	2	6	6	11	13	5	1	6	2	5	-	3
-	-	-	-	-	1	1	1	-	-	1	1	1	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

女性乳房 C50 (續)

ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
88003 89353	未明示之肉瘤 SARCOMA, NOS	女	5	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	女	6	-	-	-	-
80003 80013	其他惡性腫瘤 OTHER MALIGNANCY	女	72	-	-	-	-
	總計 TOTAL	女	6,594	-	-	-	2

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	1	-	1	1	1	-	1	-	-	-	-
-	-	-	-	-	3	-	1	-	-	-	2	-	-
-	-	2	3	6	9	11	5	9	9	5	4	3	6
14	66	245	569	979	1,288	1,116	723	571	449	234	179	92	67

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

男性乳房 C50

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81403 85003	浸潤性管道癌 INFILTRATING DUCTAL CARCINOMA	男	37	-	-	-	-
84803	黏液性腺癌 MUCINOUS ADENOCARCINOMA	男	1	-	-	-	-
85203	浸潤性小葉癌 INFILTRATING LOBULAR CARCINOMA	男	2	-	-	-	-
85403	乳房 Paget 氏病 PAGET DISEASE, MAMMARY	男	1	-	-	-	-
80703 85043 85753	其他明示癌 OTHER SPECIFIED CARCINOMA	男	4	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	1	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	1	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	1	-	-	-	-
	總計 TOTAL	男	48	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	1	1	4	1	4	5	4	5	4	6	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	1	-	1	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	1	1
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	1	1	4	1	7	6	5	8	4	6	3	2

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

子宮，未明示部位 C55

ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
88903	平滑肌肉瘤 LEIOMYOSARCOMA	女	3	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	女	2	-	-	-	-
	總計 TOTAL	女	5	-	-	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	-	-	3	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	1
-	-	-	-	3	-	-	-	1	-	-	-	-	1

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

子宮頸 C53

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80503 80523	鱗狀細胞癌	女	1,525	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA						
80723 80733							
80743 80753							
80763 80773							
80823							
85603	腺性鱗狀癌	女	70	-	-	-	-
	ADENOSQUAMOUS CARCINOMA						
81403 81443	腺癌	女	253	-	-	-	-
82553 82623	ADENOCARCINOMA						
83803 83843							
84803 84823							
80843 83103	明亮細胞癌	女	12	-	-	-	-
91103	CLEAR CELL CARCINOMA						
80133 80153	其他明示癌	女	41	-	-	-	-
80203 80333	OTHER SPECIFIED CARCINOMA						
80413 80833							
80983 82463							
84303							
80103	未明示癌	女	44	-	-	-	-
	CARCINOMA, NOS						
87203	惡性黑色素瘤	女	1	-	-	-	-
	MALIGNANT MELANOMA						
88903	明示之肉瘤	女	1	-	-	-	-
	SPECIFIED SARCOMA						
95903-97293	惡性淋巴瘤	女	3	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA						
97643							
80003 82443	其他惡性腫瘤	女	27	-	-	-	-
	OTHER MALIGNANCY						
	總計	女	1,977	-	-	-	-
	TOTAL						

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
3	12	40	97	168	190	211	126	141	167	129	121	69	51
-	2	7	6	12	14	17	3	1	3	4	1	-	-
-	2	12	25	39	54	39	18	20	16	9	12	4	3
1	-	1	1	2	-	3	1	-	1	1	1	-	-
-	1	2	4	7	4	5	-	4	3	2	6	-	3
-	-	4	6	3	3	2	7	4	4	2	5	3	1
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	3	1	2	2	-	2	4	6	5	2
5	17	67	139	234	266	280	158	170	196	151	152	82	60

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

子宮體 C54

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80503 81403 82603 83803	腺癌 ADENOCARCINOMA	女	755	-	-	-	-
85603 85703	腺性鱗狀癌 ADENOSQUAMOUS CARCINOMA	女	13	-	-	-	-
91003	絨毛膜癌 CHORIOCARCINOMA	女	2	-	-	-	-
80203 80303 80413 80703 80713 80723 82553 83103 83233 84413 84603 84803	其他明示癌 OTHER SPECIFIED CARCINOMA	女	64	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	女	10	-	-	-	-
88903 88913	平滑肌肉瘤 LEIOMYOSARCOMA	女	43	-	-	-	-
89303 89313 89353	子宮內膜基質肉瘤 ENDOMETRIAL STROMAL SARCOMA	女	41	-	-	-	-
89333 89503 89513 89803	惡性 Muller 氏管混合性腫瘤 MALIGNANT MULLERIAN MIXED TUMOR	女	41	-	-	-	-
88003	未明示之肉瘤 SARCOMA, NOS	女	4	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	女	3	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	女	11	-	-	-	-
	總計 TOTAL	女	987	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
2	9	16	32	96	138	188	119	59	42	26	16	8	4
-	1	1	-	-	2	1	3	2	2	1	-	-	-
-	-	-	-	1	-	1	-	-	-	-	-	-	-
-	1	-	1	5	5	11	6	13	9	6	5	-	2
-	-	-	-	1	2	2	1	-	1	3	-	-	-
-	-	1	3	6	11	9	7	2	1	1	1	1	-
-	2	2	6	7	10	5	3	5	-	1	-	-	-
1	1	1	1	-	5	8	6	5	4	6	-	2	1
-	-	-	-	1	1	-	1	1	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	1	1	-	-
-	-	1	-	2	1	4	3	-	-	-	-	-	-
3	14	22	44	119	175	229	149	87	59	45	23	11	7

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

卵巢、輸卵管及寬韌帶 C56, C57.0 - C57.4

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
84703 84713	黏液性腺癌	女	125	-	-	-	1
84723 84733	MUCINOUS ADENOCARCINOMA						
84803 84813							
90153							
84413 84603	漿液性腺癌	女	250	-	-	-	2
84613	SEROUS ADENOCARCINOMA						
83803 83823	子宮內膜樣腺癌	女	110	-	-	-	-
	ENDOMETRIOID ADENOCARCINOMA						
83103	明亮細胞癌	女	117	-	-	-	-
	CLEAR CELL CARCINOMA						
90603 90713	胚細胞瘤	女	60	1	-	9	13
90803 90843	GERM CELL TUMOR						
90853							
86203 86313	性索間質細胞瘤	女	15	-	-	-	1
86403	SEX-CORD-STROMAL TUMORS						
80203 80213	其他明示癌	女	145	-	-	-	1
80413 80503	OTHER SPECIFIED CARCINOMA						
80703 80713							
81203 81403							
82463 82553							
82603 83233							
84403 84503							
84903 85103							
85603 85703							
89503 90003							
90143 90903							
95803							
80103	未明示癌	女	24	-	-	-	1
	CARCINOMA, NOS						
86703 88013	明示之肉瘤	女	11	-	-	-	-
88903 89333	SPECIFIED SARCOMA						
89803							

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
5	9	8	12	18	18	13	5	5	9	9	10	2	1
1	2	10	13	26	34	42	23	31	23	21	15	5	2
1	4	9	8	22	13	22	11	8	5	1	3	1	2
-	-	9	11	21	25	31	9	5	4	1	1	-	-
14	11	5	2	4	1	-	-	-	-	-	-	-	-
-	-	3	2	-	3	1	-	-	2	2	-	-	1
1	1	3	10	11	25	25	13	11	18	12	8	4	2
-	-	2	1	2	5	3	2	2	1	2	2	1	-
-	-	-	-	-	1	2	2	2	-	1	2	1	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

卵巢、輸卵管及寬韌帶 C56, C57.0 - C57.4 (續)

ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	女	3	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	女	34	-	-	-	-
	總計 TOTAL	女	894	1	-	9	19

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	1	-	-	1	-	-	-	1	-	-	-	-	-
1	-	2	1	5	4	4	1	-	1	1	7	5	2
23	28	51	60	110	129	143	66	65	63	50	48	19	10

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

		陰道、外陰部及其他未詳細說明之女性生殖器官 C51 - C52, C57.7 - C57.9					
ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
80513 80523	鱗狀細胞癌	女	75	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA						
80723 80763							
80833							
81403 82623	腺癌	女	16	-	-	-	-
83103 84803	ADENOCARCINOMA						
91003	絨毛膜癌	女	8	-	-	-	-
	CHORIOCARCINOMA						
85423	外陰部 Paget 氏病	女	7	-	-	-	-
	PAGET DISEASE OF EXTERNAL GENITALIA						
80413 80903	其他明示癌	女	8	-	-	-	-
83803 83823	OTHER SPECIFIED CARCINOMA						
84303 85603							
80103	未明示癌	女	4	-	-	-	-
	CARCINOMA, NOS						
87203	惡性黑色素瘤	女	6	-	-	-	-
	MALIGNANT MELANOMA						
88013 88103	其他明示之肉瘤	女	7	-	-	-	-
88523 88903	OTHER SPECIFIED SARCOMA						
89633 89803							
95903-97293	惡性淋巴瘤	女	1	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA						
97643							
88003	未明示之肉瘤	女	1	-	-	-	-
	SARCOMA, NOS						
80003	其他惡性腫瘤	女	4	-	-	-	-
	OTHER MALIGNANCY						
	總計	女	137	-	-	-	-
	TOTAL						

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	1	2	6	3	6	7	3	6	5	17	12	7
-	-	-	1	1	5	2	1	3	2	-	-	1	-
-	1	2	1	1	1	2	-	-	-	-	-	-	-
-	-	-	-	1	1	-	-	2	2	-	-	1	-
-	-	-	-	1	-	1	1	1	-	2	1	-	1
-	-	-	-	-	-	1	1	-	1	1	-	-	-
-	-	-	-	-	-	-	-	3	1	2	-	-	-
1	1	1	-	-	-	3	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	2	-	-	-	-	1	-	-	1	-
1	2	4	4	12	10	15	10	12	13	11	19	15	9

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

攝護腺 C61

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80003 81403 82553 84903 85003	腺癌 ADENOCARCINOMA	男	2,642	-	-	-	-
81203	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男	12	-	-	-	-
80333 80413 80503 80703 82463 85503 85603	其他明示癌 OTHER SPECIFIED CARCINOMA	男	14	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	31	-	-	-	-
88013	明示之肉瘤 SPECIFIED SARCOMA	男	1	-	-	-	-
88003	未明示之肉瘤 SARCOMA, NOS	男	2	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	2	-	-	-	-
	總計 TOTAL	男	2,704	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	4	13	57	104	192	355	585	722	391	219
-	-	-	-	-	-	-	-	1	4	1	2	3	1
-	-	-	-	-	-	1	1	2	3	2	3	1	1
-	-	-	-	-	-	1	1	2	5	2	8	8	4
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	1	-	-
-	1	-	-	4	13	60	106	197	368	590	737	403	225

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

睪丸 C62

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
90613 90623 90633 90643	精細胞瘤 SEMINOMA	男	66	-	-	-	2
90713	內胚竇腫瘤 ENDODERMAL SINUS TUMOR (YOLK SACTUMOR)	男	13	8	-	-	-
90703	胚胎性癌 EMBRYONAL CARCINOMA	男	10	-	-	-	1
90853 91013	混合性胚細胞瘤 MIXED GERM CELL TUMOR	男	23	-	-	-	6
90803 90813	惡性畸胎瘤 MALIGNANT TERATOMA	男	8	2	-	-	2
91003	絨毛膜癌 CHORIOCARCINOMA	男	2	-	-	-	-
80213 81403 86403 90653	明示癌 SPECIFIED CARCINOMA	男	5	-	-	-	-
88903	明示之肉瘤 SPECIFIED SARCOMA	男	2	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	9	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	2	-	-	-	1
90503	其他惡性腫瘤 OTHER MALIGNANCY	男	2	-	-	-	-
	總計 TOTAL	男	142	10	-	-	12

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
6	11	13	10	9	4	6	2	1	-	1	1	-	-
2	1	1	1	-	-	-	-	-	-	-	-	-	-
4	2	3	-	-	-	-	-	-	-	-	-	-	-
7	7	3	-	-	-	-	-	-	-	-	-	-	-
2	2	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	1	-	-	-	-	-	-	-
2	1	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	1	-
-	-	-	1	-	1	-	-	1	3	1	2	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	1	-	-	-	-	-	-
24	26	20	12	9	5	7	4	2	4	3	3	1	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

陰莖及其他男性生殖器官 C60, C63

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
80513 80703 80713 80723 80763	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	49	-	-	-	-
80903	基底細胞癌 BASAL CELL CARCINOMA	男	3	-	-	-	-
85423	Paget 氏病 PAGET DISEASE	男	21	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	1	-	-	-	-
80333 80413 80823 84093 84103	其他明示癌 OTHER SPECIFIED CARCINOMA	男	5	-	-	-	-
88513 88523 88903 89103	明示之肉瘤 SPECIFIED SARCOMA	男	5	1	-	-	-
	總計 TOTAL	男	84	1	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	1	-	1	2	3	2	-	9	5	11	7	2	5
-	-	-	-	-	-	-	1	1	-	-	-	-	1
-	-	1	-	-	1	-	2	2	2	5	3	3	2
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	1	-	-	1	-	-	1	2
-	1	-	-	-	1	1	-	-	-	-	1	-	-
1	2	1	1	2	5	4	3	12	8	16	11	7	10

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

膀胱 C67

ICD-O-3	組織形態	性別		年齡			
				0 4	5 9	10 14	15 19
80503 81203	移行細胞癌	男	1,298	-	-	-	-
81223 81303	TRANSITIONAL CELL CARCINOMA	女	492	-	-	-	-
81403 84803	腺癌	男	21	-	-	-	-
84813	ADENOCARCINOMA	女	8	-	-	-	-
80703 80713	鱗狀細胞癌	男	6	-	-	-	-
80723	SQUAMOUS CELL CARCINOMA	女	10	-	-	-	-
80133 80213	其他明示癌	男	6	-	-	-	-
80303 80333	OTHER SPECIFIED CARCINOMA	女	8	-	-	-	-
80413 80453							
82463 83233							
84903							
80103	未明示癌	男	11	-	-	-	-
	CARCINOMA, NOS	女	5	-	-	-	-
88913 89103	明示之肉瘤	男	1	-	-	-	-
89633	SPECIFIED SARCOMA	女	2	1	-	-	-
88003	未明示之肉瘤	男	2	-	-	-	-
	SARCOMA, NOS	女	-	-	-	-	-
95903-97293	惡性淋巴瘤	男	1	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	2	-	-	-	-
97643							
80003	其他惡性腫瘤	男	17	-	-	-	-
	OTHER MALIGNANCY	女	10	-	-	-	-
	總計	男	1,363	-	-	-	-
	TOTAL	女	537	1	-	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
2	2	4	13	25	55	111	103	110	167	214	232	172	88
-	-	3	7	8	14	47	47	73	60	69	75	46	43
-	-	-	-	1	2	2	1	2	2	3	2	3	3
-	-	-	-	-	1	-	-	-	2	4	-	-	1
-	-	-	-	-	-	-	-	1	2	-	-	3	-
-	-	-	-	1	-	1	2	1	-	4	1	-	-
-	-	-	-	1	-	1	-	-	-	-	2	1	1
-	-	-	-	1	-	1	1	-	2	1	-	1	1
-	-	-	-	-	-	-	-	-	-	3	4	2	2
-	-	-	-	-	-	1	-	-	-	2	-	1	1
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	1	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	1	-	-
-	-	-	-	-	-	-	2	1	3	3	4	2	2
-	-	-	-	-	-	-	-	-	-	1	4	2	3
2	2	4	13	27	57	115	107	114	175	224	244	183	96
-	-	3	7	10	15	50	50	75	64	82	81	50	49

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

腎 C64

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
83103 83123	腎細胞癌	男	437	-	-	-	1
83163 83173	RENAL CELL CARCINOMA	女	220	-	-	1	1
83183 89803							
89603	腎胚細胞瘤	男	6	6	-	-	-
	NEPHROBLASTOMA (WILMS TUMOR)	女	4	2	1	-	-
80333 80413	其他明示癌	男	4	-	-	-	-
82113 83193	OTHER SPECIFIED CARCINOMA	女	5	-	-	-	-
83203							
80103	未明示癌	男	8	-	-	-	-
	CARCINOMA, NOS	女	4	-	-	-	-
88043 88303	明示之肉瘤	男	3	-	-	1	-
88943 89013	SPECIFIED SARCOMA	女	6	2	-	-	-
89633 89643							
91743 92403							
88003	未明示之肉瘤	男	3	-	-	1	-
	SARCOMA, NOS	女	2	-	-	-	-
95903-97293	惡性淋巴瘤	男	2	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	-	-	-	-	-
97643							
80003 93643	其他惡性腫瘤	男	16	-	-	-	-
	OTHER MALIGNANCY	女	13	-	-	-	-
	總計	男	479	6	-	2	1
	TOTAL	女	254	4	1	1	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	6	7	16	27	49	55	42	43	46	59	63	20	3
2	6	3	16	12	21	28	21	19	23	26	19	16	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	2	1	-
-	-	-	1	-	-	1	1	-	1	1	-	-	-
1	-	-	-	-	-	-	-	1	-	1	3	2	-
-	-	-	-	-	-	-	-	-	-	-	-	3	1
-	-	1	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	2	-	-	-	-	-	1	-
-	-	-	-	1	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	1	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	1	-	1	-	-	-
-	-	-	-	-	2	-	2	2	-	2	3	3	2
-	-	-	-	-	2	-	1	-	2	3	3	1	1
1	6	8	17	28	51	56	44	47	46	63	71	27	5
2	6	3	17	12	24	32	23	19	28	30	22	21	8

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

腎盂 C65

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81203 81223	移行細胞癌	男	208	-	-	-	-
81303	TRANSITIONAL CELL CARCINOMA	女	249	-	-	-	-
80703 80713	鱗狀細胞癌	男	5	-	-	-	-
80763	SQUAMOUS CELL CARCINOMA	女	2	-	-	-	-
81403 82553	腺癌	男	23	-	-	-	-
82603 83103	ADENOCARCINOMA	女	14	-	-	-	-
84803							
80413	其他明示癌	男	-	-	-	-	-
	OTHER SPECIFIED CARCINOMA	女	1	-	-	-	-
80103	未明示癌	男	5	-	-	-	-
	CARCINOMA, NOS	女	1	-	-	-	-
88013 88963	明示之肉瘤	男	2	-	-	-	-
89803	SPECIFIED SARCOMA	女	1	-	-	-	-
80003	其他惡性腫瘤	男	1	-	-	-	-
	OTHER MALIGNANCY	女	-	-	-	-	-
	總計	男	244	-	-	-	-
	TOTAL	女	268	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	-	2	5	9	11	19	20	20	28	44	30	12	7
-	1	-	2	4	3	18	17	30	38	56	43	31	6
-	-	-	-	1	-	-	-	1	1	2	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	1	1	5	2	2	4	1	1	3	3	-	-
1	-	-	1	-	-	1	2	-	4	3	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	1	1	-	-	-	1	-	2
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	1	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	3	6	15	13	22	26	22	31	49	34	13	9
1	1	-	3	4	3	19	19	30	44	60	45	33	6

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

輸尿管 C66

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81203 81303	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男	141	-	-	-	-
		女	200	-	-	-	-
81403	腺癌 ADENOCARCINOMA	男	1	-	-	-	-
		女	2	-	-	-	-
80203 80313 80413	其他明示癌 OTHER SPECIFIED CARCINOMA	男	1	-	-	-	-
		女	3	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	2	-	-	-	-
		女	2	-	-	-	-
88013 88583	明示之肉瘤 SPECIFIED SARCOMA	男	2	-	-	-	-
		女	-	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	2	-	-	-	-
		女	-	-	-	-	-
	總計 TOTAL	男	149	-	-	-	-
		女	207	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	1	1	6	13	14	18	21	20	28	12	7
-	2	-	-	1	5	16	20	19	29	41	32	19	16
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	2	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	1	-	1	-
-	-	-	-	-	-	-	-	1	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	1	-
-	-	-	-	-	-	-	-	1	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	1	6	13	15	21	21	21	29	13	8
-	2	-	-	1	6	16	20	21	30	42	32	21	16

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

尿道及其週邊腺體 C68.0 - C68.1

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81203 81303	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男	13	-	-	-	-
		女	3	-	-	-	-
80703	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	-	-	-	-	-
		女	1	-	-	-	-
81403 83103 84803	腺癌 ADENOCARCINOMA	男	6	-	-	-	-
		女	4	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	-	-	-	-	-
		女	1	-	-	-	-
87203	惡性黑色素瘤 MALIGNANT MELANOMA	男	-	-	-	-	-
		女	1	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	-	-	-	-	-
		女	1	-	-	-	-
	總計 TOTAL	男	19	-	-	-	-
		女	11	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	1	-	1	3	1	3	1	3	-
-	-	-	-	-	-	-	-	-	1	1	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	1	2	-	-	2	-	1	-
-	-	-	-	-	-	1	2	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	1	3	3	1	5	1	4	-
-	-	1	-	-	-	1	2	-	4	1	1	-	1

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

跨越泌尿器官兩個以上相鄰部位之病變 C68.8

ICD-O-3	組織形態	性別		年齡			
				0 4	5 9	10 14	15 19
81203 81303	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男 女	22 17	-	-	-	-
				-	-	-	-
	總計 TOTAL	男 女	22 17	-	-	-	-
				-	-	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	-	1	1	-	1	3	2	5	3	6	-	-
-	-	-	-	-	1	2	2	2	2	3	3	1	1
-	-	-	1	1	-	1	3	2	5	3	6	-	-
-	-	-	-	-	1	2	2	2	2	3	3	1	1

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

		泌尿系統，未明示部位 C68.9						
ICD-O-3	組織形態	性別	年齡				總計	
			0 4	5 9	10 14	15 19		
81203 81303	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男	72	-	-	-	-	
		女	68	-	-	-	-	
80413	其他明示癌 OTHER SPECIFIED CARCINOMA	男	-	-	-	-		
		女	1	-	-	-		
80103	未明示癌 CARCINOMA, NOS	男	1	-	-	-		
		女	-	-	-	-		
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	1	-	-	-		
		女	2	-	-	-		
	總計 TOTAL	男	74	-	-	-		
		女	71	-	-	-		

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	3	1	3	4	4	8	15	8	13	12	1
1	-	-	1	2	4	4	8	2	18	9	12	5	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	1
-	-	-	3	2	3	4	4	8	15	8	14	12	1
1	-	-	1	2	4	5	8	2	18	9	13	5	3

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

眼及淚腺 C69

ICD-O-3	組織形態	性別	年齡				
			總計	0 4	5 9	10 14	15 19
95103 95133	視網膜芽細胞瘤 RETINOBLASTOMA	男	9	8	-	1	-
		女	6	5	1	-	-
87203	惡性黑色素瘤 MALIGNANT MELANOMA	男	5	-	-	-	-
		女	4	-	-	-	1
80703 80713	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	7	-	-	-	-
		女	2	-	-	-	-
82003	淚腺癌 LACRIMAL GLAND CARCINOMA	男	1	-	-	-	-
		女	1	-	-	-	-
80413 84303	其他明示癌 OTHER SPECIFIED CARCINOMA	男	1	-	-	-	1
		女	1	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	1	-	-	-	-
		女	-	-	-	-	-
80203 88303 89103	明示之肉瘤 SPECIFIED SARCOMA	男	1	-	1	-	-
		女	2	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	24	-	-	-	-
		女	8	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男	1	-	-	-	-
		女	-	-	-	-	-
總計 TOTAL		男	50	8	1	1	1
		女	24	5	1	-	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	1	-	-	-	-	1	-	1	-
-	1	-	-	-	1	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	2	2	-	1	-	2
-	-	-	-	-	-	-	-	1	-	-	-	1	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	1	-	-
1	-	-	-	3	5	-	-	4	3	4	1	1	2
-	-	-	-	1	-	2	-	2	-	-	2	1	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	5	6	1	-	6	5	6	3	2	4
-	2	-	-	1	1	2	2	3	-	1	3	2	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

腦 C71

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
94003 94013	惡性星形細胞瘤 MALIGNANT ASTROCYTOMA	男	78	1	1	3	2
		女	55	2	2	1	1
94213 94403 94413	多形性神經膠芽細胞瘤 GLIOBLASTOMA MULTIFORME	男	110	1	-	-	2
		女	82	1	1	1	1
93813 94103 94113 94203 94243	其他明示之星形細胞瘤 OTHER SPECIFIED ASTROCYTOMA	男	4	-	-	-	1
		女	6	-	-	-	-
94503 94513	寡樹突膠質細胞瘤 OLIGODENDROGLIOMA	男	23	-	-	2	-
		女	20	-	-	-	3
93803 93823	未明示之神經膠質瘤 GLIOMA,NOS	男	29	1	1	1	-
		女	25	1	3	2	-
94703 94713 94733 95003	神經管芽細胞瘤 MEDULLOBLASTOMA	男	15	2	4	1	6
		女	18	3	6	4	1
95223	感覺神經芽細胞瘤 ESTHESIONEUROBLASTOMA	男	10	-	-	-	1
		女	6	-	-	-	-
93913 93923	室管膜瘤 EPENDYMOMA	男	6	3	1	-	1
		女	12	1	3	2	-
90643 90713 90803 90853 95083	胚細胞瘤及惡性畸胎瘤 GERM CELL TUMOR AND MALIGNANT TERATOMA	男	16	2	1	7	1
		女	7	1	3	1	1
93903	惡性脈絡叢乳頭瘤 CHOROID PLEXUS PAPILLOMA, MALIGNANT	男	3	1	1	-	-
		女	-	-	-	-	-
89003 90403 91203 91503 91613 92403 93703 94423 95613	明示之肉瘤 SPECIFIED SARCOMA	男	10	-	-	-	-
		女	7	-	-	1	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
4	2	10	8	10	6	8	-	9	5	5	3	1	-
1	5	4	5	3	7	10	1	3	3	4	-	3	-
-	2	4	5	7	7	6	10	16	16	18	8	8	-
-	1	2	-	7	7	8	5	11	16	9	7	5	-
-	-	1	1	1	-	-	-	-	-	-	-	-	-
1	2	-	-	1	2	-	-	-	-	-	-	-	-
2	2	2	-	2	1	8	1	-	-	1	2	-	-
1	2	1	-	4	1	5	-	2	1	-	-	-	-
-	1	3	5	1	2	3	-	2	3	1	4	-	1
2	2	-	1	2	4	2	-	1	1	-	-	2	2
-	1	-	-	-	1	-	-	-	-	-	-	-	-
-	1	-	1	-	-	-	-	1	1	-	-	-	-
1	-	-	1	-	2	1	-	3	-	1	-	-	-
-	-	-	1	-	-	2	1	-	-	-	1	-	1
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	1	-	1	2	1	1	-	-	-	-	-	-	-
3	1	-	-	1	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	1	2	-	3	-	-	2	-	-	-	-
1	-	-	-	1	-	-	-	2	2	-	-	-	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

腦 C71 (續)

ICD-O-3	組織形態	年齡		0	5	10	15
		性別	總計	4	9	14	19
95903-97293	惡性淋巴瘤	男	33	-	-	1	-
97503-97583	MALIGNANT LYMPHOMA	女	22	-	-	-	-
97643							
80743 86803	其他惡性腫瘤	男	1	-	1	-	-
87203 93523	OTHER MALIGNANCY	女	5	-	-	-	-
95053							
	總計	男	338	11	10	15	14
	TOTAL	女	265	9	18	12	7

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	1	1	-	1	3	3	5	4	5	6	2	1
-	-	-	2	2	1	2	5	2	3	2	1	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	1	-	-	1	-	-	1	1	-	-	-
10	10	22	22	26	20	32	14	35	30	31	23	11	2
7	14	8	12	22	23	31	12	22	28	16	9	11	4

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

其他神經系統及未詳細說明部位 C70, C72

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
94733 95003	原始性神經外胚層腫瘤 PRIMITIVE NEUROECTODERMAL TUMOR	男	2	-	-	-	-
		女	3	1	-	1	-
94003 94013	星形細胞瘤 ASTROCYTOMA	男	6	-	-	1	-
		女	5	-	1	2	1
93913	室管膜瘤 EPENDYMOMA	男	5	-	-	-	-
		女	6	-	-	-	-
95303	惡性腦膜瘤 MALIGNANT MENINGIOMA	男	7	-	-	-	-
		女	15	-	-	-	-
95603	惡性 Schwann 氏神經瘤 MALIGNANT SCHWANNOMA	男	1	-	-	-	-
		女	-	-	-	-	-
93703	脊索瘤 CHORDOMA	男	2	-	-	-	-
		女	-	-	-	-	-
90643 90713	胚細胞瘤 GERM CELL TUMOR	男	2	-	-	1	1
		女	1	-	-	-	-
88113 91503 95393 95403	明示之肉瘤 SPECIFIED SARCOMA	男	4	-	-	-	-
		女	3	-	-	-	-
88053	未明示之肉瘤 SARCOMA, NOS	男	-	-	-	-	-
		女	1	1	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	6	-	-	-	-
		女	2	-	-	-	-
80003 95033	其他惡性腫瘤 OTHER MALIGNANCY	男	1	-	1	-	-
		女	2	-	-	-	1
	總計 TOTAL	男	36	-	1	2	1
		女	38	2	1	3	2

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
1	1	-	2	-	-	-	-	1	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	1	-	-	1	2	1	-	-	-	-	-	-
-	-	1	-	1	-	-	2	1	-	1	-	-	-
-	1	-	1	-	1	1	1	-	1	-	1	-	-
-	-	-	1	-	1	4	3	1	1	2	2	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	1	-	-	-	-	1
-	-	-	-	-	-	3	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	1	1	1	-	1	-	-
-	-	-	-	-	-	-	1	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
2	3	2	3	1	2	5	5	4	2	-	2	-	1
-	-	1	2	2	2	8	6	2	2	3	2	-	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

甲狀腺 C73

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
82603 83403	乳頭狀癌	男	248	-	-	-	3
83413 83433	PAPILLARY CARCINOMA	女	954	-	-	7	22
83443 83503							
82903 83303	濾泡性腺癌	男	37	-	-	-	1
83313 83353	FOLLICULAR ADENOCARCINOMA	女	92	-	1	-	3
85103	髓質癌	男	8	-	-	-	-
	MEDULLARY CARCINOMA	女	15	-	-	-	-
80703 80723	鱗狀細胞癌	男	3	-	-	-	-
	SQUAMOUS CELL CARCINOMA	女	5	-	-	-	-
81403 84803	未明示之腺癌	男	1	-	-	-	-
	ADENOCARCINOMA, NOS	女	3	-	-	-	-
80203 80213	未分化癌	男	9	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女	16	-	-	-	-
80333 83373	其他明示癌	男	2	-	-	-	-
	OTHER SPECIFIED CARCINOMA	女	-	-	-	-	-
80103	未明示癌	男	7	-	-	-	-
	CARCINOMA, NOS	女	15	-	-	-	-
91203	明示之肉瘤	男	1	-	-	-	-
	SPECIFIED SARCOMA	女	1	-	-	-	-
95903-97293	惡性淋巴瘤	男	2	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	8	-	-	-	-
97643							
80003 95403	其他惡性腫瘤	男	41	1	1	1	-
	OTHER MALIGNANCY	女	37	-	-	2	1
	總計	男	359	1	1	1	4
	TOTAL	女	1,146	-	1	9	26

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
6 41	19 68	17 105	33 103	32 142	32 133	37 113	21 83	10 57	11 34	14 27	8 10	3 8	2 1
- 7	2 7	1 8	2 11	5 10	7 6	2 9	3 4	1 6	5 6	3 6	3 4	2 4	- -
- -	- 1	1 1	- -	2 3	- 6	1 2	3 1	- 1	- -	- -	- -	- -	1 -
- -	- -	- -	- -	1 1	- -	- 1	1 -	- -	- 1	1 2	- -	- -	- -
- -	- -	- -	- 1	- -	1 1	- -	- -	- -	- -	- -	- -	- -	- 1
- -	- -	- -	1 -	1 1	- -	1 -	1 1	- 1	2 4	1 1	2 5	- 1	- 2
- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	1 -	- -
- -	- 1	- -	- -	- 1	- 3	2 -	1 1	1 -	1 1	1 3	1 2	- 1	1 2
- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- 1	- -	- -
- -	- 1	- -	- -	- -	- 3	- 1	- -	1 -	1 1	- 2	- -	- -	- -
1 1	1 2	2 -	3 1	2 1	3 2	4 2	2 3	4 -	5 1	2 10	4 6	3 1	2 4
7 49	22 80	21 114	39 116	43 159	43 154	47 128	32 93	17 65	27 48	22 51	17 28	10 15	5 10

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

其他內分泌腺 C74 - C75

ICD-O-3	組織形態	年齡		0 4	5 9	10 14	15 19
		性別	總計				
94903 95003	神經母細胞瘤 NEUROBLASTOMA	男	3	2	1	-	-
		女	1	1	-	-	-
83703	腎上腺皮質癌 ADRENAL CORTICAL CARCINOMA	男	3	-	-	-	-
		女	6	-	-	-	-
87003	惡性嗜鉻細胞瘤 MALIGNANT PHEOCHROMOCYTOMA	男	8	-	-	-	-
		女	-	-	-	-	-
81403	未明示之腺癌 ADENOCARCINOMA, NOS	男	3	-	-	-	-
		女	1	-	-	-	1
82003 82463 82713	其他明示癌 OTHER SPECIFIED CARCINOMA	男	1	-	-	1	-
		女	3	-	-	-	1
80103	未明示癌 CARCINOMA, NOS	男	2	-	-	-	-
		女	4	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	1	-	-	-	-
		女	4	-	-	-	-
80003 93713	其他惡性腫瘤 OTHER MALIGNANCY	男	6	-	-	-	-
		女	3	-	-	-	-
	總計 TOTAL	男	27	2	1	1	-
		女	22	1	-	-	2

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	2	1	1	-	-	1	-	1	-
-	-	-	-	1	1	2	-	3	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	1	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	1	-	-
-	1	-	-	-	1	-	-	1	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	1	1
1	-	1	-	1	-	-	-	-	-	-	1	2	-
-	-	-	2	1	-	-	-	-	-	-	-	-	-
2	-	2	-	3	3	2	-	3	-	2	4	2	-
-	1	-	3	1	2	1	2	1	-	3	2	2	1

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

		其他分界不明的部位 C76					
ICD-O-3	組織形態	年齡		0	5	10	15
		性別	總計	4	9	14	19
81403	未明示之腺癌 ADENOCARCINOMA, NOS	男	1	-	-	-	-
		女	2	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男	1	-	-	-	-
		女	1	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男	2	-	-	1	-
		女	1	-	-	-	-
80003 90853	其他惡性腫瘤 OTHER MALIGNANCY	男	-	-	-	-	-
		女	2	1	-	-	-
	總計 TOTAL	男	4	-	-	1	-
		女	6	1	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	1	-	-	1	-	-	3

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

淋巴結 C77

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
95903 95913	非何杰金氏淋巴瘤	男	488	3	4	5	10
96703 96713	NON-HODGKIN LYMPHOMA	女	342	4	2	5	7
96733 96753							
96803 96843							
96873 96903							
96913 96953							
96983 96993							
97023 97053							
97083 97143							
97193 97273							
97283 97293							
96503 96513	何杰金氏淋巴瘤	男	56	1	3	1	7
96523 96533	HODGKIN LYMPHOMA	女	35	-	-	2	2
96593 96633							
96653							
80003	其他惡性腫瘤	男	2	-	-	-	-
	OTHER MALIGNANCY	女	1	-	-	-	-
	總計	男	546	4	7	6	17
	TOTAL	女	378	4	2	7	9

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
9	12	17	19	30	31	37	43	43	52	56	68	33	16
9	9	7	8	12	26	40	34	30	44	37	35	25	8
8	7	4	2	-	5	3	2	3	1	3	5	-	1
6	4	2	5	1	1	2	-	4	2	2	2	-	-
-	-	-	1	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
17	19	21	22	30	36	41	45	46	53	59	73	33	17
15	13	9	13	13	27	42	35	34	46	39	37	25	8

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

何杰金氏淋巴瘤 ICD-O-3 M-96503 - M-96673

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
96513	富淋巴球性何杰金氏淋巴瘤 HODGKIN LYMPHOMA, LYMPHOCYTE-RICH	男	5	-	-	-	1
		女	2	-	-	-	-
96533	淋巴球缺乏性何杰金氏淋巴瘤 HODGKIN LYMPHOMA, LYMPHOCYTE- DEPLETED	男	3	-	-	-	-
		女	-	-	-	-	-
96523	混合細胞性何杰金氏淋巴瘤 HODGKIN LYMPHOMA, MIXED CELLULARITY	男	12	-	-	-	2
		女	12	-	-	1	1
96593 96633 96653	小節硬化性何杰金氏淋巴瘤 NODULAR SCLEROSIS HODGKIN LYMPHOMA	男	19	-	-	-	3
		女	14	-	-	-	2
96503 96623	未明示之何杰金氏淋巴瘤 HODGKIN LYMPHOMA, NOS	男	27	1	3	1	1
		女	18	-	-	1	-
	總計 TOTAL	男	66	1	3	1	7
		女	46	-	-	2	3

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	1	-	-	-	-	-	1	1	-	1	-	-
-	-	-	-	1	1	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	1	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	-	-	1	1	1	-	2	-	-	1	1	1
1	1	1	1	-	-	1	-	2	2	1	-	-	-
4	3	2	1	-	3	1	1	-	-	1	-	-	-
4	4	1	3	-	-	-	-	-	-	-	-	-	-
3	2	2	1	-	2	1	3	-	1	3	3	-	-
3	1	2	2	1	1	2	-	2	-	1	2	-	-
8	7	5	2	1	6	3	5	3	2	4	6	1	1
8	6	4	6	2	2	3	-	4	2	2	2	-	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續完）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONCLUDED)

非何杰金氏淋巴瘤 ICD-O-3 M-95903 - M-95963, M-96703 - M-97293, M-97503 - M-97583, M-97643

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
96703	小淋巴球性惡性淋巴瘤 MALIGNANT LYMPHOMA, SMALL LYMPHOCYTIC	男	22	-	-	-	-
		女	9	-	-	-	-
96793 96803	大淋巴球性惡性淋巴瘤	男	466	-	1	2	5
96843	MALIGNANT LYMPHOMA, LARGE LYMPHOCYTIC	女	340	-	-	1	4
96733	外套細胞惡性淋巴瘤 MALIGNANT MANTLE CELL LYMPHOMA	男	27	-	-	-	-
		女	6	-	-	-	-
96873	Burkitt 氏淋巴瘤 BURKITT LYMPHOMA, NOS	男	21	2	2	3	-
		女	10	-	2	-	1
96753 96903	濾泡性惡性淋巴瘤	男	96	-	-	1	-
96913 96953	MALIGNANT FOLLICULAR LYMPHOMA	女	67	-	-	-	-
96983							
96893 96993	邊緣區 B 細胞惡性淋巴瘤 (包含與黏膜相關淋巴樣組織淋巴瘤)	男	76	-	-	-	1
	MALIGNANT MARGINAL ZONE B-CELL LYMPHOMA (INCLUDING MALT LYMPHOMA)	女	49	-	-	-	-
96713 97003	其他明示之非何杰金氏淋巴瘤	男	155	-	1	4	4
97013 97023	OTHER SPECIFIED NON-HODGKIN LYMPHOMA	女	83	2	1	2	2
97053 97083							
97093 97143							
97173 97183							
97193							
95903 95913	未明示之非何杰金氏淋巴瘤 MALIGNANT NON-HODGKIN LYMPHOMA, NOS	男	115	1	1	2	2
		女	101	-	-	-	3
97273 97283	其他淋巴網狀贅瘤	男	27	6	3	4	2
97293 97503	(不成熟型淋巴芽細胞性淋巴瘤)	女	20	2	2	3	1
97513 97543	OTHER LYMPHO-RETICULAR NEOPLASMS						
97553 97563	(PRECURSOR CELL LYMPHOBLASTIC LYMPHOMA)						
97573 97583							
	總計	男	1,005	9	8	16	14
	TOTAL	女	685	4	5	6	11

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	4	3	1	5	1	1	3	3	1	-
-	-	-	-	-	-	1	-	1	5	-	1	1	-
6	10	14	17	21	31	36	37	39	61	54	68	37	27
10	10	11	13	13	22	33	36	33	36	39	38	22	19
-	-	-	1	1	-	1	5	3	4	5	4	2	1
-	-	-	-	-	1	1	-	1	1	2	-	-	-
1	-	-	-	1	2	1	-	2	3	3	1	-	-
-	-	1	-	1	-	1	1	-	2	1	-	-	-
1	1	4	2	8	10	14	13	7	6	9	12	5	3
1	-	2	3	2	10	15	5	4	8	4	5	7	1
1	-	1	3	4	5	3	5	8	14	13	8	7	3
-	-	1	1	2	9	8	2	5	4	6	6	2	3
9	5	5	7	12	14	7	9	15	11	15	24	10	3
3	3	4	3	8	4	8	8	3	8	9	8	6	1
1	2	4	2	9	7	9	6	9	16	12	14	13	5
1	2	1	1	3	7	7	10	12	9	16	16	10	3
2	1	2	2	-	2	2	-	-	-	-	1	-	-
1	3	-	2	1	-	-	2	-	1	1	-	1	-
21	19	30	34	60	74	74	80	84	116	114	135	75	42
16	18	20	23	30	53	74	64	59	74	78	74	49	27

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

不明原發部位 C80

ICD-O-3	組織形態	性別	年齡 總計	0	5	10	15
				4	9	14	19
81403 84413	腺癌 ADENOCARCINOMA	男	181	-	-	-	-
84803		女	161	-	-	-	-
80523 80703	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男	110	-	-	-	-
80713 80723		女	27	-	-	-	-
80203	未分化癌 CARCINOMA, UNDIFFERENTIATED	男	6	-	-	-	-
		女	8	-	-	-	-
80413	小細胞癌 SMALL CELL CARCINOMA	男	9	-	-	-	-
		女	3	-	-	-	-
91003	絨毛膜癌 CHORIOCARCINOMA	男	1	-	-	-	-
		女	-	-	-	-	-
80123 80333	其他明示癌 OTHER SPECIFIED CARCINOMA	男	25	-	-	-	-
80463 80503		女	22	-	-	-	-
80823 82003							
82403 82463							
82493 82603							
84103 84303							
84613 84903							
85603 85743							
80103	未明示癌 CARCINOMA, NOS	男	139	-	-	-	-
		女	71	-	-	-	-
88013 88023	明示之肉瘤 SPECIFIED SARCOMA	男	4	-	-	-	-
88153 88303		女	11	-	-	-	-
88503 88903							
89363 89803							
91203 97573							
88003	未明示之肉瘤 SARCOMA, NOS	男	3	-	-	-	-
		女	6	-	-	-	-
87203 87303	惡性黑色素瘤 MALIGNANT MELANOMA	男	4	-	-	-	-
		女	4	-	-	-	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	2	6	14	12	14	12	15	29	24	28	18	6
-	5	5	4	7	5	10	9	21	14	21	20	22	18
1	-	-	1	10	9	19	16	8	16	13	8	7	2
-	-	-	1	2	1	4	5	2	1	4	4	2	1
1	-	-	1	-	1	2	-	-	1	-	-	-	-
-	-	-	1	1	2	1	-	1	-	1	-	-	1
-	-	-	-	-	1	-	-	1	3	3	1	-	-
-	-	-	-	-	2	1	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	2	-	2	1	4	2	3	4	1	3	2	1
-	-	1	-	-	1	2	-	5	3	5	3	1	1
-	-	2	1	7	13	9	9	12	20	19	23	17	7
-	-	2	2	3	3	6	5	8	9	10	11	8	4
-	-	-	-	-	-	-	-	-	1	-	1	2	-
1	1	-	-	1	1	-	2	2	-	2	-	1	-
-	-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	1	-	-	-	-	1	2	-	2	-	-
-	-	1	-	-	-	-	1	-	-	-	1	1	-
-	-	-	-	-	-	1	1	-	-	-	-	1	-

表七 台灣地區癌症申報發生人數按癌症形態、性別及年齡分類，民國 94 年（續）
 AGE DISTRIBUTION OF VARIOUS TYPES OF CANCER, 2005 (CONTINUED)

不明原發部位 C80 (續)

ICD-O-3	組織形態	性別		年齡			
				0 4	5 9	10 14	15 19
95903-97293	惡性淋巴瘤	男	10	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女	6	-	-	-	-
97643							
80003 88063	其他惡性腫瘤	男	125	-	-	-	1
90503 90643	OTHER MALIGNANCY	女	88	-	-	-	-
	總計	男	617	-	-	-	1
	TOTAL	女	407	-	-	-	1

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	-	-	-	-	2	-	-	2	3	1	2	-
-	1	-	-	-	1	2	1	-	-	1	-	-	-
1	1	-	3	1	6	4	4	4	16	24	27	22	11
-	-	-	1	-	2	5	6	3	9	9	19	18	16
3	3	7	12	34	43	54	44	43	92	88	95	71	27
1	7	8	10	14	18	32	29	43	38	53	59	53	41