

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 68 至 94 年

NUMERICAL COMPARISON OF CANCER FROM VARIOUS ANATOMIC SITES, 1979 TO 2005

ICD-O-3	原發部位別	性別	年度										
			68	69	70	71	72	73	74	75	76	77	78
C00-C80	全癌症(總計)	男	7,405	9,012	9,250	8,606	9,865	10,204	10,906	11,295	13,574	13,009	15,590
		女	5,535	6,498	6,683	6,632	7,880	7,937	8,432	8,161	9,703	9,577	11,313
		計	12,940	15,510	15,933	15,238	17,745	18,141	19,338	19,456	23,277	22,586	26,903
C00-C14	唇、口腔及咽	男	1,163	1,287	1,296	1,121	1,267	1,374	1,378	1,346	1,501	1,624	1,773
		女	384	437	440	440	470	445	455	426	485	448	501
		計	1,547	1,724	1,736	1,561	1,737	1,819	1,833	1,772	1,986	2,072	2,274
C00-C14 ¹	口腔、口咽及下咽	男	375	428	387	370	469	555	600	611	737	779	894
		女	78	92	103	95	116	87	122	94	128	127	152
		計	453	520	490	465	585	642	722	705	865	906	1,046
C00	唇(唇的皮膚 C44.0 除外)	男	16	8	15	6	17	20	26	21	23	26	34
		女	4	3	5	4	7	3	5	5	9	6	10
		計	20	11	20	10	24	23	31	26	32	32	44
C01-C02	舌	男	90	123	89	92	123	143	166	147	214	176	219
		女	23	28	28	27	34	20	38	28	35	46	43
		計	113	151	117	119	157	163	204	175	249	222	262
C03	齒齦	男	27	40	19	18	27	24	25	19	30	41	35
		女	6	9	4	2	13	3	7	7	3	7	12
		計	33	49	23	20	40	27	32	26	33	48	47
C04	口底	男	11	21	8	8	7	13	12	14	15	24	20
		女	2	1	-	2	3	4	4	-	2	1	5
		計	13	22	8	10	10	17	16	14	17	25	25
C05-C06	口腔之其他及未詳細說明部位	男	117	124	139	125	160	197	210	233	246	307	358
		女	25	28	29	30	28	36	45	32	42	44	47
		計	142	152	168	155	188	233	255	265	288	351	405
C09-C10	口咽	男	54	49	50	45	51	66	64	73	78	67	64
		女	12	15	23	18	24	19	14	15	23	13	21
		計	66	64	73	63	75	85	78	88	101	80	85
C12-C13	下咽	男	54	56	61	71	82	87	90	98	117	131	149
		女	4	6	11	8	6	2	5	5	8	7	9
		計	58	62	72	79	88	89	95	103	125	138	158
C14	咽和唇、口腔及咽之分界不明部位	男	6	7	6	5	2	5	7	6	14	7	15
		女	2	2	3	4	1	-	4	2	6	3	5
		計	8	9	9	9	3	5	11	8	20	10	20
C07-C08	主唾液腺	男	29	39	34	43	42	41	32	30	46	50	35
		女	20	26	40	31	33	30	25	32	34	27	39
		計	49	65	74	74	75	71	57	62	80	77	74

註 1：口腔、口咽及下咽：包括 ICD-O-3 C00-C06、C09-C10、C12-C14。

79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	ICD-O-3
14,092	17,140	18,769	19,532	20,338	21,359	24,497	26,533	29,552	32,124	33,524	34,349	36,300	36,106	40,236	39,430	C00-C80
10,290	12,924	14,330	14,799	15,202	15,976	18,358	20,320	22,134	23,890	24,863	25,404	26,105	26,272	29,551	29,477	
24,382	30,064	33,099	34,331	35,540	37,335	42,855	46,853	51,686	56,014	58,387	59,753	62,405	62,378	69,787	68,907	
1,683	2,030	2,324	2,411	2,582	2,710	3,061	3,364	3,717	4,120	4,357	4,466	4,721	5,226	5,683	5,542	C00-C14
457	544	616	610	618	621	662	689	753	785	767	864	778	799	914	921	
2,140	2,574	2,940	3,021	3,200	3,331	3,723	4,053	4,470	4,905	5,124	5,330	5,499	6,025	6,597	6,463	
895	1,109	1,333	1,435	1,609	1,713	2,029	2,281	2,576	2,996	3,187	3,296	3,535	3,970	4,441	4,310	C00-C14 ¹
133	168	200	195	184	207	261	269	286	325	322	368	364	388	433	433	
1,028	1,277	1,533	1,630	1,793	1,920	2,290	2,550	2,862	3,321	3,509	3,664	3,899	4,358	4,874	4,743	
30	33	53	45	59	71	87	88	104	116	143	145	126	123	146	161	C00
6	7	8	5	10	20	13	15	12	14	19	12	15	28	16	23	
36	40	61	50	69	91	100	103	116	130	162	157	141	151	162	184	
227	308	367	378	437	482	524	583	710	803	825	897	892	1,115	1,204	1,203	C01-C02
52	52	71	77	61	66	101	97	87	129	122	139	140	137	175	160	
279	360	438	455	498	548	625	680	797	932	947	1,036	1,032	1,252	1,379	1,363	
43	59	75	64	83	95	107	146	157	173	213	227	224	239	265	282	C03
13	8	11	11	15	12	24	20	17	32	23	31	27	33	25	26	
56	67	86	75	98	107	131	166	174	205	236	258	251	272	290	308	
22	25	30	31	41	30	38	58	55	82	80	80	78	80	91	100	C04
4	2	7	4	11	4	3	14	6	9	10	5	12	3	10	13	
26	27	37	35	52	34	41	72	61	91	90	85	90	83	101	113	
342	401	483	536	600	663	793	883	944	1,171	1,233	1,194	1,346	1,490	1,652	1,573	C05-C06
35	57	59	58	52	53	72	82	91	82	86	91	97	106	96	125	
377	458	542	594	652	716	865	965	1,035	1,253	1,319	1,285	1,443	1,596	1,748	1,698	
86	92	112	130	142	130	156	204	211	249	268	313	316	366	426	412	C09-C10
13	25	33	27	23	43	37	32	53	43	45	62	49	64	78	60	
99	117	145	157	165	173	193	236	264	292	313	375	365	430	504	472	
133	178	201	237	232	221	294	298	366	375	390	406	501	507	591	537	C12-C13
6	10	7	7	10	7	8	7	15	13	12	20	17	13	32	23	
139	188	208	244	242	228	302	305	381	388	402	426	518	520	623	560	
12	13	12	14	15	21	30	21	29	27	35	34	52	50	66	42	C14
4	7	4	6	2	2	3	2	5	3	5	8	7	4	1	3	
16	20	16	20	17	23	33	23	34	30	40	42	59	54	67	45	
51	71	72	47	68	58	66	72	85	108	92	110	106	111	92	109	C07-C08
34	47	49	49	49	47	50	45	55	73	72	99	78	57	98	81	
85	118	121	96	117	105	116	117	140	181	164	209	184	168	190	190	

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 68 至 94 年（續）

NUMERICAL COMPARISON OF CANCER FROM VARIOUS ANATOMIC SITES, 1979 TO 2005
(CONTINUED)

ICD-O-3	原發部位別	性別	年度										
			68	69	70	71	72	73	74	75	76	77	78
C11	鼻咽	男	759	820	875	708	756	778	746	705	718	795	844
		女	286	319	297	314	321	328	308	300	323	294	310
		計	1,045	1,139	1,172	1,022	1,077	1,106	1,054	1,005	1,041	1,089	1,154
C15-C26, C48	消化器官及腹膜	男	3,394	3,974	4,278	3,918	4,629	4,767	5,080	5,393	6,479	6,145	7,442
		女	1,178	1,470	1,499	1,529	1,769	1,934	1,993	2,098	2,638	2,528	2,992
		計	4,572	5,444	5,777	5,447	6,398	6,701	7,073	7,491	9,117	8,673	10,434
C15	食道	男	332	436	440	395	447	430	408	461	464	459	525
		女	46	41	63	39	54	51	43	42	51	42	55
		計	378	477	503	434	501	481	451	503	515	501	580
C16	胃	男	1,133	1,283	1,388	1,250	1,455	1,390	1,530	1,473	1,779	1,573	1,801
		女	368	470	482	474	558	576	602	604	718	627	749
		計	1,501	1,753	1,870	1,724	2,013	1,966	2,132	2,077	2,497	2,200	2,550
C17	小腸	男	30	40	45	34	39	51	51	55	62	50	77
		女	20	29	19	24	26	37	31	30	44	45	52
		計	50	69	64	58	65	88	82	85	106	95	129
C18-C21	結腸、直腸、乙狀結腸連 結部及肛門	男	767	923	936	886	947	1,060	1,104	1,222	1,502	1,369	1,743
		女	493	629	614	642	704	765	834	869	1,064	1,082	1,189
		計	1,260	1,552	1,550	1,528	1,651	1,825	1,938	2,091	2,566	2,451	2,932
C18	結腸	男	366	445	506	473	478	556	577	629	781	738	921
		女	243	319	329	370	381	392	465	489	564	597	648
		計	609	764	835	843	859	948	1,042	1,118	1,345	1,335	1,569
C19-C21	直腸、乙狀結腸連 結部及肛門	男	401	478	430	413	469	504	527	593	721	631	822
		女	250	310	285	272	323	373	369	380	500	485	541
		計	651	788	715	685	792	877	896	973	1,221	1,116	1,363
C22	肝及肝內膽管	男	974	1,105	1,250	1,127	1,462	1,548	1,700	1,879	2,280	2,316	2,816
		女	163	197	211	222	248	314	288	361	508	462	622
		計	1,137	1,302	1,461	1,349	1,710	1,862	1,988	2,240	2,788	2,778	3,438
C23-C24	膽囊及肝外膽管	男	40	52	66	57	65	74	80	90	112	117	151
		女	24	42	38	50	49	74	73	75	80	87	110
		計	64	94	104	107	114	148	153	165	192	204	261
C25	胰	男	93	109	128	138	168	172	180	180	225	219	269
		女	46	48	54	45	90	86	91	91	125	136	153
		計	139	157	182	183	258	258	271	271	350	355	422
C48	後腹膜腔及腹膜	男	15	17	19	19	29	32	20	25	37	33	42
		女	11	8	11	28	23	19	22	18	31	34	45
		計	26	25	30	47	52	51	42	43	68	67	87

79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	ICD-O-3
737	850	919	929	905	939	966	1,011	1,056	1,016	1,078	1,060	1,080	1,145	1,150	1,123	C11
290	329	367	366	385	367	351	375	412	387	373	397	336	354	383	407	
1,027	1,179	1,286	1,295	1,290	1,306	1,317	1,386	1,468	1,403	1,451	1,457	1,416	1,499	1,533	1,530	
6,533	8,011	8,630	8,932	9,021	9,709	11,112	12,089	13,608	14,544	15,136	15,621	16,544	16,150	18,017	17,615	C15-C26, C48
2,778	3,677	4,044	4,177	4,398	4,608	5,401	6,212	6,822	7,394	7,807	8,035	8,514	8,531	9,561	9,308	
9,311	11,688	12,674	13,109	13,419	14,317	16,513	18,301	20,430	21,938	22,943	23,656	25,058	24,681	27,578	26,923	
467	560	599	611	637	657	791	816	870	917	996	1,166	1,187	1,241	1,419	1,403	C15
56	62	82	62	66	65	91	75	92	91	83	90	117	109	102	92	
523	622	681	673	703	722	882	891	962	1,008	1,079	1,256	1,304	1,350	1,521	1,495	
1,564	1,815	1,959	1,900	1,796	2,007	2,120	2,143	2,279	2,336	2,271	2,429	2,564	2,286	2,455	2,288	C16
674	896	911	872	871	948	1,072	1,187	1,157	1,179	1,218	1,220	1,300	1,212	1,374	1,292	
2,238	2,711	2,870	2,772	2,667	2,955	3,192	3,330	3,436	3,515	3,489	3,649	3,864	3,498	3,829	3,580	
68	80	90	95	77	77	112	123	130	155	160	157	179	181	176	200	C17
35	52	47	59	56	61	64	80	68	89	102	111	102	146	134	99	
103	132	137	154	133	138	176	203	198	244	262	268	281	327	310	299	
1,530	1,961	2,249	2,404	2,525	2,550	3,064	3,296	3,762	4,073	4,346	4,306	4,673	4,682	5,525	5,497	C18-C21
1,153	1,499	1,662	1,813	1,881	1,921	2,263	2,528	2,877	3,029	3,275	3,290	3,462	3,581	4,165	4,107	
2,683	3,460	3,911	4,217	4,406	4,471	5,327	5,824	6,639	7,102	7,621	7,596	8,135	8,263	9,690	9,604	
815	1,010	1,159	1,239	1,333	1,316	1,683	1,708	2,012	2,229	2,383	2,335	2,556	2,479	3,076	3,061	C18
608	785	912	1,003	1,000	1,092	1,306	1,392	1,624	1,765	1,851	1,893	1,947	2,071	2,420	2,496	
1,423	1,795	2,071	2,242	2,333	2,408	2,989	3,100	3,636	3,994	4,234	4,228	4,503	4,550	5,496	5,557	
715	951	1,090	1,165	1,192	1,234	1,381	1,588	1,750	1,844	1,963	1,971	2,117	2,203	2,449	2,436	C19-C21
545	714	750	809	881	829	957	1,136	1,253	1,264	1,424	1,397	1,515	1,510	1,745	1,611	
1,260	1,665	1,840	1,974	2,073	2,063	2,338	2,724	3,003	3,108	3,387	3,368	3,632	3,713	4,194	4,047	
2,508	3,097	3,173	3,285	3,418	3,789	4,323	4,934	5,687	6,110	6,319	6,522	6,862	6,650	7,263	7,159	C22
608	814	959	942	1,077	1,188	1,377	1,743	1,975	2,271	2,358	2,539	2,638	2,643	2,867	2,757	
3,116	3,911	4,132	4,227	4,495	4,977	5,700	6,677	7,662	8,381	8,677	9,061	9,500	9,293	10,130	9,916	
129	157	144	230	193	211	213	235	289	311	326	325	363	354	428	354	C23-C24
90	140	149	193	180	185	198	239	244	281	290	305	350	292	338	350	
219	297	293	423	373	396	411	474	533	592	616	630	713	646	766	704	
222	280	348	345	313	360	415	461	519	558	642	639	638	688	672	646	C25
124	164	178	181	199	184	276	299	330	371	380	389	463	474	496	517	
346	444	526	526	512	544	691	760	849	929	1,022	1,028	1,101	1,162	1,168	1,163	
34	44	51	42	47	40	60	65	61	72	60	61	69	55	65	58	C48
22	33	39	38	45	41	54	52	66	62	78	66	72	63	71	77	
56	77	90	80	92	81	114	117	127	134	138	127	141	118	136	135	

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 68 至 94 年（續）

NUMERICAL COMPARISON OF CANCER FROM VARIOUS ANATOMIC SITES, 1979 TO 2005
(CONTINUED)

ICD-O-3	原發部位別	年度		68	69	70	71	72	73	74	75	76	77	78
		性別												
C26	消化器官之其他部位及 與腹膜分界不明部位	男		10	9	6	12	17	10	7	8	18	9	18
		女		7	6	7	5	16	12	9	8	17	13	17
		計		17	15	13	17	33	22	16	16	35	22	35
C30-C39	呼吸系統及胸腔內器官	男		1,287	1,666	1,701	1,586	1,784	1,874	2,009	2,110	2,478	2,363	2,769
		女		396	485	526	477	607	581	671	712	871	799	1,020
		計		1,683	2,151	2,227	2,063	2,391	2,455	2,680	2,822	3,349	3,162	3,789
C30-C31	鼻腔、副竇、中耳及內 耳	男		62	58	78	70	78	88	82	54	87	103	88
		女		19	25	46	36	44	28	45	33	51	39	41
		計		81	83	124	106	122	116	127	87	138	142	129
C32	喉	男		155	181	187	216	195	185	211	234	294	253	250
		女		12	10	19	15	12	12	14	13	24	11	22
		計		167	191	206	231	207	197	225	247	318	264	272
C33-C34	肺、支氣管及氣管	男		1,050	1,403	1,409	1,271	1,484	1,559	1,666	1,757	2,040	1,932	2,370
		女		353	436	450	408	524	527	582	632	761	723	921
		計		1,403	1,839	1,859	1,679	2,008	2,086	2,248	2,389	2,801	2,655	3,291
C38.4	胸膜	男		2	5	5	7	6	2	1	13	11	19	18
		女		3	1	2	2	6	2	7	9	10	7	11
		計		5	6	7	9	12	4	8	22	21	26	29
C37-C38.3, C38.8	胸腺、心臟及縱膈	男		18	19	22	22	21	40	49	52	45	56	42
		女		9	13	9	16	21	11	23	25	25	19	25
		計		27	32	31	38	42	51	72	77	70	75	67
C39	呼吸系統及胸內器官之 其他分界不明之部位	男		-	-	-	-	-	-	-	-	1	-	1
		女		-	-	-	-	-	1	-	-	-	-	-
		計		-	-	-	-	-	1	-	-	1	-	1
C42 ²	白血病	男		198	279	292	299	304	302	298	289	340	280	335
		女		133	179	227	180	172	204	185	221	246	198	264
		計		331	458	519	479	476	506	483	510	586	478	599
C42	造血系統及網狀內皮系 統（白血病除外）	男		106	119	100	125	97	86	94	108	161	185	159
		女		54	72	70	86	75	67	66	81	103	90	99
		計		160	191	170	211	172	153	160	189	264	275	258
C40-C41	骨、關節及關節軟骨	男		46	81	54	49	45	63	42	57	65	91	107
		女		30	35	29	33	36	34	44	37	53	61	72
		計		76	116	83	82	81	97	86	94	118	152	179
C47, C49	結締組織、軟組織及其 他皮下組織	男		50	42	64	63	81	89	91	84	96	86	113
		女		32	34	46	47	32	39	51	51	53	78	74
		計		82	76	110	110	113	128	142	135	149	164	187

註 2：白血病：ICD-O-3 M-98003 - M-99643、M-99803 - M-99893。

79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	ICD-O-3
11	17	17	20	15	18	14	16	11	11	16	16	9	13	14	10	C26
16	17	17	17	23	15	6	9	12	21	24	25	10	11	14	17	
27	34	34	37	38	33	20	25	23	32	40	41	19	24	28	27	
2,486	3,025	3,331	3,369	3,565	3,662	4,280	4,496	4,881	5,297	5,652	5,560	5,678	5,723	6,469	6,375	C30-C39
935	1,178	1,252	1,272	1,355	1,392	1,672	1,788	2,021	2,249	2,300	2,431	2,634	2,567	2,857	2,934	
3,421	4,203	4,583	4,641	4,920	5,054	5,952	6,284	6,902	7,546	7,952	7,991	8,312	8,290	9,326	9,309	
86	88	116	88	102	99	111	121	98	128	155	120	129	127	139	132	C30-C31
42	62	64	58	46	37	49	53	51	61	74	61	72	64	61	46	
128	150	180	146	148	136	160	174	149	189	229	181	201	191	200	178	
223	276	320	285	345	355	368	394	396	431	481	499	502	461	510	518	C32
11	23	19	15	18	19	31	30	16	24	24	23	25	28	30	22	
234	299	339	300	363	374	399	424	412	455	505	522	527	489	540	540	
2,102	2,572	2,799	2,887	3,027	3,107	3,675	3,863	4,280	4,601	4,864	4,792	4,916	4,977	5,661	5,566	C33-C34
846	1,056	1,104	1,138	1,234	1,283	1,523	1,646	1,865	2,088	2,123	2,258	2,438	2,378	2,657	2,746	
2,948	3,628	3,903	4,025	4,261	4,390	5,198	5,509	6,145	6,689	6,987	7,050	7,354	7,355	8,318	8,312	
14	6	14	10	7	14	13	16	16	16	22	16	21	26	19	20	C38.4
5	4	14	6	4	4	7	6	5	5	7	8	9	9	4	11	
19	10	28	16	11	18	20	22	21	21	29	24	30	35	23	31	
61	83	80	97	84	87	113	102	91	121	130	133	110	132	140	139	C37-C38.3,
31	32	51	55	52	49	62	53	84	71	72	81	89	88	105	109	C38.8
92	115	131	152	136	136	175	155	175	192	202	214	199	220	245	248	
-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	C39
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	
329	364	363	419	431	472	469	490	508	549	594	599	815	843	851	857	C42²
216	250	285	283	320	336	351	361	389	386	435	425	551	540	588	607	
545	614	648	702	751	808	820	851	897	935	1,029	1,024	1,366	1,383	1,439	1,464	
133	193	169	200	201	195	221	189	233	243	265	295	267	270	271	257	C42
89	110	104	118	121	93	123	133	128	136	166	159	166	172	189	182	
222	303	273	318	322	288	344	322	361	379	431	454	433	442	460	439	
61	85	90	86	85	87	91	86	98	86	82	92	90	73	84	108	C40-C41
47	73	74	69	46	63	66	63	64	56	74	69	74	48	68	68	
108	158	164	155	131	150	157	149	162	142	156	161	164	121	152	176	
100	122	109	122	129	170	164	155	204	205	215	260	257	225	249	233	C47, C49
63	72	94	113	103	95	135	142	144	176	168	154	176	198	197	173	
163	194	203	235	232	265	299	297	348	381	383	414	433	423	446	406	

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 68 至 94 年（續）

NUMERICAL COMPARISON OF CANCER FROM VARIOUS ANATOMIC SITES, 1979 TO 2005
(CONTINUED)

ICD-O-3	原發部位別	性別	年度										
			68	69	70	71	72	73	74	75	76	77	78
C44	皮膚	男	158	180	170	194	287	258	290	264	286	298	378
		女	87	85	115	93	202	168	215	145	206	219	289
		計	245	265	285	287	489	426	505	409	492	517	667
C44 ³	皮膚，惡性黑色素瘤	男	7	12	8	17	35	25	32	28	27	22	33
		女	7	13	15	7	14	14	20	13	25	16	24
		計	14	25	23	24	49	39	52	41	52	38	57
C44	皮膚，非惡性黑色素瘤	男	151	168	162	177	252	233	258	236	259	276	345
		女	80	72	100	86	188	154	195	132	181	203	265
		計	231	240	262	263	440	387	453	368	440	479	610
C50	女性乳房	女	700	790	897	900	1,067	1,069	1,169	1,144	1,294	1,413	1,695
C50	男性乳房	男	6	1	2	6	15	15	17	6	10	5	7
C51-C58	女性生殖器官	女	2,047	2,168	2,094	2,162	2,705	2,662	2,708	2,379	2,594	2,589	2,887
C55	子宮，未明示部位	女	28	26	24	27	35	30	29	25	40	53	56
C53	子宮頸	女	1,780	1,824	1,765	1,792	2,270	2,248	2,260	1,900	2,052	2,040	2,165
C54	子宮體	女	57	98	88	94	119	123	162	155	139	163	212
C56, C57.0-C57.4	卵巢、輸卵管及寬韌帶	女	130	162	157	179	202	181	195	245	312	265	374
C51-C52, C57.7-C57.9	陰道、外陰部及其他未詳 細說明之女性生殖器官	女	52	58	60	70	79	80	62	54	51	68	80
C60-C63	男性生殖器官	男	163	243	197	220	302	307	348	340	453	454	588

註 3：皮膚，惡性黑色素瘤：ICD-O-3 C44， M-87203 - M-87903。

79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	ICD-O-3
341	404	474	463	552	497	671	732	825	935	919	1,000	1,156	976	1,236	1,138	C44
282	308	379	385	434	464	545	640	758	748	774	886	943	806	998	1,039	
623	712	853	848	986	961	1,216	1,372	1,583	1,683	1,693	1,886	2,099	1,782	2,234	2,177	
36	39	51	50	49	37	72	59	75	91	78	84	97	71	94	88	C44 ³
25	31	46	39	38	42	53	64	70	75	80	75	75	68	86	70	
61	70	97	89	87	79	125	123	145	166	158	159	172	139	180	158	
305	365	423	413	503	460	599	673	750	844	841	916	1,059	905	1,142	1,050	C44
257	277	333	346	396	422	492	576	688	673	694	811	868	738	912	969	
562	642	756	759	899	882	1,091	1,249	1,438	1,517	1,535	1,727	1,927	1,643	2,054	2,019	
1,602	1,971	2,257	2,384	2,494	2,824	3,087	3,599	3,790	4,476	4,633	4,855	5,021	5,278	6,249	6,594	C50
10	14	19	18	20	18	11	23	24	28	25	28	40	31	48	48	C50
2,524	3,065	3,324	3,339	3,258	3,410	3,959	4,058	4,315	4,342	4,422	4,141	3,857	3,847	4,241	4,000	C51-C58
36	43	33	22	35	16	5	7	10	10	10	6	4	2	7	5	C55
1,903	2,271	2,468	2,450	2,341	2,437	2,915	2,837	2,960	2,929	2,882	2,525	2,171	2,061	2,329	1,977	C53
179	257	307	318	324	337	395	491	546	547	620	706	778	797	913	987	C54
334	414	406	460	481	508	545	631	676	725	785	786	798	838	869	894	C56, C57.0-C57.4
72	80	110	89	77	112	99	92	123	131	125	118	106	149	123	137	C51-C52 C57.7-C57.9
579	711	799	942	957	1,150	1,353	1,651	1,917	2,159	2,289	2,349	2,590	2,491	2,998	2,930	C60-C63

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 68 至 94 年（續）

NUMERICAL COMPARISON OF CANCER FROM VARIOUS ANATOMIC SITES, 1979 TO 2005
(CONTINUED)

ICD-O-3	原發部位別	年度		68	69	70	71	72	73	74	75	76	77	78
		性別												
C61	攝護腺	男		99	145	139	141	204	216	271	261	350	362	482
C62	睪丸	男		27	40	28	42	54	38	44	42	50	46	54
C60,C63	陰莖及其他男性生殖器官	男		37	58	30	37	44	53	33	37	53	46	52
C64-C68	泌尿器官	男		349	432	443	470	533	525	649	620	776	706	901
		女		115	186	187	188	232	217	264	238	308	347	422
		計		464	618	630	658	765	742	913	858	1,084	1,053	1,323
C67	膀胱	男		238	294	306	334	392	380	426	408	498	476	593
		女		57	87	98	109	139	112	159	135	176	171	205
		計		295	381	404	443	531	492	585	543	674	647	798
C64-C66, C68	腎及其他泌尿器官	男		111	138	137	136	141	145	223	212	278	230	308
		女		58	99	89	79	93	105	105	103	132	176	217
		計		169	237	226	215	234	250	328	315	410	406	525
C64	腎	男		64	67	67	71	73	66	119	110	132	134	144
		女		31	44	39	35	39	47	46	54	62	81	94
		計		95	111	106	106	112	113	165	164	194	215	238
C65-C66, C68	腎盂及其他泌尿器官 (膀胱、腎除外)	男		47	71	70	65	68	79	104	102	146	96	164
		女		27	55	50	44	54	58	59	49	70	95	123
		計		74	126	120	109	122	137	163	151	216	191	287
C69	眼及淚腺	男		11	29	31	18	26	20	20	24	26	25	26
		女		21	10	33	27	25	15	16	16	20	18	21
		計		32	39	64	45	51	35	36	40	46	43	47
C70-C72	中樞神經系統	男		121	141	174	171	184	176	172	208	234	215	261
		女		55	85	117	110	120	119	121	142	182	178	189
		計		176	226	291	281	304	295	293	350	416	393	450
C71	腦	男		116	115	164	158	168	162	160	187	208	203	239
		女		51	76	107	103	107	108	107	131	170	152	169
		計		167	191	271	261	275	270	267	318	378	355	408
C70, C72	其他神經系統及未詳細說明部位	男		5	26	10	13	16	14	12	21	26	12	22
		女		4	9	10	7	13	11	14	11	12	26	20
		計		9	35	20	20	29	25	26	32	38	38	42

79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	ICD-O-3
481	595	667	801	817	1,009	1,228	1,525	1,754	1,986	2,099	2,152	2,367	2,262	2,773	2,704	C61
38	62	73	77	85	87	62	65	92	101	113	115	125	124	135	142	C62
60	54	59	64	55	54	63	61	71	72	77	82	98	105	90	84	C60,C63
868	1,021	1,153	1,189	1,347	1,313	1,523	1,699	1,827	2,102	1,998	2,166	2,120	2,194	2,345	2,350	C64-C68
411	460	537	613	666	641	745	948	989	1,125	1,206	1,220	1,204	1,318	1,339	1,365	
1,279	1,481	1,690	1,802	2,013	1,954	2,268	2,647	2,816	3,227	3,204	3,386	3,324	3,512	3,684	3,715	
568	666	741	748	831	804	951	1,057	1,146	1,297	1,247	1,283	1,277	1,303	1,421	1,363	C67
193	239	263	290	313	288	350	432	413	478	493	526	503	531	536	537	
761	905	1,004	1,038	1,144	1,092	1,301	1,489	1,559	1,775	1,740	1,809	1,780	1,834	1,957	1,900	
300	355	412	441	516	509	572	642	681	805	751	883	843	891	924	987	C64-C66,C68
218	221	274	323	353	353	395	516	576	647	713	694	701	787	803	828	
518	576	686	764	869	862	967	1,158	1,257	1,452	1,464	1,577	1,544	1,678	1,727	1,815	
159	182	216	207	266	265	290	318	329	381	379	412	400	408	430	479	C64
97	86	112	118	132	151	161	199	212	207	213	201	211	227	248	254	
256	268	328	325	398	416	451	517	541	588	592	613	611	635	678	733	
141	173	196	234	250	244	282	324	352	424	372	471	443	483	494	508	C65-C66,C68
121	135	162	205	221	202	234	317	364	440	500	493	490	560	555	574	
262	308	358	439	471	446	516	641	716	864	872	964	933	1,043	1,049	1,082	
25	38	32	35	34	32	33	33	28	35	53	45	48	36	41	50	C69
28	30	30	29	26	32	22	25	30	29	34	46	32	31	27	24	
53	68	62	64	60	64	55	58	58	64	87	91	80	67	68	74	
261	315	296	334	354	298	346	360	347	415	409	418	404	381	401	374	C70-C72
170	215	218	211	226	209	235	234	295	271	321	313	286	263	313	303	
431	530	514	545	580	507	581	594	642	686	730	731	690	644	714	677	
240	286	269	295	323	282	326	330	308	382	379	374	357	348	366	338	C71
156	193	198	185	204	179	211	209	267	247	281	286	253	226	278	265	
396	479	467	480	527	461	537	539	575	629	660	660	610	574	644	603	
21	29	27	39	31	16	20	30	39	33	30	44	47	33	35	36	C70, C72
14	22	20	26	22	30	24	25	28	24	40	27	33	37	35	38	
35	51	47	65	53	46	44	55	67	57	70	71	80	70	70	74	

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 68 至 94 年（續完）
 NUMERICAL COMPARISON OF CANCER FROM VARIOUS ANATOMIC SITES, 1979 TO 2005
 (CONCLUDED)

ICD-O-3	原發部位別	年度		68	69	70	71	72	73	74	75	76	77	78
		性別												
C73	甲狀腺	男		36	48	61	82	62	85	77	77	92	78	88
		女		114	176	162	170	201	221	278	238	308	284	353
		計		150	224	223	252	263	306	355	315	400	362	441
C74-C75	其他內分泌腺	男		4	9	11	11	10	17	24	19	23	24	18
		女		5	1	9	8	7	7	5	10	20	19	13
		計		9	10	20	19	17	24	29	29	43	43	31
C76	其他分界不明的部位	男		34	71	73	46	44	35	35	43	106	53	60
		女		24	38	48	43	30	18	33	29	67	71	78
		計		58	109	121	89	74	53	68	72	173	124	138
C77	淋巴結	男		119	198	184	154	156	171	192	203	277	234	262
		女		55	112	96	96	88	85	97	108	123	120	147
		計		174	310	280	250	244	256	289	311	400	354	409
C80	不明原發部位	男		160	212	118	73	39	40	90	104	171	143	303
		女		105	135	88	43	43	52	61	86	132	117	197
		計		265	347	206	116	82	92	151	190	303	260	500

註 4：本表之數值與歷年出版之年報略有差異，此因癌登資料庫隨時保持最新狀態，若有任何異動或以往尚未入檔之個案，癌登小組會隨時加以更新。

79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	ICD-O-3
111	135	197	198	184	181	201	195	237	219	291	271	370	310	349	359	C73
337	467	590	667	589	630	690	765	890	996	958	1,006	1,087	993	1,176	1,146	
448	602	787	865	773	811	891	960	1,127	1,215	1,249	1,277	1,457	1,303	1,525	1,505	
16	34	35	25	31	38	29	43	35	39	52	31	47	27	41	27	C74-C75
16	30	25	17	24	23	28	32	28	29	30	27	26	35	27	22	
32	64	60	42	55	61	57	75	63	68	82	58	73	62	68	49	
62	58	69	59	46	32	3	6	2	6	10	3	2	2	4	4	C76
37	68	60	46	36	36	11	7	2	5	7	3	5	1	5	6	
99	126	129	105	82	68	14	13	4	11	17	6	7	3	9	10	
241	298	315	329	327	331	415	397	423	460	458	526	511	510	541	546	C77
122	157	185	179	180	186	255	252	285	252	290	322	325	378	399	378	
363	455	500	508	507	517	670	649	708	712	748	848	836	888	940	924	
253	282	364	401	472	464	514	525	638	683	719	619	640	638	608	617	C80
176	249	256	288	308	313	371	372	432	435	470	448	427	467	403	407	
429	531	620	689	780	777	885	897	1,070	1,118	1,189	1,067	1,067	1,105	1,011	1,024	

表十之二 台灣白血病及惡性淋巴瘤申報發生人數按性別及報告年分類，民國 68 至 94 年
 NUMERICAL COMPARISON OF LEUKEMIA AND LYMPHOMA, 1979 TO 2005

白血病及惡性淋巴瘤	性別	年度										
		68	69	70	71	72	73	74	75	76	77	78
白血病 (ICD-O-3 M-98003 - M-99643、 M-99803 - M-99893)	男	198	279	292	299	304	302	298	289	340	280	335
	女	133	179	227	180	172	204	185	221	246	198	264
	計	331	458	519	479	476	506	483	510	586	478	599
急性淋巴芽細胞白血病 (ICD-O-3 M-98353 - M-98373)	男	56	80	108	98	109	118	114	94	93	59	104
	女	48	61	83	62	69	79	76	92	65	42	60
	計	104	141	191	160	178	197	190	186	158	101	164
慢性淋巴球白血病 (ICD-O-3 M-98233)	男	10	9	10	10	10	12	8	15	12	12	13
	女	1	-	5	3	-	5	5	4	5	3	4
	計	11	9	15	13	10	17	13	19	17	15	17
急性骨髓樣白血病 (ICD-O-3 M-98403、M-98613、M-98663、 M-98673、M-98713 - M-98743、M-98953 - M-98973、M-99203)	男	65	94	78	111	98	89	102	90	114	103	111
	女	43	68	78	66	56	73	58	54	87	87	103
	計	108	162	156	177	154	162	160	144	201	190	214
慢性骨髓樣白血病 (ICD-O-3 M-98633、M-98753、M-98763、 M-99453、M-99463、M-99633)	男	25	42	41	36	48	45	35	33	63	43	37
	女	16	16	18	21	21	18	19	28	30	24	34
	計	41	58	59	57	69	63	54	61	93	67	71
其他類型白血病 ¹	男	42	54	55	44	39	38	39	57	58	63	70
	女	25	34	43	28	26	29	27	43	59	42	63
	計	67	88	98	72	65	67	66	100	117	105	133
惡性淋巴瘤 (ICD-O-3 M-95903 - M-97293、 M-97503 - M-97583、M-97643)	男	233	262	252	256	255	318	321	352	426	313	382
	女	126	160	168	167	159	159	181	203	225	167	205
	計	359	422	420	423	414	477	502	555	651	480	587
何杰金氏淋巴瘤 (ICD-O-3 M-96503 - M-96673)	男	28	37	28	37	32	34	33	31	54	20	24
	女	16	13	19	14	11	11	12	15	24	13	18
	計	44	50	47	51	43	45	45	46	78	33	42
非何杰金氏淋巴瘤 (ICD-O-3 M-95903 - M-95963、M-96703 -M-97293、M-97503 - M-97583、M-97643)	男	200	214	212	205	215	271	279	312	362	284	348
	女	106	141	138	144	137	143	158	181	197	145	174
	計	306	355	350	349	352	414	437	493	559	429	522
其他惡性淋巴瘤 ²	男	5	11	12	14	8	13	9	9	10	9	10
	女	4	6	11	9	11	5	11	7	4	9	13
	計	9	17	23	23	19	18	20	16	14	18	23

註 1：其他類型白血病¹：除急性淋巴芽細胞白血病、慢性淋巴球白血病、急性骨髓樣白血病、慢性骨髓樣白血病外之所有白血病代碼。

註 2：其他惡性淋巴瘤²為 ICD-O-FT 版本資料，91 年起採用 ICD-O-3 版本，此部分已納入非何杰金氏淋巴瘤。

註 3：本表之數值與歷年出版之年報略有差異，此因癌登資料庫隨時保持最新狀態，若有任何異動或以往尚未入檔之個案，癌登小組會隨時加以更新。

79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94
329	364	363	419	431	472	469	490	508	549	594	599	815	843	851	857
216	250	285	283	320	336	351	361	389	386	435	425	551	540	588	607
545	614	648	702	751	808	820	851	897	935	1,029	1,024	1,366	1,383	1,439	1,464
74	83	98	123	115	128	115	111	128	143	122	139	139	128	129	131
55	77	90	85	110	87	80	96	107	100	118	99	107	95	96	107
129	160	188	208	225	215	195	207	235	243	240	238	246	223	225	238
14	19	16	27	26	40	37	38	36	39	36	51	53	55	64	59
2	2	16	11	12	11	16	9	17	20	23	19	26	29	40	34
16	21	32	38	38	51	53	47	53	59	59	70	79	84	104	93
109	119	120	129	154	176	202	195	181	202	244	209	290	286	318	317
91	90	91	94	103	134	140	150	140	145	176	173	201	204	225	243
200	209	211	223	257	310	342	345	321	347	420	382	491	490	543	560
46	62	55	69	59	54	55	72	87	70	83	94	119	124	103	104
27	38	25	37	38	38	46	46	49	47	53	53	62	68	76	57
73	100	80	106	97	92	101	118	136	117	136	147	181	192	179	161
86	81	74	71	77	74	60	74	76	95	109	106	214	250	237	246
41	43	63	56	57	66	69	60	76	74	65	81	155	144	151	166
127	124	137	127	134	140	129	134	152	169	174	187	369	394	388	412
349	439	541	600	579	609	742	662	743	805	818	930	953	1,010	1,022	1,071
205	245	340	349	360	370	433	482	542	485	552	658	716	725	768	731
554	684	881	949	939	979	1,175	1,144	1,285	1,290	1,370	1,588	1,669	1,735	1,790	1,802
25	33	30	30	35	37	28	43	48	46	46	59	78	75	84	66
17	22	23	19	16	13	20	23	35	30	31	34	46	53	47	46
42	55	53	49	51	50	48	66	83	76	77	93	124	128	131	112
317	400	504	568	537	565	710	615	691	753	766	857	875	935	938	1,005
184	221	313	327	341	353	410	452	501	452	519	622	670	672	721	685
501	621	817	895	878	918	1,120	1,067	1,192	1,205	1,285	1,479	1,545	1,607	1,659	1,690
7	6	7	2	7	8	4	5	4	6	6	14	-	-	-	-
4	2	4	3	3	4	3	7	7	3	2	2	-	-	-	-
11	8	11	5	10	12	7	12	11	9	8	16	-	-	-	-