

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006

口腔、咽喉及下咽

ORAL CAVITY, OROPHARYNX AND HYPOPHARYNX C00 - C06 , C09 - C10 , C12 - C14

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80323 80523	鱗狀細胞癌	男 Male	4,488	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA	女 Female	360	-	-	-	1
80723 80733							
80743 80753							
80763							
80513	疣狀癌	男 Male	169	-	-	-	-
	VERRUCOUS CARCINOMA	女 Female	6	-	-	-	-
80203	未分化癌	男 Male	8	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女 Female	5	-	-	-	-
80223 81403	小唾液腺癌	男 Male	29	-	-	-	-
82003 83103	CARCINOMA OF MINOR SALIVARY GLANDS	女 Female	37	-	-	-	-
84103 84303							
85253 85503							
85603 89413							
80333 80413	其他明示癌	男 Male	19	-	-	-	-
80823 80833	OTHER SPECIFIED CARCINOMA	女 Female	7	-	-	-	-
82463 84803							
89803							
80103	未明示癌	男 Male	27	-	-	-	-
	CARCINOMA, NOS	女 Female	6	-	-	-	-
95903-97293	惡性淋巴瘤	男 Male	61	-	1	-	1
97503-97583	MALIGNANT LYMPHOMA	女 Female	37	-	-	-	-
97643							
87203	惡性黑色素瘤	男 Male	2	-	-	-	-
	MALIGNANT MELANOMA	女 Female	3	-	-	-	-
88113 88303	明示之肉瘤	男 Male	10	-	-	-	-
88513 88903	SPECIFIED SARCOMA	女 Female	5	-	-	-	-
89103 89123							
90403 91403							
91803 93703							
97543							

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	20	127	355	629	788	802	584	381	346	212	147	66	30
2	5	5	16	34	41	39	50	36	43	30	24	23	11
-	1	5	15	25	25	29	30	16	12	6	4	1	-
-	-	-	-	-	1	1	1	-	-	-	1	2	-
-	-	-	-	-	1	2	-	1	-	3	-	-	1
-	-	1	-	-	1	1	2	-	-	-	-	-	-
-	2	-	1	4	6	2	3	2	4	2	1	2	-
-	1	3	1	2	4	5	3	3	4	4	3	3	1
-	-	1	-	3	1	4	4	1	3	2	-	-	-
-	-	-	-	1	-	-	1	-	-	2	2	-	1
-	-	2	1	2	2	8	4	5	-	2	-	1	-
-	-	-	-	-	-	1	2	1	-	-	1	-	1
3	3	1	1	2	7	9	5	6	7	5	3	4	3
-	1	1	-	4	2	2	4	6	2	3	5	5	2
-	-	-	-	-	-	1	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	2	-	-	1	-
-	1	-	2	-	2	1	1	1	-	2	-	-	-
-	-	-	3	-	-	-	1	-	-	-	-	1	-

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

口腔、咽喉及下咽

ORAL CAVITY, OROPHARYNX AND HYPOPHARYNX C00 - C06 , C09 - C10 , C12 - C14

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
88003	未明示之肉瘤 SARCOMA, NOS	男 Male	-	-	-	-	-
		女 Female	1	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男 Male	66	-	-	-	-
		女 Female	6	-	-	-	-
	總計 TOTAL	男 Male	4,879	-	1	-	1
		女 Female	473	-	-	-	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	1	-	5	5	10	6	11	10	5	2	5	4	2
-	-	-	1	-	-	-	1	-	1	1	-	1	1
4	28	136	380	670	842	864	642	423	377	236	160	78	37
2	7	10	21	41	50	49	65	46	52	40	36	36	17

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

唇（唇的皮膚 C44.0 除外）

LIP (excludes skin of lip C44.0) C00

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80703 80713 80723	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男 Male	128	-	-	-	-
		女 Female	18	-	-	-	-
80513	疣狀癌 VERRUCOUS CARCINOMA	男 Male	18	-	-	-	-
		女 Female	1	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男 Male	1	-	-	-	-
		女 Female	-	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男 Male	-	-	-	-	-
		女 Female	1	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男 Male	2	-	-	-	-
		女 Female	-	-	-	-	-
	總計 TOTAL	男 Male	149	-	-	-	-
		女 Female	20	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	5	5	17	24	18	19	10	11	11	4	3	1
-	-	-	-	1	-	1	1	4	3	2	3	3	-
-	-	-	1	1	3	3	3	3	2	2	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	1	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	5	6	18	28	22	23	13	13	13	4	3	1
-	-	-	-	1	1	1	2	4	3	2	3	3	-

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

舌

TONGUE C01 - C02

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80323 80523	鱗狀細胞癌	男 Male	1,202	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA	女 Female	173	-	-	-	-
80723 80743							
80763 80833							
80513	疣狀癌	男 Male	35	-	-	-	-
	VERRUCOUS CARCINOMA	女 Female	1	-	-	-	-
81403 82003	小唾液腺癌	男 Male	4	-	-	-	-
84303 85603	CARCINOMA OF MINOR SALIVARY GLANDS	女 Female	4	-	-	-	-
80333	其他明示癌	男 Male	1	-	-	-	-
	OTHER SPECIFIED CARCINOMA	女 Female	-	-	-	-	-
80103	未明示癌	男 Male	2	-	-	-	-
	CARCINOMA, NOS	女 Female	-	-	-	-	-
95903-97293	惡性淋巴瘤	男 Male		7	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女 Female		5	-	-	-
97643							
88303	明示之肉瘤	男 Male	1	-	-	-	-
	SPECIFIED SARCOMA	女 Female	-	-	-	-	-
80003	其他惡性腫瘤	男 Male	12	-	-	-	-
	OTHER MALIGNANCY	女 Female	3	-	-	-	-
	總計	男 Male	1,264	-	-	-	-
	TOTAL	女 Female	186	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	10	51	138	168	220	222	143	89	73	40	27	15	5
2	5	3	11	17	21	19	22	21	20	13	9	7	3
-	-	3	6	3	5	4	8	1	3	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	1	-	1	-	-	-	1	-
-	-	-	1	-	1	-	-	-	-	2	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	1	1	1	1	1	-
-	-	-	-	1	-	-	-	2	-	2	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	2	1	1	1	2	2	2	-	1	-	-
-	-	-	-	-	-	-	1	-	-	1	-	1	-
1	10	55	147	172	227	229	154	94	79	43	30	18	5
2	5	3	12	18	22	19	23	23	20	18	10	8	3

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

齒齦

GUM C03

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80323 80523	鱗狀細胞癌	男 Male	325	-	-	-	-
80703 80713 80723	SQUAMOUS CELL CARCINOMA	女 Female	29	-	-	-	-
80513	疣狀癌	男 Male	10	-	-	-	-
	VERRUCOUS CARCINOMA	女 Female	1	-	-	-	-
81403 82003	小唾液腺癌	男 Male	3	-	-	-	-
84103 85503	CARCINOMA OF MINOR SALIVARY GLANDS	女 Female	2	-	-	-	-
89803	其他明示癌	男 Male	-	-	-	-	-
	OTHER SPECIFIED CARCINOMA	女 Female	1	-	-	-	-
80103	未明示癌	男 Male	-	-	-	-	-
	CARCINOMA, NOS	女 Female	1	-	-	-	-
95903-97293	惡性淋巴瘤	男 Male	4	-	-	-	-
97503-97583 97643	MALIGNANT LYMPHOMA	女 Female	3	-	-	-	-
87203	惡性黑色素瘤	男 Male	-	-	-	-	-
	MALIGNANT MELANOMA	女 Female	1	-	-	-	-
91403	明示之肉瘤	男 Male	1	-	-	-	-
	SPECIFIED SARCOMA	女 Female	-	-	-	-	-
80003	其他惡性腫瘤	男 Male	1	-	-	-	-
	OTHER MALIGNANCY	女 Female	-	-	-	-	-
	總計	男 Male	344	-	-	-	-
	TOTAL	女 Female	38	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	7	18	36	57	54	34	33	30	28	17	6	4
-	-	-	1	2	1	5	5	-	6	3	1	4	1
-	-	-	1	2	3	-	1	1	1	-	1	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	1	-	1	-
-	-	-	-	-	1	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	1	-	1	-	-	-	-	-	1	-	1	-
-	-	-	-	-	-	1	-	-	-	-	-	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	8	19	40	61	54	35	35	31	30	18	8	4
-	-	-	1	2	2	8	5	-	7	3	2	5	3

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

□底

FLOOR OF MOUTH C04

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80323 80523	鱗狀細胞癌	男 Male	113	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA	女 Female	12	-	-	-	-
80723 80763							
80833							
82003 84303	小唾液腺癌	男 Male	3	-	-	-	-
	CARCINOMA OF MINOR SALIVARY GLANDS	女 Female	3	-	-	-	-
84803	其他明示癌	男 Male	-	-	-	-	-
	OTHER SPECIFIED CARCINOMA	女 Female	1	-	-	-	-
80003	其他惡性腫瘤	男 Male	-	-	-	-	-
	OTHER MALIGNANCY	女 Female	1	-	-	-	-
	總計	男 Male	116	-	-	-	-
	TOTAL	女 Female	17	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	3	4	20	22	15	16	9	10	7	6	1	-
-	-	-	-	3	1	2	3	2	1	-	-	-	-
-	-	-	-	-	-	1	-	-	-	1	1	-	-
-	-	-	-	1	-	-	1	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	3	4	20	22	16	16	9	10	8	7	1	-
-	-	-	1	4	1	2	4	2	1	1	-	1	-

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

口腔之其他及未詳細說明部位

OTHER AND UNSPECIFIED PARTS OF MOUTH C05 - C06

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80323 80523	鱗狀細胞癌	男 Male	1,582	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA	女 Female	87	-	-	-	-
80723 80743							
80753 80763							
80513	疣狀癌	男 Male	104	-	-	-	-
	VERRUCOUS CARCINOMA	女 Female	3	-	-	-	-
80203	未分化癌	男 Male	4	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女 Female	-	-	-	-	-
80223 81403	小唾液腺癌	男 Male	16	-	-	-	-
82003 83103	CARCINOMA OF MINOR SALIVARY GLANDS	女 Female	24	-	-	-	-
84303 84803							
85253 89413							
80333 80413	其他明示癌	男 Male	5	-	-	-	-
80833 89803	OTHER SPECIFIED CARCINOMA	女 Female	1	-	-	-	-
80103	未明示癌	男 Male	8	-	-	-	-
	CARCINOMA, NOS	女 Female	2	-	-	-	-
95903-97293	惡性淋巴瘤	男 Male	7	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女 Female	2	-	-	-	-
97643							
87203	惡性黑色素瘤	男 Male	2	-	-	-	-
	MALIGNANT MELANOMA	女 Female	2	-	-	-	-
88003 88113	明示之肉瘤	男 Male	5	-	-	-	-
88303 88903	SPECIFIED SARCOMA	女 Female	4	-	-	-	-
89103 89123							
90403 91803							
80003	其他惡性腫瘤	男 Male	31	-	-	-	-
	OTHER MALIGNANCY	女 Female	1	-	-	-	-
	總計	男 Male	1,764	-	-	-	-
	TOTAL	女 Female	126	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	8	53	134	244	282	260	202	134	126	55	51	26	7
-	-	1	2	9	14	5	9	5	11	9	10	7	5
-	1	2	7	19	14	21	18	11	5	3	2	1	-
-	-	-	-	-	-	-	1	-	-	-	-	2	-
-	-	-	-	-	-	1	-	1	-	1	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	-	1	4	4	-	2	-	2	1	-	-	-
-	1	2	-	1	2	2	2	3	3	2	2	2	2
-	-	-	-	-	-	2	2	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	1	1	1	1	4	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	1	1	2	1	-	1	-	1	-
-	-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	1	-	-	1	-
-	-	-	1	-	2	1	1	-	-	-	-	-	-
-	-	-	2	-	1	-	-	-	-	-	-	1	-
-	1	-	3	3	6	2	5	6	2	1	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	12	56	147	271	310	293	232	153	136	62	54	29	9
-	1	3	4	10	17	8	12	8	15	11	16	13	8

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

□咽

OROPHARYNX C09 - C10

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80323 80523	鱗狀細胞癌	男 Male	438	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA	女 Female	28	-	-	-	1
80723 80743 80833							
80513	疣狀癌	男 Male	1	-	-	-	-
	VERRUCOUS CARCINOMA	女 Female	-	-	-	-	-
80203	未分化癌	男 Male	2	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女 Female	4	-	-	-	-
82003 84303	小唾液腺癌	男 Male	2	-	-	-	-
	CARCINOMA OF MINOR SALIVARY GLANDS	女 Female	3	-	-	-	-
80823	其他明示癌	男 Male	1	-	-	-	-
	OTHER SPECIFIED CARCINOMA	女 Female	2	-	-	-	-
80103	未明示癌	男 Male	6	-	-	-	-
	CARCINOMA, NOS	女 Female	2	-	-	-	-
95903-97293	惡性淋巴瘤	男 Male	42	-	1	-	1
97503-97583 97643	MALIGNANT LYMPHOMA	女 Female	25	-	-	-	-
97293	惡性黑色素瘤	男 Male	-	-	-	-	-
	MALIGNANT MELANOMA	女 Female	1	-	-	-	-
97543	明示之肉瘤	男 Male	-	-	-	-	-
	SPECIFIED SARCOMA	女 Female	1	-	-	-	-
80003	其他惡性腫瘤	男 Male	8	-	-	-	-
	OTHER MALIGNANCY	女 Female	-	-	-	-	-
	總計	男 Male	500	-	1	-	1
	TOTAL	女 Female	66	-	-	-	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	4	27	69	85	88	66	36	31	17	5	6	3
-	-	1	2	3	3	4	6	1	2	2	1	1	1
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	1	1	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-	-
-	-	1	-	-	-	2	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	1	-	-	-
-	-	-	-	1	1	-	1	3	-	-	-	-	-
-	-	-	-	-	-	-	1	1	-	-	-	-	-
3	3	-	-	1	6	7	2	4	6	2	2	1	3
-	-	1	-	3	2	1	3	4	2	1	3	4	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	2	2	-	-	-	1	2	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	4	4	27	72	95	98	69	44	38	21	9	7	7
-	1	3	2	6	6	8	14	6	4	4	4	5	2

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

下咽

HYPOPHARYNX C12 - C13

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80323 80523	鱗狀細胞癌	男 Male	669	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA	女 Female	13	-	-	-	-
80723 80733							
80743 80833							
80513	疣狀癌	男 Male	1	-	-	-	-
	VERRUCOUS CARCINOMA	女 Female	-	-	-	-	-
80203	未分化癌	男 Male	2	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女 Female	1	-	-	-	-
81403	小唾液腺癌	男 Male	1	-	-	-	-
	CARCINOMA OF MINOR SALIVARY GLANDS	女 Female	2	-	-	-	-
80413 80823	其他明示癌	男 Male	4	-	-	-	-
82463	OTHER SPECIFIED CARCINOMA	女 Female	-	-	-	-	-
80103	未明示癌	男 Male	9	-	-	-	-
	CARCINOMA, NOS	女 Female	1	-	-	-	-
88513	明示之肉瘤	男 Male	1	-	-	-	-
	SPECIFIED SARCOMA	女 Female	-	-	-	-	-
88903	明示之肉瘤	男 Male	1	-	-	-	-
	SPECIFIED SARCOMA	女 Female	-	-	-	-	-
80003	其他惡性腫瘤	男 Male	9	-	-	-	-
	OTHER MALIGNANCY	女 Female	1	-	-	-	-
	總計	男 Male	697	-	-	-	-
	TOTAL	女 Female	18	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	4	28	72	94	133	102	66	63	53	37	9	8
-	-	-	-	-	1	3	3	3	-	1	-	1	1
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	1	2	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	3	2	2	-	1	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	4	1	1	-	-	2	1
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	5	28	72	94	137	108	70	68	58	37	11	9
-	-	1	-	-	1	3	4	3	2	1	1	1	1

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

咽和唇、口腔及咽之分界不明部位

PHARYNX AND ILL-DEFINED SITES IN LIP, ORAL CAVITY AND PHARYNX C14

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80703 80713	鱗狀細胞癌	男 Male	38	-	-	-	-
80723 80833	SQUAMOUS CELL CARCINOMA	女 Female	1	-	-	-	-
84303	小唾液腺癌	男 Male	1	-	-	-	-
	CARCINOMA OF MINOR SALIVARY GLANDS	女 Female	-	-	-	-	-
80103	未明示癌	男 Male	1	-	-	-	-
	CARCINOMA, NOS	女 Female	-	-	-	-	-
95903-97293	惡性淋巴瘤	男 Male	1	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女 Female	-	-	-	-	-
97643							
93703	明示之肉瘤	男 Male	1	-	-	-	-
	SPECIFIED SARCOMA	女 Female	1	-	-	-	-
80003	其他惡性腫瘤	男 Male	3	-	-	-	-
	OTHER MALIGNANCY	女 Female	-	-	-	-	-
	總計	男 Male	45	-	-	-	-
	TOTAL	女 Female	2	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	1	5	5	14	4	4	2	1	-	-	2
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	2	5	5	15	5	5	2	1	1	1	2
-	-	-	1	-	-	-	1	-	-	-	-	-	-

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

主唾液腺

MAJOR SALIVARY GLANDS C07 - C08

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
84303	黏液表皮樣癌 MUCOEPIDERMOID CARCINOMA	男 Male	18	-	-	-	-
		女 Female	17	-	2	-	1
80703 80713	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男 Male	14	-	-	-	-
		女 Female	-	-	-	-	
81403 82603 84503 84803	腺癌 ADENOCARCINOMA	男 Male	19	-	-	-	-
		女 Female	8	-	-	-	-
82003	腺樣囊狀癌 ADENOID CYSTIC CARCINOMA	男 Male	15	-	-	-	-
		女 Female	24	-	-	-	-
85503	腺泡細胞癌 ACINAR CELL CARCINOMA	男 Male	11	-	-	-	2
		女 Female	14	-	-	-	1
80103	未明示癌 CARCINOMA, NOS	男 Male	7	-	-	-	-
		女 Female	7	-	-	-	-
85253 89403 89413	惡性混合性腫瘤 MALIGNANT MIXED TUMOR	男 Male	5	-	-	-	-
		女 Female	3	-	-	-	-
80223 80413 80503 80823 83103 85003 85603 85623 89823	其他明示癌 OTHER SPECIFIED CARCINOMA	男 Male	18	-	-	-	-
		女 Female	16	-	-	-	-
88023	明示之肉瘤 SPECIFIED SARCOMA	男 Male	1	-	-	-	-
		女 Female	-	-	-	-	-
88003	未明示之肉瘤 SARCOMA, NOS	男 Male	1	-	-	-	-
		女 Female	-	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男 Male	5	-	-	-	1
		女 Female	11	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男 Male	2	-	-	-	-
		女 Female	2	-	-	-	-
總計 TOTAL		男 Male	116	-	-	-	3
		女 Female	102	-	2	-	2

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	2	2	2	1	-	3	1	1	1	2	1	1	-
1	-	1	1	3	1	-	1	2	-	2	2	-	-
-	-	-	1	1	3	2	1	1	1	2	1	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	1	-	1	2	3	1	2	4	4	-	-
-	1	-	-	1	1	1	1	-	2	-	-	-	1
-	-	2	-	2	3	1	2	-	3	1	-	1	-
2	1	-	2	4	7	-	2	4	-	1	-	1	-
-	-	-	-	-	3	-	-	3	2	-	1	-	-
-	1	1	1	1	3	2	2	-	-	1	-	1	-
-	-	-	-	1	1	-	1	-	-	2	-	2	-
-	-	1	-	1	-	1	2	-	2	-	-	-	-
1	1	-	-	-	1	-	-	2	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	1	1
-	1	2	1	1	1	2	-	1	2	1	5	-	1
-	2	3	1	2	1	2	-	-	-	3	2	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	1	-	-	1	-	-	1
-	-	1	-	3	-	1	-	-	2	1	2	1	-
-	-	-	-	-	-	2	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	1
2	5	7	5	6	14	12	10	9	11	13	12	4	3
3	5	7	5	15	13	8	8	7	6	8	6	4	3

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

鼻咽

NASOPHARYNX C11

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80703 80833	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男 Male	60	-	-	-	-
		女 Female	14	-	-	-	1
80713	角化鱗狀細胞癌 KERATINIZING SQUAMOUS CELL CARCINOMA	男 Male	26	-	-	-	-
		女 Female	4	-	-	-	-
80723	非角化鱗狀細胞癌 NON-KERATINIZING SQUAMOUS CELL CARCINOMA	男 Male	513	-	-	-	1
		女 Female	179	-	-	-	1
80203 80413 80823	未分化癌 CARCINOMA, UNDIFFERENTIATED	男 Male	415	-	-	1	5
		女 Female	128	-	-	-	2
81403 82003 82603 84303	小唾液腺癌 CARCINOMA OF MINOR SALIVARY GLANDS	男 Male	6	-	-	-	-
		女 Female	5	-	-	1	-
80133 80333 80733 89803	其他明示癌 OTHER SPECIFIED CARCINOMA	男 Male	2	-	-	-	-
		女 Female	2	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男 Male	64	-	-	-	-
		女 Female	14	-	-	-	-
88023 88903 89003	明示之肉瘤 SPECIFIED SARCOMA	男 Male	1	-	-	-	-
		女 Female	3	-	-	-	-
88003	未明示之肉瘤 SARCOMA, NOS	男 Male	-	-	-	-	-
		女 Female	1	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男 Male	12	-	1	-	1
		女 Female	8	-	-	-	-
80003 86803 87203	其他惡性腫瘤 OTHER MALIGNANCY	男 Male	17	-	-	-	-
		女 Female	8	-	-	-	-
	總計 TOTAL	男 Male	1,116	-	1	1	7
		女 Female	366	-	-	1	4

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	2	7	5	13	9	6	5	3	6	2	-	2
-	-	2	-	2	1	3	2	-	1	1	-	1	-
-	1	2	3	4	2	6	1	3	3	-	1	-	-
-	-	-	-	-	-	1	-	1	1	-	1	-	-
2	12	29	53	79	78	84	57	37	39	22	13	5	2
1	4	14	21	25	27	26	28	12	13	2	5	-	-
6	12	22	36	63	66	62	48	32	21	16	16	8	1
3	5	7	15	14	25	17	14	8	7	3	3	5	-
-	-	-	-	2	1	-	-	2	-	-	-	1	-
-	1	-	1	1	-	-	-	-	-	1	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	2	3	11	10	14	9	3	9	2	1	-	-
-	-	3	3	1	3	1	1	1	-	-	1	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	2	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	1	-	1	-	2	3	-	-	-	2	1	-
-	-	1	-	-	1	-	1	1	1	-	-	1	2
-	1	-	3	-	2	3	2	1	2	1	-	2	-
-	-	-	-	1	-	1	-	1	1	3	-	1	-
9	26	58	105	167	172	180	126	83	77	47	35	17	5
4	10	27	42	45	57	49	46	24	26	11	10	8	2

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

食道
 ESOPHAGUS C15

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80523 80703	鱗狀細胞癌	男 Male	1,430	-	-	-	-
80713 80723	SQUAMOUS CELL CARCINOMA	女 Female	86	-	-	-	-
80743 80763							
81403 82113	腺癌	男 Male	67	-	-	-	-
84903	ADENOCARCINOMA	女 Female	9	-	-	-	-
85603	腺性鱗狀癌	男 Male	17	-	-	-	-
	ADENOSQUAMOUS CARCINOMA	女 Female	1	-	-	-	-
80123 80203	其他明示癌	男 Male	43	-	-	-	-
80323 80333	OTHER SPECIFIED CARCINOMA	女 Female	5	-	-	-	-
80413 80453							
80463 80823							
80833 81443							
82003 82463							
89803							
80103	未明示癌	男 Male	28	-	-	-	-
	CARCINOMA, NOS	女 Female	1	-	-	-	-
89363	明示之肉瘤	男 Male	3	-	-	-	-
	SPECIFIED SARCOMA	女 Female	-	-	-	-	-
88013	未明示之肉瘤	男 Male	1	-	-	-	-
	SARCOMA, NOS	女 Female	-	-	-	-	-
87203	惡性黑色素瘤	男 Male	2	-	-	-	-
	MALIGNANT MELANOMA	女 Female	1	-	-	-	-
80003	其他惡性腫瘤	男 Male	33	-	-	-	-
	OTHER MALIGNANCY	女 Female	6	-	-	-	-
	總計	男 Male	1,624	-	-	-	-
	TOTAL	女 Female	109	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	9	49	126	205	251	207	171	134	107	92	49	30
-	1	1	2	5	4	10	5	9	8	12	12	6	11
-	-	1	4	1	4	2	8	5	4	10	14	8	6
-	-	-	1	1	-	1	-	-	-	-	2	3	1
-	-	-	1	1	5	2	1	1	1	3	1	1	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	1	1	2	4	6	8	4	8	1	5	1	2
-	-	-	-	-	1	-	2	-	-	-	1	-	1
-	-	-	2	2	2	-	5	2	4	5	3	2	1
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	1	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	1	4	2	5	2	2	2	3	4	6	2
-	-	-	-	-	-	-	2	-	1	-	-	1	2
-	-	11	58	137	223	266	231	186	153	131	119	68	41
-	1	1	3	7	5	11	10	9	10	12	15	10	15

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

胃 STOMACH C16

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
81403 81413	腺癌	男 Male	2,137	-	-	-	-
81423 81433	ADENOCARCINOMA	女 Female	1,096	-	-	-	-
81443 81453							
82103 82113							
82553 82603							
82613 82633							
83203 84803							
84903 85003							
85603	腺性鱗狀癌	男 Male	16	-	-	-	-
	ADENOSQUAMOUS CARCINOMA	女 Female	5	-	-	-	-
80133 80703	鱗狀細胞癌	男 Male	13	-	-	-	-
80713 80823	SQUAMOUS CELL CARCINOMA	女 Female	2	-	-	-	-
80043 80203	其他明示癌	男 Male	29	-	-	-	-
80413 80833	OTHER SPECIFIED CARCINOMA	女 Female	7	-	-	-	-
82143 82303							
82403 82463							
82493 84813							
85033 85743							
85763							
80103	未明示癌	男 Male	30	-	-	-	-
	CARCINOMA, NOS	女 Female	19	-	-	-	-
88903	平滑肌肉瘤	男 Male	10	-	-	-	-
	LEIOMYOSARCOMA	女 Female	3	-	-	-	-
89363	胃腸基質肉瘤	男 Male	85	-	-	-	-
	GASTROINTESTINAL STROMAL SARCOMA	女 Female	85	-	-	-	-
89353 91203	其他明示之肉瘤	男 Male	2	-	-	-	-
	OTHER SPECIFIED SARCOMA	女 Female	-	-	-	-	-
95903-97293	惡性淋巴瘤	男 Male	96	-	-	1	-
97503-97583	MALIGNANT LYMPHOMA		(25)	(-)	(-)	(-)	(-)
97643	(INCLUDING MALT LYMPHOMA)*	女 Female	94	-	-	-	-
			(41)	(-)	(-)	(-)	(-)
80003	其他惡性腫瘤	男 Male	37	-	-	-	-
	OTHER MALIGNANCY	女 Female	28	-	-	-	-
	總計	男 Male	2,455	-	-	1	-
	TOTAL	女 Female	1,339	-	-	-	-

(INCLUDING MALT LYMPHOMA)* : () 內為 MALT LYMPHOMA, ICD-O-3 M-96993 之發生人數。

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
3	7	8	28	54	106	159	154	177	241	323	418	289	170
3	2	21	26	63	73	103	87	105	109	133	151	134	86
-	-	-	-	-	-	2	2	1	3	2	4	1	1
-	-	-	-	2	1	-	-	-	-	1	-	1	-
-	-	-	-	-	3	1	2	-	2	-	4	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-	1
-	-	1	-	1	3	1	1	-	4	3	11	4	-
-	-	-	-	-	1	1	-	2	1	1	1	-	-
-	-	-	-	3	-	1	2	-	3	9	7	4	1
-	-	-	-	1	-	2	1	2	2	1	6	3	1
-	-	1	-	1	1	2	-	2	1	1	1	-	-
-	-	-	-	-	-	1	1	-	1	-	-	-	-
-	-	-	1	2	6	12	12	10	14	11	8	6	3
-	1	-	-	3	4	9	6	13	14	15	6	8	6
-	-	-	-	-	-	1	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	5	3	7	6	9	7	6	6	13	14	10	8
(-)	(-)	(3)	(3)	(2)	(2)	(2)	(1)	(1)	(1)	(4)	(1)	(2)	(3)
-	2	2	1	6	6	8	10	18	12	8	13	4	4
(-)	(1)	(1)	(1)	(3)	(5)	(4)	(4)	(5)	(5)	(3)	(6)	(2)	(1)
-	-	-	-	-	-	2	-	3	3	4	8	5	12
-	-	-	1	2	-	-	1	-	1	2	5	7	9
3	8	15	32	68	125	190	180	200	277	366	475	320	195
3	5	23	28	77	85	124	106	140	140	162	182	157	107

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

小腸

SMALL INTESTINE C17

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
81403 82603	腺癌	男 Male	69	-	-	-	-
82633 84803	ADENOCARCINOMA	女 Female	40	-	-	-	-
84903 85603							
82403	類癌腫瘤	男 Male	4	-	-	-	-
	CARCINOID TUMOR	女 Female	1	-	-	-	-
80203 80413	其他明示癌	男 Male	5	-	-	-	-
80703 82463	OTHER SPECIFIED CARCINOMA	女 Female	2	-	-	-	-
85003							
80103	未明示癌	男 Male	7	-	-	-	-
	CARCINOMA, NOS	女 Female	1	-	-	-	-
88903 88963	平滑肌肉瘤	男 Male	2	-	-	-	-
	LEIOMYOSARCOMA	女 Female	1	-	-	-	-
88253 89363	胃腸基質肉瘤	男 Male	59	-	-	-	-
	GASTROINTESTINAL STROMAL SARCOMA	女 Female	50	-	-	-	-
88023 88053	其他明示之肉瘤	男 Male	4	-	-	-	-
88583 91203	OTHER SPECIFIED SARCOMA	女 Female	1	-	-	-	-
88003	未明示之肉瘤	男 Male	-	-	-	-	-
	SARCOMA, NOS	女 Female	2	-	-	-	-
95903-97293	惡性淋巴瘤	男 Male	25	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女 Female	14	-	-	2	-
97643							
80003	其他惡性腫瘤	男 Male	6	-	-	-	-
	OTHER MALIGNANCY	女 Female	1	-	-	-	-
	總計	男 Male	181	-	-	-	-
	TOTAL	女 Female	113	-	-	2	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	1	1	2	5	2	8	5	5	10	14	9	7
-	-	-	2	3	-	4	1	5	3	7	4	4	7
-	-	-	-	-	-	-	-	3	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	1	2	-	-	-	1	1
-	-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	1	1	-	-	1	1	1	-	2
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	1	-	-	1	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	3	6	5	7	5	4	6	10	6	5	2
1	1	-	1	5	3	4	6	6	6	7	6	2	2
-	-	-	-	-	-	-	-	-	1	-	2	1	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	1	-	-	-	-
3	-	-	-	-	1	3	2	3	3	2	2	4	2
-	-	-	1	-	-	1	1	1	3	1	2	-	2
-	-	-	-	-	-	2	-	1	-	1	-	1	1
-	-	-	-	-	-	-	-	1	-	-	-	-	-
3	-	1	4	8	12	15	17	18	17	25	25	21	15
1	1	-	4	8	6	10	8	13	13	18	12	6	11

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

結腸、直腸、乙狀結腸連結部及肛門
COLON, RECTUM, RECTOSIGMOID JUNCTION AND ANUS C18 - C21

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
81403 81413	腺癌	男 Male	5,469	-	-	-	1
81443 81453	ADENOCARCINOMA	女 Female	4,173	-	-	-	-
82103 82113							
82203 82603							
82613 82623							
82633 84703							
84803 84813							
84903							
82403 82433	類癌腫瘤	男 Male	41	-	-	-	-
82453	CARCINOID TUMOR	女 Female	36	-	-	-	-
80133 80203	其他明示癌	男 Male	36	-	-	-	-
80323 80333	OTHER SPECIFIED CARCINOMA	女 Female	47	-	-	-	-
80413 80523							
80703 80713							
80723 80833							
81233 81243							
82443 82463							
85103 85423							
85603 85743							
85763							
80103	未明示癌	男 Male	51	-	-	-	-
	CARCINOMA, NOS	女 Female	38	-	-	-	-
88903 88913	明示之肉瘤	男 Male	11	-	-	-	1
89363 91403	SPECIFIED SARCOMA	女 Female	14	-	-	-	-
88003 88013	未明示之肉瘤	男 Male	1	-	-	-	-
	SARCOMA, NOS	女 Female	1	-	-	-	-
87203 87213	惡性黑色素瘤	男 Male	6	-	-	-	-
	MALIGNANT MELANOMA	女 Female	6	-	-	-	-
95903-97293	惡性淋巴瘤	男 Male	19	-	-	1	-
97503-97583	MALIGNANT LYMPHOMA	女 Female	21	-	-	-	-
97643	(INCLUDING MALT LYMPHOMA)						
80003	其他惡性腫瘤	男 Male	159	-	-	-	-
	OTHER MALIGNANCY	女 Female	119	-	-	-	-
	總計	男 Male	5,793	-	-	1	2
	TOTAL	女 Female	4,455	-	-	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
9	36	61	100	180	287	504	514	595	746	802	846	529	259
9	36	50	100	162	294	399	470	409	520	571	530	387	236
-	-	3	4	4	5	4	4	3	8	3	3	-	-
2	3	2	2	8	7	3	1	1	1	4	1	1	-
-	1	-	1	2	-	3	4	2	3	13	3	1	3
-	1	-	1	7	1	4	6	1	4	2	9	6	5
-	-	-	-	2	2	6	5	4	6	7	6	9	4
-	-	-	2	-	5	3	6	2	1	4	3	6	6
-	-	-	-	1	-	2	-	1	4	1	-	1	-
1	-	-	-	-	-	2	1	1	1	3	1	2	2
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	2	-	1	1
-	1	-	-	1	1	-	-	-	-	1	-	1	1
-	1	-	2	-	1	1	1	1	2	-	4	4	1
-	-	1	-	1	1	-	1	3	5	2	2	3	2
-	1	2	1	3	6	10	14	12	15	26	33	25	11
-	-	-	2	2	3	11	10	5	7	18	15	21	25
9	39	66	109	192	301	530	542	618	786	854	895	570	279
12	41	53	107	181	312	422	495	422	539	606	561	427	277

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

結腸

COLON C18

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
81403 81443	腺癌	男 Male	3,063	-	-	-	1
81453 82103	ADENOCARCINOMA	女 Female	2,486	-	-	-	-
82113 82203							
82603 82613							
82623 82633							
84703 84803							
84813 84903							
82403 82433	類癌腫瘤	男 Male	7	-	-	-	-
82453	CARCINOID TUMOR	女 Female	5	-	-	-	-
80133 80203	其他明示癌	男 Male	18	-	-	-	-
80323 80413	OTHER SPECIFIED CARCINOMA	女 Female	11	-	-	-	-
80703 82443							
82463 85103							
85603 85743							
85763							
80103	未明示癌	男 Male	35	-	-	-	-
	CARCINOMA, NOS	女 Female	21	-	-	-	-
88903 88913	明示之肉瘤	男 Male	6	-	-	-	1
89363	SPECIFIED SARCOMA	女 Female	7	-	-	-	-
95903-97293	惡性淋巴瘤	男 Male	16	-	-	1	-
97503-97583	MALIGNANT LYMPHOMA	女 Female	18	-	-	-	-
97643	(INCLUDING MALT LYMPHOMA)						
80003	其他惡性腫瘤	男 Male	114	-	-	-	-
	OTHER MALIGNANCY	女 Female	88	-	-	-	-
	總計	男 Male	3,259	-	-	1	2
	TOTAL	女 Female	2,636	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
3	20	33	53	97	160	259	284	332	400	439	494	326	162
6	25	34	60	89	164	235	279	236	305	337	332	252	132
-	-	1	-	-	2	1	2	-	-	1	-	-	-
-	1	-	-	-	2	-	1	-	-	1	-	-	-
-	1	-	-	-	-	2	2	1	1	7	3	-	1
-	1	-	-	3	-	1	-	-	-	1	1	2	2
-	-	-	-	1	1	5	3	3	3	4	5	6	4
-	-	-	2	-	2	3	3	2	1	2	1	2	3
-	-	-	-	-	-	-	-	-	4	-	-	1	-
1	-	-	-	-	-	-	-	-	1	2	1	2	-
-	1	-	1	-	1	1	1	1	2	-	3	3	1
-	-	1	-	-	1	-	-	3	4	2	2	3	2
-	1	2	1	2	4	7	10	6	7	19	28	19	8
-	-	-	2	1	2	6	8	1	5	15	14	15	19
3	23	36	55	100	168	275	302	343	417	470	533	355	176
7	27	35	64	93	171	245	291	242	316	360	351	276	158

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

直腸、乙狀結腸連結部及肛門

RECTUM, RECTOSIGMOID JUNCTION AND ANUS C19 - C21

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
81403 81413	腺癌	男 Male	2,406	-	-	-	-
81443 82103	ADENOCARCINOMA	女 Female	1,687	-	-	-	-
82113 82613							
82623 82633							
84803 84813							
84903							
82403 82433	類癌腫瘤	男 Male	34	-	-	-	-
	CARCINOID TUMOR	女 Female	31	-	-	-	-
80333 80413	其他明示癌	男 Male	18	-	-	-	-
80523 80703	OTHER SPECIFIED CARCINOMA	女 Female	36	-	-	-	-
80713 80723							
80833 81233							
81243 82463							
85423 85603							
80103	未明示癌	男 Male	16	-	-	-	-
	CARCINOMA, NOS	女 Female	17	-	-	-	-
89363 91403	明示之肉瘤	男 Male	5	-	-	-	-
	SPECIFIED SARCOMA	女 Female	7	-	-	-	-
88003 88013	未明示之肉瘤	男 Male	1	-	-	-	-
	SARCOMA, NOS	女 Female	1	-	-	-	-
87203 87213	惡性黑色素瘤	男 Male	6	-	-	-	-
	MALIGNANT MELANOMA	女 Female	6	-	-	-	-
95903-97293	惡性淋巴瘤	男 Male	3	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女 Female	3	-	-	-	-
97643	(INCLUDING MALT LYMPHOMA)						
80003	其他惡性腫瘤	男 Male	45	-	-	-	-
	OTHER MALIGNANCY	女 Female	31	-	-	-	-
	總計	男 Male	2,534	-	-	-	-
	TOTAL	女 Female	1,819	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
6	16	28	47	83	127	245	230	263	346	363	352	203	97
3	11	16	40	73	130	164	191	173	215	234	198	135	104
-	-	2	4	4	3	3	2	3	8	2	3	-	-
2	2	2	2	8	5	3	-	1	1	3	1	1	-
-	-	-	1	2	-	1	2	1	2	6	-	1	2
-	-	-	1	4	1	3	6	1	4	1	8	4	3
-	-	-	-	1	1	1	2	1	3	3	1	3	-
-	-	-	-	-	3	-	3	-	-	2	2	4	3
-	-	-	-	1	-	2	-	1	-	1	-	-	-
-	-	-	-	-	-	2	1	1	-	1	-	-	2
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	2	-	1	1
-	1	-	-	1	1	-	-	-	-	1	-	1	1
-	-	-	1	-	-	-	-	-	-	-	1	1	-
-	-	-	-	1	-	-	1	-	1	-	-	-	-
-	-	-	-	1	2	3	4	6	8	7	5	6	3
-	-	-	-	1	1	5	2	4	2	3	1	6	6
6	16	30	54	92	133	255	240	275	369	384	362	215	103
5	14	18	43	88	141	177	204	180	223	246	210	151	119

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

肝及肝內膽管

LIVER AND INTRAHEPATIC BILE DUCTS C22

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
81703 81713	肝細胞癌	男 Male	6,495	-	-	5	3
81723 81733	HEPATOCELLULAR CARCINOMA	女 Female	2,464	1	-	-	3
81743							
81603 81623	膽管癌	男 Male	403	-	-	-	-
	CHOLANGIOCARCINOMA	女 Female	307	-	-	-	-
81803	合併肝細胞癌和膽管癌	男 Male	34	-	-	-	-
	COMBINED HEPATOCELLULAR CARCINOMA AND CHOLANGIOCARCINOMA	女 Female	13	-	-	-	-
81403 81613	腺癌	男 Male	66	-	-	-	-
81903 84403	ADENOCARCINOMA	女 Female	52	-	-	-	-
84703 84803							
85003							
89703	肝芽細胞瘤	男 Male	3	3	-	-	-
	HEPATOBLASTOMA	女 Female	4	3	-	-	1
80333 84533	其他明示癌	男 Male	7	-	-	-	-
85603 89803	OTHER SPECIFIED CARCINOMA	女 Female	4	-	-	-	-
80103 80203	未明示癌	男 Male	44	-	-	-	-
	CARCINOMA, NOS	女 Female	14	-	-	-	-
91203	血管肉瘤	男 Male	7	-	-	-	-
	ANGIOSARCOMA	女 Female	5	-	-	-	-
88013 88023	其他明示之肉瘤	男 Male	4	-	-	-	-
88043 89913	OTHER SPECIFIED SARCOMA	女 Female	3	-	1	-	-
91333							
88003	未明示之肉瘤	男 Male	2	-	-	-	-
	SARCOMA, NOS	女 Female	1	-	-	-	-
80003	其他惡性腫瘤	男 Male	102	-	-	-	-
	OTHER MALIGNANCY	女 Female	58	-	-	-	-
	總計	男 Male	7,167	3	-	5	3
	TOTAL	女 Female	2,925	4	1	-	4

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
8	39	99	200	349	532	868	818	717	911	829	622	339	156
4	14	13	29	60	64	161	240	307	448	473	365	188	94
-	-	-	7	19	19	30	42	43	71	66	43	41	22
-	1	-	1	7	10	26	36	45	41	49	47	30	14
-	-	-	-	1	2	8	5	5	3	4	3	2	1
-	-	-	-	-	-	-	3	2	3	3	2	-	-
-	-	-	1	2	5	6	8	12	6	9	12	1	4
-	2	-	-	1	5	6	9	1	12	6	5	4	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	2	1	-	1	1	1	1	-	-
-	-	-	-	-	-	-	1	1	1	-	1	-	-
-	-	-	-	1	4	6	5	5	8	6	7	2	-
-	-	-	-	2	-	2	-	4	-	3	1	2	-
-	-	-	-	-	1	1	-	1	1	1	2	-	-
-	-	-	-	-	-	1	-	1	1	1	1	-	-
-	-	-	-	-	-	-	1	-	-	2	1	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-	-
-	-	-	-	-	1	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	1	5	4	6	7	11	6	8	19	15	10	10
-	-	1	-	-	4	3	6	4	5	7	10	8	10
8	39	100	213	376	572	927	891	790	1,009	937	706	395	193
4	17	14	30	70	83	199	295	366	512	543	432	232	119

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

膽囊及肝外膽管

GALLBLADDER AND EXTRAHEPATIC BILE DUCTS C23 - C24

ICD-O-3	組 織 形 態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
81403 81603	腺癌	男 Male	319	-	-	-	-
81623 82103	ADENOCARCINOMA	女 Female	294	-	-	-	-
82113 82553							
82603 82613							
82633 83103							
84803 84903							
85033							
85603	腺性鱗狀癌	男 Male	4	-	-	-	-
	ADENOSQUAMOUS CARCINOMA	女 Female	5	-	-	-	-
80203 80333	其他明示癌	男 Male	7	-	-	-	-
80413 80503	OTHER SPECIFIED CARCINOMA	女 Female	5	-	-	-	-
81443 82463							
85003							
80103	未明示癌	男 Male	10	-	-	-	-
	CARCINOMA, NOS	女 Female	13	-	-	-	-
89803	明示之肉瘤	男 Male	1	-	-	-	-
	SPECIFIED SARCOMA	女 Female	-	-	-	-	-
88003	未明示之肉瘤	男 Male	1	-	-	-	-
	SARCOMA, NOS	女 Female	-	-	-	-	-
95903-97293	惡性淋巴瘤	男 Male	2	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女 Female	-	-	-	-	-
97643							
80003 80043	其他惡性腫瘤	男 Male	39	-	-	-	-
	OTHER MALIGNANCY	女 Female	42	-	-	-	-
	總計	男 Male	383	-	-	-	-
	TOTAL	女 Female	359	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	4	10	16	31	26	30	41	43	64	33	21
-	-	1	5	7	12	31	32	29	41	42	45	28	21
-	-	-	-	-	-	1	1	-	-	1	1	-	-
-	-	-	1	-	-	-	2	-	1	-	-	1	-
-	-	-	-	-	1	-	2	-	1	1	1	1	-
-	-	1	-	-	-	1	-	2	1	-	-	-	-
-	-	-	1	-	1	-	-	1	-	1	2	3	1
-	-	-	-	-	-	-	1	-	1	2	4	3	2
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	1	-	3	-	3	2	5	6	9	9
-	-	-	-	-	-	-	1	3	4	7	10	10	7
-	-	1	5	11	19	35	29	35	45	51	74	46	32
-	-	2	6	7	12	32	36	34	48	51	59	42	30

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

胰
 PANCREAS C25

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80503 81403	腺癌	男 Male	465	-	-	-	-
82113 82603	ADENOCARCINOMA	女 Female	295	-	-	-	-
84403 84533							
84703 84803							
84903 85003							
85503	腺泡細胞癌	男 Male	6	-	-	-	-
	ACINAR CELL CARCINOMA	女 Female	4	-	-	-	-
81503	胰島細胞癌	男 Male	1	-	-	-	-
	ISLET CELL CARCINOMA	女 Female	1	-	-	-	-
80133 80213	其他明示癌	男 Male	17	-	-	-	-
80353 80413	OTHER SPECIFIED CARCINOMA	女 Female	25	-	-	-	-
80703 80713							
81543 82403							
82463 84523							
85233 85603							
80103 80203	未明示癌	男 Male	77	-	-	-	-
	CARCINOMA, NOS	女 Female	46	-	-	-	-
89363	明示之肉瘤	男 Male	1	-	-	-	-
	SPECIFIED SARCOMA	女 Female	-	-	-	-	-
88003	未明示之肉瘤	男 Male	1	-	-	-	-
	SARCOMA, NOS	女 Female	-	-	-	-	-
80003	未明示之惡性腫瘤	男 Male	247	-	-	-	-
	MALIGNANT NEOPLASM, NOS	女 Female	170	-	-	-	-
95903-97293	惡性淋巴瘤	男 Male	4	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女 Female	2	-	-	-	-
97643							
	總計	男 Male	819	-	-	-	-
	TOTAL	女 Female	543	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	3	8	20	26	54	52	51	55	68	79	34	14
-	-	1	4	4	14	25	39	32	57	44	37	22	16
-	-	-	1	-	-	1	2	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	1	2	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	2	-	-	-	-	2	3	1	1	4	3	1	-
1	1	1	1	-	3	1	2	3	2	5	3	-	2
1	-	-	2	3	2	8	8	10	5	16	15	4	3
-	1	-	-	-	-	1	4	5	6	12	11	5	1
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	2	4	7	11	19	14	33	31	47	45	33
-	-	-	1	1	5	5	11	9	20	21	34	34	29
-	-	1	-	-	-	-	-	-	-	1	-	1	1
-	-	-	-	-	-	-	-	-	1	1	-	-	-
1	4	4	13	28	35	76	84	76	95	122	144	86	51
1	2	2	7	5	22	32	56	49	87	84	87	61	48

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

後腹膜腔及腹膜

RETROPERITONEUM AND PERITONEUM C48

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
88503 88513	脂肪肉瘤	男 Male	15	-	-	-	-
88523 88543	LIPOSARCOMA	女 Female	22	3	-	-	-
88553 88583 95003							
88903	平滑肌肉瘤	男 Male	4	-	-	-	-
	LEIOMYOSARCOMA	女 Female	8	-	-	-	-
88303	惡性纖維組織細胞瘤	男 Male	4	-	-	-	-
	MALIGNANT FIBROHISTIOCYTOMA	女 Female	2	-	-	-	-
86803 93643	周邊原始神經外胚層腫瘤	男 Male	4	-	-	-	1
95603	PERIPHERAL PRIMITIVE NEUROECTODERMAL TUMOR	女 Female	3	-	-	-	1
90643 90713	胚細胞瘤和惡性畸胎瘤	男 Male	13	1	1	6	1
90803 90853	GERM CELL TUMOR AND MALIGNANT TERATOMA	女 Female	7	6	-	-	-
90503	惡性間皮瘤	男 Male	4	-	-	-	-
	MALIGNANT MESOTHELIOMA	女 Female	2	-	-	-	-
88013 88023	明示之肉瘤	男 Male	8	-	-	-	-
88063 88533	SPECIFIED SARCOMA	女 Female	6	-	1	-	-
89003 89103 89633 90403 91503 95813							
88003	未明示之肉瘤	男 Male	5	-	-	-	-
	SARCOMA, NOS	女 Female	5	-	-	-	-
95903-97293	惡性淋巴瘤	男 Male	4	-	-	-	-
97503-97583 97643	MALIGNANT LYMPHOMA	女 Female	-	-	-	-	-
80003 91003	其他惡性腫瘤	男 Male	6	-	-	-	-
	OTHER MALIGNANCY	女 Female	4	-	-	-	-
	總計	男 Male	67	1	1	6	2
	TOTAL	女 Female	59	9	1	-	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	1	2	2	1	3	5	1	-	-	-
-	-	-	-	3	3	2	4	1	2	1	2	1	-
-	-	-	-	-	-	2	-	-	-	-	1	-	1
-	-	-	-	-	1	2	2	-	-	2	-	-	1
-	-	-	-	-	1	-	-	-	2	-	1	-	-
-	-	-	-	-	-	-	-	1	-	1	-	-	-
-	-	-	1	1	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	1	-
2	1	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	1	-	-	2	-	-	-	1	-	-
-	-	-	-	-	-	1	-	-	-	-	-	1	-
-	1	-	-	-	2	1	-	-	2	1	-	-	1
-	-	-	-	2	-	-	-	-	1	-	1	-	1
-	-	-	-	1	-	-	-	1	-	-	2	1	-
-	-	-	-	-	1	-	-	-	1	-	-	2	1
-	-	-	-	-	-	1	1	-	-	1	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	1	-	-	1	-	1	2	-	-
1	-	-	1	-	-	-	-	-	1	-	-	-	1
2	3	1	1	4	6	6	4	5	10	4	7	2	2
1	-	-	1	5	5	5	6	2	6	4	4	5	4

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

消化器官之其他部位及與腹膜分界不明部位

OTHER AND ILL-DEFINED SITES WITHIN DIGESTIVE ORGANS AND PERITONEUM C26

ICD-O-3	組 織 形 態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				4	9	14	19
81403 84803	腺癌 ADENOCARCINOMA	男 Male	3	-	-	-	-
		女 Female	3	-	-	-	-
80203	其他明示癌 OTHER SPECIFIED CARCINOMA	男 Male	-	-	-	-	-
		女 Female	1	1	-	-	-
80103	未明示癌 CARCINOMA, NOS	男 Male	-	-	-	-	-
		女 Female	2	-	-	-	-
89363 89503	明示之肉瘤 SPECIFIED SARCOMA	男 Male	4	-	-	-	-
		女 Female	6	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男 Male	2	-	-	-	-
		女 Female	-	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男 Male	1	-	-	-	-
		女 Female	-	-	-	-	-
總計 TOTAL		男 Male	10	-	-	-	-
		女 Female	12	1	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	-	1	-	-	1	-	1	-
-	-	-	-	-	-	-	1	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	1
-	-	-	-	-	-	-	-	1	-	1	1	1	-
-	1	1	-	-	-	-	-	3	-	-	1	-	-
-	-	-	-	-	-	1	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	1	2	1	-	2	1	2	-
-	1	1	-	-	-	-	1	3	1	-	2	1	1

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

鼻腔、副竇、中耳及內耳

NASAL CAVITIES, ACCESSORY SINUSES, MIDDLE EAR AND INNER EAR C30 - C31

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80513 80523	鱗狀細胞癌	男 Male	70	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA	女 Female	27	-	-	-	-
80723 80743							
80763 80833							
81403 82003	腺癌	男 Male	15	-	-	-	2
82903	ADENOCARCINOMA	女 Female	9	-	-	-	-
80413	小細胞癌	男 Male	1	-	-	-	-
	SMALL CELL CARCINOMA	女 Female	1	-	-	-	-
84303	小唾液腺癌	男 Male	1	-	-	-	-
	CARCINOMA OF MINOR SALIVARY GLANDS	女 Female	-	-	-	-	-
80333 80823	其他明示癌	男 Male	3	-	-	-	-
81213 82463	OTHER SPECIFIED CARCINOMA	女 Female	3	-	-	-	-
90813							
80103 80203	未明示癌	男 Male	12	-	-	-	-
	CARCINOMA, NOS	女 Female	3	-	-	-	-
87203 87713	惡性黑色素瘤	男 Male	10	-	-	-	-
	MALIGNANT MELANOMA	女 Female	3	-	-	-	-
88253 88903	明示之肉瘤	男 Male	4	1	-	-	-
89003 89103	SPECIFIED SARCOMA	女 Female	5	-	-	1	-
91803 92203							
88003	未明示之肉瘤	男 Male	3	-	-	-	-
	SARCOMA, NOS	女 Female	1	-	-	-	-
95903-97293	惡性淋巴瘤	男 Male	45	-	-	-	1
97503-97583	MALIGNANT LYMPHOMA	女 Female	18	-	-	-	-
97643							
97313	漿細胞瘤	男 Male	5	-	-	-	-
	PLASMACYTOMA, NOS	女 Female	2	-	-	-	-
80003 80043	其他惡性腫瘤	男 Male	4	-	-	-	-
93643 95213	OTHER MALIGNANCY	女 Female	4	-	-	1	-
97513							
	總計	男 Male	173	1	-	-	3
	TOTAL	女 Female	76	-	-	2	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	-	2	7	4	8	7	7	4	7	9	5	8	1
-	1	1	3	3	2	1	2	2	1	3	4	2	2
-	-	-	-	2	3	2	1	2	-	1	2	-	-
1	-	-	-	1	1	2	2	1	-	-	-	1	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	1	-	-	1	-	-
-	-	-	-	-	-	-	-	2	1	-	-	-	-
-	-	-	1	2	2	2	1	1	1	-	1	1	-
1	-	-	-	1	-	-	1	-	-	-	-	-	-
-	-	-	-	-	2	1	-	-	2	3	-	2	-
-	-	-	-	-	-	-	-	1	1	-	1	-	-
-	-	-	-	-	-	1	2	-	-	-	-	-	-
1	-	1	-	-	1	-	-	1	-	-	-	-	-
-	-	-	-	-	1	1	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
1	1	-	2	6	4	5	3	4	4	6	4	3	1
-	-	1	1	4	2	2	-	-	-	3	3	1	1
-	-	-	-	-	1	1	2	-	1	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	1	-	-
-	-	1	-	1	-	1	-	-	1	-	-	-	-
-	-	-	-	2	-	-	-	1	-	-	-	-	-
2	2	3	10	15	21	22	16	12	18	19	13	14	2
3	1	3	4	12	6	6	5	8	3	6	9	5	3

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

喉
 LARYNX C32

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80513 80523	鱗狀細胞癌	男 Male	487	-	-	-	-
80703 80713	SQUAMOUS CELL CARCINOMA	女 Female	29	-	-	-	-
80723 80763							
80413	小細胞癌	男 Male	1	-	-	-	-
	SMALL CELL CARCINOMA	女 Female	-	-	-	-	-
80463 80743	其他明示癌	男 Male	7	-	-	-	-
80823 80833	OTHER SPECIFIED CARCINOMA	女 Female	-	-	-	-	-
81403 84303							
80103	未明示癌	男 Male	6	-	-	-	-
	CARCINOMA, NOS	女 Female	1	-	-	-	-
88903	明示之肉瘤	男 Male	1	-	-	-	-
	SPECIFIED SARCOMA	女 Female	-	-	-	-	-
88003	未明示之肉瘤	男 Male	1	-	-	-	-
	SARCOMA, NOS	女 Female	-	-	-	-	-
97313	漿細胞瘤	男 Male	1	-	-	-	-
	PLASMACYTOMA	女 Female	-	-	-	-	-
95903-97293	惡性淋巴瘤	男 Male	1	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女 Female	2	-	-	-	-
97643							
80003 80043	其他惡性腫瘤	男 Male	23	-	-	-	-
	OTHER MALIGNANCY	女 Female	3	-	-	-	-
	總計	男 Male	528	-	-	-	-
	TOTAL	女 Female	35	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	2	5	16	41	66	62	63	63	61	62	35	11
-	-	-	1	-	2	6	7	5	-	5	2	1	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	2	-	1	2	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	1	-	1	-	-	2	-	-	1
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	-	-	-	1	-
-	-	-	1	1	4	4	7	1	2	2	-	1	-
-	-	-	-	-	1	-	-	-	-	-	-	-	2
-	-	2	7	17	47	72	72	65	68	65	65	36	12
-	-	-	1	1	3	6	7	6	-	5	2	2	2

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

肺、支氣管及氣管

TRACHEA, BRONCHUS AND LUNG C33 - C34

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80523 80703	鱗狀細胞癌	男 Male	1,545	-	-	-	-
80713 80723	SQUAMOUS CELL CARCINOMA	女 Female	265	-	-	-	-
80733 80743							
80823 80833							
80843							
81403 82113	腺癌	男 Male	2,213	-	-	-	-
82503 82513	ADENOCARCINOMA	女 Female	2,076	-	-	-	-
82553 82603							
83103 83233							
84803 84903							
85603	腺性鱗狀癌	男 Male	62	-	-	-	-
	ADENOSQUAMOUS CARCINOMA	女 Female	31	-	-	-	-
80123 80203	大細胞癌	男 Male	47	-	-	-	-
80213	LARGE CELL CARCINOMA	女 Female	12	-	-	-	-
80413 80423	小細胞癌	男 Male	717	-	-	-	-
80443 80453	SMALL CELL CARCINOMA	女 Female	88	-	-	-	-
80133 82403	神經內分泌癌	男 Male	38	-	-	-	-
82443 82463	NEUROENDOCRINE CARCINOMA	女 Female	14	-	-	-	-
82493 90403							
80223 82003	氣管腺體癌	男 Male	21	-	-	-	1
84303 85503	BRONCHIAL GLAND CARCINOMA	女 Female	11	-	-	-	-
82523 82533	細支氣管肺泡癌	男 Male	3	-	-	-	-
82543	BRONCHIOLO-ALVEOLAR CARCINOMA	女 Female	16	-	-	-	-
80323 80333	其他明示癌	男 Male	465	-	-	-	-
80463 80503	OTHER SPECIFIED CARCINOMA	女 Female	192	-	-	-	-
83333 85743							
88063							
80103	未明示癌	男 Male	208	-	-	-	-
	CARCINOMA, NOS	女 Female	76	-	-	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	2	6	24	36	61	103	140	233	275	363	197	105
-	-	3	3	13	15	25	27	21	40	37	41	21	19
1	3	18	27	70	118	198	210	191	268	344	392	257	116
-	4	20	36	85	154	219	213	213	288	294	275	168	107
-	-	-	1	3	1	4	7	8	9	9	11	6	3
-	-	-	2	2	1	1	6	1	6	6	1	5	-
-	-	-	-	1	2	3	5	1	6	10	8	9	2
-	-	-	-	1	2	1	-	1	1	1	2	3	-
-	-	1	2	12	23	38	69	69	112	138	146	77	30
-	-	-	1	1	4	3	9	10	9	13	17	19	2
-	2	-	-	3	-	2	4	1	6	5	3	11	1
1	1	-	1	-	1	2	1	1	2	3	1	-	-
1	1	1	-	1	2	-	-	2	4	2	4	2	-
-	-	-	2	1	-	1	2	3	-	1	1	-	-
-	-	-	-	1	-	-	-	1	-	1	-	-	-
-	-	-	-	1	2	-	-	5	4	1	3	-	-
-	1	-	5	11	16	23	20	44	54	82	98	71	40
-	-	1	2	7	9	17	11	10	28	30	36	20	21
-	-	-	2	1	5	13	12	18	29	29	43	32	24
-	-	1	-	3	2	6	5	5	10	11	9	13	11

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

肺、支氣管及氣管

TRACHEA, BRONCHUS AND LUNG C33 - C34 (續)

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
88013 88023	明示之肉瘤	男 Male	11	-	-	-	-
88153 88303	SPECIFIED SARCOMA	女 Female	4	-	-	-	-
88903 89803							
91203 91403							
88003	未明示之肉瘤	男 Male	5	-	-	-	-
	SARCOMA, NOS	女 Female	1	-	-	-	-
87203	惡性黑色素瘤	男 Male	2	-	-	-	-
	MALIGNANT MELANOMA	女 Female	-	-	-	-	-
95903-97293	惡性淋巴瘤	男 Male	15	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女 Female	7	-	-	-	-
97643							
80003 80043	其他惡性腫瘤	男 Male	404	-	-	-	-
87113 88113	OTHER MALIGNANCY	女 Female	199	-	-	-	-
91333							
	總計	男 Male	5,756	-	-	-	1
	TOTAL	女 Female	2,992	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	3	1	1	2	2	2	-	-	-	-
-	1	-	-	-	-	-	-	-	-	2	-	1	-
-	-	-	-	-	-	2	-	1	1	-	1	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	2	1	1	2	-	4	2	1	-	1
-	2	-	-	-	-	1	-	-	-	-	2	-	2
-	-	1	3	5	7	7	14	16	36	59	102	83	71
-	-	-	-	2	1	9	5	6	17	36	36	42	45
2	7	24	46	137	212	354	448	494	765	956	1,172	745	393
1	8	25	47	116	191	286	279	276	405	435	424	292	207

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

胸膜

PLEURA C38.4

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
90503 90513	惡性間皮瘤	男 Male	30	-	-	-	-
90523 90533	MALIGNANT MESOTHELIOMA	女 Female	14	-	-	-	-
95903-97293	惡性淋巴瘤	男 Male	1	-	-	-	-
97503-97583 97643	MALIGNANT LYMPHOMA	女 Female	-	-	-	-	-
80003 80013	其他惡性腫瘤	男 Male	6	-	-	-	-
80043 88003 88023 91333	OTHER MALIGNANCY	女 Female	1	-	-	-	-
	總計	男 Male	37	-	-	-	-
	TOTAL	女 Female	15	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	-	-	1	-	3	4	2	3	4	5	5	2	-
-	-	1	-	2	-	1	-	1	4	1	1	3	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	1	1	-	-	1	-	1	1	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
1	1	-	1	1	4	5	2	3	5	5	6	3	-
-	-	1	-	3	-	1	-	1	4	1	1	3	-

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

胸腺、心臟及縱膈

THYMUS, HEART AND MEDIASTINUM C37 - C38.3, C38.8

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80703 80713	惡性胸腺瘤及胸腺癌	男 Male	67	-	-	-	3
80723 85803	MALIGNANT THYMOMA AND THYMIC CARCINOMA	女 Female	72	-	-	1	-
85813 85823							
85833 85843							
85853 85863							
90613 90643	胚細胞瘤和惡性畸胎瘤	男 Male	24	-	-	1	3
90653 90703	GERM CELL TUMOR AND MALIGNANT TERATOMA	女 Female	1	-	-	-	-
90713 90803							
90853 91003							
80203 80413	其他明示癌	男 Male	15	-	-	-	-
80463 80823	OTHER SPECIFIED CARCINOMA	女 Female	7	-	-	-	-
81403 82403							
82463 82493							
90813							
80103	未明示癌	男 Male	6	-	-	-	-
	CARCINOMA, NOS	女 Female	1	-	-	-	-
80133 94903	惡性神經原腫瘤	男 Male	4	2	1	-	-
95003	NEUROGENIC MALIGNANCIES	女 Female	2	1	-	-	-
88013 88403	明示之肉瘤	男 Male	8	-	-	-	-
88503 88513	SPECIFIED SARCOMA	女 Female	6	-	1	-	-
88903 89003							
89363 91203							
91503 93643							
97573							
88003	未明示之肉瘤	男 Male	1	-	-	-	-
	SARCOMA, NOS	女 Female	-	-	-	-	-
95903-97293	惡性淋巴瘤	男 Male	24	-	1	4	2
97503-97583	MALIGNANT LYMPHOMA	女 Female	17	1	-	2	1
97643							
80003 80043	其他惡性腫瘤	男 Male	3	-	-	-	-
93703	OTHER MALIGNANCY	女 Female	5	1	-	-	-
	總計	男 Male	152	2	2	5	8
	TOTAL	女 Female	111	3	1	3	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
2	1	3	3	6	8	8	8	10	5	3	6	1	-
-	-	4	9	5	6	8	12	4	8	8	3	3	1
8	2	5	-	-	1	-	1	-	-	1	2	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	2	2	1	-	2	-	3	-	-	1	2	2	-
-	-	-	-	2	-	4	-	-	-	-	1	-	-
-	-	-	1	-	1	-	-	1	2	-	-	1	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	1	1	-	1	1	1	1	-	1	1	-	-	-
-	1	1	-	2	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	4	-	2	-	1	-	-	-	1	2	3	-	-
5	1	2	2	-	1	1	1	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	1	1
-	1	1	-	-	-	-	1	-	1	-	-	-	-
14	11	11	7	7	15	9	14	11	9	8	13	5	1
5	3	8	12	10	7	14	14	4	9	9	4	3	1

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

白血病

LEUKEMIA ICD-O-3 M-98003 - M-99643, M-99803 - M-99893

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
98403 98613	急性骨髓樣白血病	男 Male	333	6	6	4	6
98663 98673	ACUTE MYELOID LEUKEMIA	女 Female	231	5	4	4	7
98713 98723							
98733 98743							
98953 98963							
98633 98753	慢性骨髓樣白血病	男 Male	120	1	1	1	6
99453 99463	CHRONIC MYELOID LEUKEMIA	女 Female	81	-	-	1	2
99633							
98913	急性單核球白血病	男 Male	16	2	-	-	1
	ACUTE MONOCYTIC LEUKEMIA	女 Female	16	-	-	-	3
98353 98363	急性淋巴芽細胞白血病	男 Male	125	29	25	14	13
98373	ACUTE LYMPHOBLASTIC LEUKEMIA	女 Female	98	19	12	14	8
98233	慢性淋巴球白血病	男 Male	59	-	-	-	-
	CHRONIC LYMPHOCYTIC LEUKEMIA	女 Female	33	-	-	-	-
98603 99853	未明示之骨髓樣白血病	男 Male	4	-	-	-	-
	MYELOID LEUKEMIA, NOS	女 Female	2	-	-	-	-
98203	未明示之淋巴樣白血病	男 Male	1	-	-	1	-
	LYMPHOID LEUKEMIA, NOS	女 Female	1	-	-	-	-
98013 98053	其他類型白血病	男 Male	206	6	1	1	4
98263 98273	OTHER TYPES OF LEUKEMIA	女 Female	133	-	-	2	2
98323 98343							
99103 99303							
99313 99403							
99483 99503							
99603 99613							
99623 99643							
99803 99833							
99843 99863							
99873 99893							
98003	未明示之白血病	男 Male	5	-	-	-	-
	LEUKEMIA, NOS	女 Female	7	1	-	-	1
	總計	男 Male	869	44	33	21	30
	TOTAL	女 Female	602	25	16	21	23

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
9 3	9 7	12 15	20 14	18 21	29 29	23 11	23 11	18 16	30 25	28 22	43 15	30 17	19 5
4 8	6 3	9 4	7 6	15 2	9 10	11 6	7 12	8 6	6 6	7 5	14 2	7 4	1 4
- -	- -	- -	2 1	1 -	1 2	2 1	- -	- 1	1 2	- 3	2 3	3 -	1 -
9 7	5 5	3 5	1 4	1 6	2 1	7 3	2 4	3 5	2 2	4 2	1 -	3 1	1 -
- -	1 1	- -	- 1	2 1	1 1	1 1	6 4	8 2	8 4	7 4	11 6	11 5	3 3
- -	- -	- 1	- -	1 -	- -	- -	- 1	- -	- -	1 -	2 -	- -	- -
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -
1 3	3 3	5 3	4 4	6 5	15 10	17 17	15 8	8 8	19 15	29 14	35 14	19 14	18 11
- -	- -	- -	- 1	- -	- -	- -	- 1	1 -	- 1	1 -	1 1	2 -	- 1
23 21	24 19	29 28	34 31	44 35	57 53	61 39	53 41	46 38	66 55	77 50	109 42	75 41	43 24

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

造血系統及網狀內皮系統（白血病除外）

HEMATOPOIETIC AND RETICULOENDOTHELIAL SYSTEMS (excludes LEUKEMIA) C42

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				4	9	14	19
97313 97323	多發性骨髓瘤 MULTIPLE MYELOMA	男 Male	226	-	-	-	-
97333		女 Female	151	-	-	-	-
95903 95913	非何杰金氏淋巴瘤 NON-HODGKIN LYMPHOMA	男 Male	70	2	-	1	-
96703 96713		女 Female	33	1	1	-	-
96733 96753							
96803 96843							
96873 96893							
96903 96953							
96993 97023							
97193 97273							
97503 97543							
80003 91403	其他惡性腫瘤 OTHER MALIGNANCY	男 Male	17	-	-	-	-
97613		女 Female	5	-	1	-	-
	總計 TOTAL	男 Male	313	2	-	1	-
		女 Female	189	1	2	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	1	2	7	15	27	19	27	33	24	43	16	12
-	-	1	-	4	10	15	12	18	32	19	18	9	13
-	3	2	4	3	5	6	6	8	6	8	8	4	4
-	3	-	-	-	2	2	4	5	5	3	3	3	1
-	-	-	-	-	-	2	2	-	5	1	5	2	-
-	-	-	-	-	-	-	-	-	-	1	2	-	1
-	3	3	6	10	20	35	27	35	44	33	56	22	16
-	3	1	-	4	12	17	16	23	37	23	23	12	15

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

骨、關節及關節軟骨

BONES, JOINTS AND ARTICULAR CARTILAGE C40 - C41

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
91803 91813	骨肉瘤	男 Male	30	-	2	6	6
91833 91863	OSTEOSARCOMA	女 Female	34	-	-	6	8
91923							
92203 92403	軟骨肉瘤	男 Male	14	-	-	1	2
	CHONDROSARCOMA	女 Female	12	-	-	1	-
92503	惡性骨巨大細胞瘤	男 Male	4	-	-	-	-
	MALIGNANT GIANT CELL TUMOR	女 Female	2	-	-	-	-
92603	Ewing 氏肉瘤	男 Male	3	-	-	-	3
	EWING SARCOMA	女 Female	2	-	1	1	-
93703	脊索瘤	男 Male	9	-	1	-	-
	CHORDOMA	女 Female	5	-	-	-	-
92703	惡性成釉細胞瘤	男 Male	-	-	-	-	-
	MALIGNANT AMELOBLASTOMA	女 Female	1	-	-	-	-
88013 88103	其他明示之肉瘤	男 Male	13	2	-	-	1
88143 88303	OTHER SPECIFIED SARCOMA	女 Female	12	1	-	2	-
88903 89003							
90403 91203							
91303 92303							
93643 93713							
95403 97503							
97513							
80043 88003	未明示之肉瘤	男 Male	1	-	-	-	-
	SARCOMA, NOS	女 Female	3	-	-	-	-
80003	其他惡性腫瘤	男 Male	3	1	-	-	-
	OTHER MALIGNANCY	女 Female	1	-	-	-	-
	總計	男 Male	77	3	3	7	12
	TOTAL	女 Female	72	1	1	10	8

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
4 1	3 1	2 1	2 2	- 2	1 1	2 4	1 1	- 1	1 1	- 4	- -	- -	- 1
- 1	- 1	3 -	1 1	1 -	- 1	1 3	3 -	1 1	- 1	- 2	- -	- -	1 -
- -	2 -	- -	2 -	- 2	- -	- -	- -	- -	- -	- -	- -	- -	- -
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
- -	1 -	2 -	1 1	- 1	1 -	- 1	- -	1 -	- -	1 2	1 -	- -	- -
- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
- -	1 -	- -	2 1	2 1	1 2	2 1	1 1	- 1	- -	- 1	- -	1 -	- 1
- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- 1	1 1	- -	- -
- -	- -	1 -	- -	- -	- -	- -	- -	- -	- 1	- -	1 -	- -	- -
4 2	7 2	8 2	8 5	3 6	3 4	5 9	5 2	2 4	1 3	1 10	3 1	1 -	1 2

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

結締組織、軟組織及其他皮下組織

CONNECTIVE, SUBCUTANEOUS AND OTHER SOFT TISSUES C47, C49

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
88103 88113	惡性纖維組織細胞瘤和纖維肉瘤	男 Male	38	-	-	-	-
88303 88323	MALIGNANT FIBROHISTIOCYTOMA AND FIBROSARCOMA	女 Female	28	-	-	-	1
88503 88513	脂肪肉瘤	男 Male	49	1	-	-	-
88523 88543	脂肪肉瘤	女 Female	26	-	-	-	-
88553 88583	脂肪肉瘤						
88903 88963	平滑肌肉瘤	男 Male	17	-	-	-	-
	平滑肌肉瘤	女 Female	14	-	-	-	-
89003 89013	橫紋肌肉瘤	男 Male	17	4	2	2	1
89103 89203	橫紋肌肉瘤	女 Female	6	1	1	1	1
95813	橫紋肌肉瘤						
91203 91303	血管肉瘤	男 Male	29	-	-	-	-
91403 91503	血管肉瘤	女 Female	9	-	-	-	-
90403 90413	滑膜肉瘤	男 Male	8	-	-	-	-
90423 90433	滑膜肉瘤	女 Female	12	-	-	1	1
95403	惡性神經鞘瘤 (包含惡性 Schwann 氏細胞瘤)	男 Male	16	-	-	-	1
	惡性神經鞘瘤 (包含惡性 Schwann 氏細胞瘤)	女 Female	14	-	-	1	1
93643 94733	周邊原始神經外胚層腫瘤	男 Male	3	-	-	-	2
95003	周邊原始神經外胚層腫瘤	女 Female	5	2	-	-	-
80043 88013	其他明示之肉瘤	男 Male	31	1	-	-	-
88023 88043	其他明示之肉瘤	女 Female	28	-	-	-	2
88403 89633	其他明示之肉瘤						
90443 91803	其他明示之肉瘤						
91823 92203	其他明示之肉瘤						
92313 92513	其他明示之肉瘤						
92523	其他明示之肉瘤						

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	1	1	1	2	4	4	4	8	1	4	3	3	1
-	1	3	3	-	4	3	2	2	5	1	2	-	1
-	-	1	4	6	3	4	5	1	7	4	9	4	-
1	-	3	3	4	5	2	1	2	1	1	1	2	-
2	1	1	-	2	1	3	1	-	1	2	1	-	2
1	-	-	-	5	-	2	3	1	-	1	-	1	-
2	-	1	-	2	-	-	-	1	-	-	1	-	1
1	-	-	-	-	-	1	-	-	-	-	-	-	-
-	1	2	2	-	1	3	1	1	2	4	5	4	3
-	-	1	1	1	-	-	1	-	-	3	1	1	-
1	1	-	1	2	-	1	-	-	1	1	-	-	-
1	1	1	1	-	-	3	1	-	1	1	-	-	-
1	2	-	2	-	1	-	3	1	1	3	-	1	-
1	1	1	-	2	1	-	2	-	3	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
1	1	-	-	-	-	1	-	-	-	-	-	-	-
1	1	1	1	1	2	5	3	4	3	-	3	4	1
1	-	2	3	1	2	2	5	2	4	1	1	2	-

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

結締組織、軟組織及其他皮下組織

CONNECTIVE, SUBCUTANEOUS AND OTHER SOFT TISSUES C47, C49 (續)

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
88003	未明示之肉瘤 SARCOMA, NOS	男 Male	23	-	-	-	-
		女 Female	15	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男 Male	27	-	-	1	-
		女 Female	14	-	-	-	-
97343	漿細胞瘤 PLASMACYTOMA	男 Male	1	-	-	-	-
		女 Female	-	-	-	-	-
80003 88063	其他惡性腫瘤 OTHER MALIGNANCY	男 Male	4	-	-	-	2
		女 Female	3	-	-	-	-
	總計 TOTAL	男 Male	263	6	2	3	6
		女 Female	174	3	1	3	6

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	-	1	4	1	3	3	3	-	3	2	2	-
-	2	-	1	-	2	2	1	2	1	3	1	-	-
1	-	1	2	2	3	2	2	-	1	4	4	1	3
-	-	-	3	1	3	-	2	1	2	1	-	-	1
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	1	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	1	1	-	-	-
10	8	8	14	21	16	27	22	19	18	25	28	19	11
7	7	11	15	14	17	16	18	10	18	13	7	6	2

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

皮膚

SKIN C44

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80903 80913	基底細胞癌	男 Male	567	-	-	-	1
80923 80943	BASAL CELL CARCINOMA	女 Female	584	-	-	-	-
80973 82003							
80513 80703	鱗狀細胞癌	男 Male	395	-	-	1	1
80713 80723	SQUAMOUS CELL CARCINOMA	女 Female	283	-	-	1	1
80743 80763							
80823 80933							
80813	Bowen 氏病	男 Male	-	-	-	-	-
	BOWEN DISEASE	女 Female	1	-	-	-	-
81023 81103	皮膚附件癌	男 Male	67	-	-	1	-
81403 84003	CARCINOMA OF SKIN APPENDAGES	女 Female	42	-	-	-	1
84013 84023							
84033 84063							
84073 84093							
84103 84803							
85423 89403							
87203 87213	惡性黑色素瘤	男 Male	98	1	-	1	-
87303 87423	MALIGNANT MELANOMA	女 Female	77	-	-	-	-
87433 87443							
87713							
80113 80323	其他明示癌	男 Male	13	-	-	-	-
80333 80413	OTHER SPECIFIED CARCINOMA	女 Female	10	-	-	-	-
80523 80833							
80953 81473							
82463 82473							
84303							
80103 80213	未明示癌	男 Male	6	-	-	-	-
	CARCINOMA, NOS	女 Female	8	-	-	-	-
88013 88023	明示之肉瘤	男 Male	113	1	-	-	2
88043 88113	SPECIFIED SARCOMA	女 Female	84	-	-	1	3
88303 88323							
88333 88513							
88543 88903							
89633 90413							
91203 91403							

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
2	3	2	12	9	25	35	59	56	71	87	103	69	33
-	3	4	9	20	37	39	38	60	69	86	86	75	58
4	2	2	4	5	19	18	24	23	42	68	77	62	43
1	3	1	2	4	5	4	11	8	20	36	56	58	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	1	-	2	6	5	6	11	3	7	8	7	5	5
-	-	2	4	2	2	-	2	7	2	3	7	8	2
3	1	1	4	5	5	10	8	5	11	9	16	13	5
3	2	2	6	5	1	5	6	7	17	6	7	8	2
-	-	-	-	1	-	2	-	-	1	1	4	3	1
-	-	-	1	-	-	2	1	-	1	1	-	2	2
-	-	-	-	-	-	-	-	-	-	2	1	3	-
-	-	-	-	-	-	-	-	1	1	-	3	-	3
9	3	15	9	10	10	9	8	8	8	8	4	7	2
7	14	8	7	6	8	4	2	1	4	4	6	5	4

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

皮膚
 SKIN C44 (續)

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
88053	未明示之肉瘤 SARCOMA, NOS	男 Male	-	-	-	-	-
		女 Female	1	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男 Male	63	-	-	-	1
		女 Female	32	2	-	1	1
80003 81033 93643 97413 97563	其他惡性腫瘤 OTHER MALIGNANCY	男 Male	6	-	-	-	-
		女 Female	7	1	-	-	-
	總計 TOTAL	男 Male	1,328	2	-	3	5
		女 Female	1,129	3	-	3	6

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
4	5	2	3	3	4	6	8	3	7	4	8	4	1
2	1	1	4	-	2	1	1	-	1	4	4	4	3
-	-	-	-	1	-	1	-	-	-	3	-	-	1
1	-	-	-	-	1	-	-	2	-	1	-	-	1
22	15	22	34	40	68	87	118	98	147	190	220	166	91
14	23	18	33	38	56	55	61	86	115	142	169	160	147

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

女性乳房

FEMALE BREAST C50

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80223 80713	浸潤性管道癌	女 Female	6,109	-	-	-	-
81403 82113	INFILTRATING DUCTAL CARCINOMA						
84013 85003							
85013 85033							
85043 85213							
85223 85233							
85413 85433							
85753							
84703 84803	黏液性腺癌	女 Female	161	-	-	-	-
84813	MUCINOUS ADENOCARCINOMA						
85103 85133	髓質癌	女 Female	72	-	-	-	-
	MEDULLARY CARCINOMA						
85203	浸潤性小葉癌	女 Female	234	-	-	-	-
	INFILTRATING LOBULAR CARCINOMA						
90203	惡性葉狀腫瘤	女 Female	49	-	-	-	-
	MALIGNANT PHYLLODES TUMOR						
85403	乳房 Paget 氏病	女 Female	10	-	-	-	-
	PAGET DISEASE, MAMMARY						
80133 80333	其他明示癌	女 Female	108	-	-	-	-
80353 80413	OTHER SPECIFIED CARCINOMA						
80503 80703							
80823 82003							
82013 82303							
82463 83153							
84903 85023							
85073 85243							
85303 85623							
85743							
80103	未明示癌	女 Female	66	-	-	-	-
	CARCINOMA, NOS						
80043 88013	明示之肉瘤	女 Female	8	-	-	-	-
88903 89803	SPECIFIED SARCOMA						
89823 91203							
91303							

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
14	77	206	504	882	1,170	1,038	780	495	402	275	140	90	36

- 7 10 19 21 32 22 9 8 8 11 6 6 2

- 3 6 9 7 15 11 11 4 2 3 1 - -

- 1 3 14 37 43 48 26 17 21 3 12 4 5

1 2 1 4 8 13 7 6 3 3 1 - - -

- - 1 1 1 - 1 - 4 2 - - - -

- 2 4 8 11 14 18 12 8 10 9 6 4 2

- - - 2 7 9 13 5 7 6 2 9 1 5

- - - 2 1 1 2 - 1 1 - - - -

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

女性乳房

FEMALE BREAST C50 (續)

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
88003 89353	未明示之肉瘤 SARCOMA, NOS	女 Female	3	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	女 Female	18	-	-	-	-
80003 80013	其他惡性腫瘤 OTHER MALIGNANCY	女 Female	57	-	-	-	-
	總計 TOTAL	女 Female	6,895	-	-	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	-	-	-	1	-	1	-	-	-	-	1	-
-	2	-	3	1	5	2	3	-	2	-	-	-	-
1	-	-	2	3	8	9	8	6	6	6	1	4	3
16	94	231	568	979	1,311	1,171	861	553	463	310	175	110	53

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

男性乳房
 MALE BREAST C50

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
85003 85223 85233	浸潤性管道癌 INFILTRATING DUCTAL CARCINOMA	男 Male	31	-	-	-	-
84803	黏液性腺癌 MUCINOUS ADENOCARCINOMA	男 Male	1	-	-	-	-
85103	髓質癌 MEDULLARY CARCINOMA	男 Male	1	-	-	-	-
85203	浸潤性小葉癌 INFILTRATING LOBULAR CARCINOMA	男 Male	1	-	-	-	-
80503 80703 82113 82463 85033 85043 89823	其他明示癌 OTHER SPECIFIED CARCINOMA	男 Male	10	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男 Male	1	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男 Male	1	-	-	-	-
	總計 TOTAL	男 Male	46	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	3	1	1	1	3	3	4	2	7	4	2
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	2	-	-	1	2	1	-	-	3	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	2	3	1	3	4	5	3	5	5	7	6	2

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

子宮，未明示部位
 UTERUS, NOS C55

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
81403	腺癌 ADENOCARCINOMA	女 Female	1	-	-	-	-
88903	平滑肌肉瘤 LEIOMYOSARCOMA	女 Female	1	-	-	-	-
89353	其他明示之肉瘤 OTHER SPECIFIED SARCOMA	女 Female	1	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	女 Female	1	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	女 Female	1	-	-	-	-
	總計 TOTAL	女 Female	5	-	-	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	3	-	-	-	-	-	1	-	-	1

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

子宮頸
 CERVIX UTERI C53

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80503 80523 80703 80713 80723 80733 80743 80753 80763 80773 80823	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	女 Female	1,389	-	-	-	-
85603	腺性鱗狀癌 ADENOSQUAMOUS CARCINOMA	女 Female	74	-	-	-	-
81403 82553 82603 82633 83233 83803 83843 84803 84823 85703	腺癌 ADENOCARCINOMA	女 Female	247	-	-	-	-
80843 83103	明亮細胞癌 CLEAR CELL CARCINOMA	女 Female	10	-	-	-	-
80133 80203 80213 80413 80453 80463 80833 80983 82463 82493 84603	其他明示癌 OTHER SPECIFIED CARCINOMA	女 Female	44	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	女 Female	28	-	-	-	-
87203	惡性黑色素瘤 MALIGNANT MELANOMA	女 Female	1	-	-	-	-
88003 88053	未明示之肉瘤 SARCOMA, NOS	女 Female	2	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	女 Female	2	-	-	-	-
80003 89603	其他惡性腫瘤 OTHER MALIGNANCY	女 Female	31	-	-	-	-
	總計 TOTAL	女	1,828	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	9	45	85	148	182	189	146	113	130	111	97	78	55
-	1	3	8	12	18	12	6	4	2	3	4	1	-
-	2	11	29	41	42	48	22	14	11	12	6	7	2
1	-	1	-	1	1	3	1	1	1	-	-	-	-
-	-	-	5	4	9	8	4	5	4	-	2	3	-
-	-	2	5	-	4	4	2	1	3	3	3	-	1
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	1	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	1	-	-
-	-	-	-	2	4	2	2	1	4	5	5	5	1
2	12	63	132	209	261	266	184	139	155	134	118	94	59

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

		子宮體 CORPUS UTERI C54						
ICD-O-3		組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0 4	5 9	10 14	15 19
80503	81403	腺癌	女 Female	878	-	-	-	-
82603	83803	ADENOCARCINOMA						
85603	85703	腺性鱗狀癌	女 Female	14	-	-	-	-
		ADENOSQUAMOUS CARCINOMA						
91003	91053	絨毛膜癌	女 Female	4	-	-	-	-
		CHORIOCARCINOMA						
80203	80413	其他明示癌	女 Female	79	-	-	-	-
80703	80723	OTHER SPECIFIED CARCINOMA						
80823	82553							
83103	83233							
84413	84603							
84803								
80103		未明示癌	女 Female	6	-	-	-	-
		CARCINOMA, NOS						
88903	88963	平滑肌肉瘤	女 Female	51	-	-	-	-
		LEIOMYOSARCOMA						
89303	89313	子宮內膜基質肉瘤	女 Female	52	-	-	-	-
		ENDOMETRIAL STROMAL SARCOMA						
83813	89333	惡性 Muller 氏管混合性腫瘤	女 Female	59	-	-	-	-
89503	89513	MALIGNANT MULLERIAN MIXED TUMOR						
89803	89903							
89003	89633	其他明示之肉瘤	女 Female	2	-	-	-	-
		OTHER SPECIFIED SARCOMA						
88003		未明示之肉瘤	女 Female	6	-	-	-	-
		SARCOMA, NOS						
95903-97293		惡性淋巴瘤	女 Female	3	-	-	-	-
97503-97583		MALIGNANT LYMPHOMA						
97643								
80003		其他惡性腫瘤	女 Female	5	-	-	-	-
		OTHER MALIGNANCY						
		總計	女 Female	1,159	-	-	-	-
		TOTAL						

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	5	23	47	82	136	210	166	92	64	21	20	8	3
-	-	-	1	-	1	1	4	2	2	1	1	-	1
-	1	-	1	-	-	2	-	-	-	-	-	-	-
-	-	-	-	3	7	10	19	10	11	10	3	6	-
-	-	-	1	1	1	2	-	1	-	-	-	-	-
1	1	1	4	11	13	7	5	2	2	2	2	-	-
1	-	1	4	12	15	8	4	2	4	-	1	-	-
-	-	2	1	6	8	7	9	6	8	7	3	-	2
-	-	-	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	3	-	-	1	1	1	-	-	-	-
-	-	-	-	-	1	-	1	-	-	-	-	1	-
-	-	-	1	-	1	-	1	1	-	-	-	1	-
3	7	27	61	119	183	247	210	117	92	41	30	16	6

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

卵巢、輸卵管及寬韌帶

OVARY, FALLOPIAN TUBE AND BROAD LIGAMENT C56, C57.0 - C57.4

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
84703 84713 84723 84803 84813	黏液性腺癌 MUCINOUS ADENOCARCINOMA	女 Female	142	-	-	-	2
84413 84423 84603 84613 84623 84633	漿液性腺癌 SEROUS ADENOCARCINOMA	女 Female	309	-	-	-	1
83803	子宮內膜樣腺癌 ENDOMETRIOID ADENOCARCINOMA	女 Female	122	-	-	-	-
83103	明亮細胞癌 CLEAR CELL CARCINOMA	女 Female	139	-	-	-	-
90603 90643 90713 90803 90843 90853	胚細胞瘤 GERM CELL TUMORS	女 Female	59	1	7	6	9
85903 86003 86203 86313	性索間質細胞瘤 SEX-CORD-STROMAL TUMOR	女 Female	22	-	-	-	-
91003 91013	絨毛膜癌 CHORIOCARCINOMA	女 Female	2	-	-	-	-
80203 80213 80333 80413 80503 80703 80723 81203 81303 81403 82403 82493 82553 82603 83233 84403 84443 84903 85603 85753 86223 89503 90003 90143 90903	其他明示癌 OTHER SPECIFIED CARCINOMA	女 Female	147	-	-	-	1
80103	未明示癌 CARCINOMA, NOS	女 Female	20	-	-	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
13	11	11	12	13	22	12	13	6	10	7	6	2	2
2	4	11	15	23	48	49	51	29	28	27	13	7	1
-	4	8	9	28	25	16	14	3	4	4	5	-	2
-	2	5	13	11	42	34	16	7	5	2	1	1	-
9	11	5	3	-	2	1	1	2	-	1	-	1	-
1	1	1	-	4	1	3	3	-	3	1	3	1	-
-	-	-	-	1	-	-	-	-	-	1	-	-	-
3	3	5	8	9	15	14	18	15	19	16	8	6	7
-	-	-	-	-	2	3	2	3	3	4	2	1	-

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

卵巢、輸卵管及寬韌帶

OVARY, FALLOPIAN TUBE AND BROAD LIGAMENT C56, C57.0 - C57.4 (續)

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
88903 89333 89363 89803	明示之肉瘤 SPECIFIED SARCOMA	女 Female	10	-	-	1	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	女 Female	2	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	女 Female	26	-	-	1	-
	總計 TOTAL	女 Female	1,000	1	7	8	13

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	1	-	2	-	4	-	2	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	2	1	1	2	2	1	2	3	2	3	4	2
29	36	49	61	92	160	138	119	69	75	65	41	23	14

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

陰道、外陰部及其他未詳細說明之女性生殖器官

VAGINA, VULVA, OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS C51 - C52, C57.7 - C57.9

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80513 80523 80703 80713 80723 80763 80833	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	女 Female	69	-	-	-	-
81403 82603 84413 84803	腺癌 ADENOCARCINOMA	女 Female	13	-	-	-	-
91003	絨毛膜癌 CHORIOCARCINOMA	女 Female	8	-	-	-	-
85423	外陰部 Paget 氏病 PAGET DISEASE OF EXTERNAL GENITALIA	女 Female	7	-	-	-	-
80903 82473 83803 84603	其他明示癌 OTHER SPECIFIED CARCINOMA	女 Female	8	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	女 Female	2	-	-	-	-
87203 87213	惡性黑色素瘤 MALIGNANT MELANOMA	女 Female	6	-	-	-	-
88903 89803	其他明示之肉瘤 OTHER SPECIFIED SARCOMA	女 Female	2	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	女 Female	1	-	-	-	-
91043	其他惡性腫瘤 OTHER MALIGNANCY	女 Female	1	-	-	-	-
	總計 TOTAL	女 Female	117	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	2	-	7	5	5	4	6	5	10	9	4	12
-	-	-	-	1	2	-	2	1	2	2	1	1	1
-	1	1	1	2	1	2	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	1	2	1	2	-
-	-	-	-	-	1	1	2	1	1	1	1	-	-
-	-	-	-	-	-	2	-	-	-	-	-	-	-
-	-	-	-	1	-	1	2	1	-	1	-	-	-
-	-	-	-	-	1	-	-	-	-	-	1	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	2	3	1	11	11	12	10	9	9	16	13	7	13

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

攝護腺

PROSTATE GLAND C61

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80003 81403 82553 85003	腺癌 ADENOCARCINOMA	男 Male	2,990	-	-	-	-
81203 81303	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男 Male	14	-	-	-	-
80413 80703 81413 81473 82463 82603 84803 85013 85503 85743	其他明示癌 OTHER SPECIFIED CARCINOMA	男 Male	35	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男 Male	31	-	-	-	-
90403	明示之肉瘤 SPECIFIED SARCOMA	男 Male	1	-	-	-	-
88003	未明示之肉瘤 SARCOMA, NOS	男 Male	1	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男 Male	1	-	-	-	-
	總計 TOTAL	男 Male	3,073	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	2	14	48	117	251	443	591	811	491	222
-	-	-	-	-	-	1	-	-	5	-	5	1	2
-	-	-	-	1	-	3	2	6	1	5	7	5	5
-	-	-	-	-	1	1	-	3	4	5	9	4	4
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	1	-	-	3	15	53	120	260	453	601	833	501	233

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

睪丸

TESTIS C62

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
90613 90643	精細胞瘤 SEMINOMA	男 Male	68	-	-	-	-
90713	內胚竇腫瘤 ENDODERMAL SINUS TUMOR (YOLK SAC TUMOR)	男 Male	14	6	-	-	4
90703	胚胎性癌 EMBRYONAL CARCINOMA	男 Male	14	-	-	-	-
90853 91013	混合性胚細胞瘤 MIXED GERM CELL TUMOR	男 Male	31	-	-	-	7
90803 90813	惡性畸胎瘤 MALIGNANT TERATOMA	男 Male	10	-	-	-	5
80713 81403 86313 86403 90653	明示癌 SPECIFIED CARCINOMA	男 Male	6	-	-	-	-
88303 89103	明示之肉瘤 SPECIFIED SARCOMA	男 Male	2	-	-	1	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男 Male	15	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男 Male	2	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男 Male	2	-	-	-	1
	總計 TOTAL	男 Male	164	6	-	1	17

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
10	18	15	4	6	5	5	1	3	-	1	-	-	-
1	1	1	-	-	1	-	-	-	-	-	-	-	-
2	6	2	3	1	-	-	-	-	-	-	-	-	-
6	10	4	3	1	-	-	-	-	-	-	-	-	-
-	1	3	1	-	-	-	-	-	-	-	-	-	-
-	-	1	-	1	1	1	-	-	2	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	1	3	3	2	2	3	-	1
1	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
20	36	26	12	10	7	7	4	6	5	3	3	-	1

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

陰莖及其他男性生殖器官

PENIS AND OTHER MALE GENITAL ORGANS C60, C63

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80513 80703 80713 80763	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男 Male	54	-	-	-	-
80903 80973	基底細胞癌 BASAL CELL CARCINOMA	男 Male	6	-	-	-	-
85423	Paget 氏病 PAGET DISEASE	男 Male	16	-	-	-	-
81403	腺癌 ADENOCARCINOMA	男 Male	2	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男 Male	1	-	-	-	-
81203	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男 Male	2	-	-	-	-
87203	惡性黑色素瘤 MALIGNANT MELANOMA	男 Male	1	-	-	-	-
80833 80943 90703	其他明示癌 OTHER SPECIFIED CARCINOMA	男 Male	3	-	-	-	-
88513 88523	明示之肉瘤 SPECIFIED SARCOMA	男 Male	3	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男 Male	2	-	-	-	-
	總計 TOTAL	男 Male	90	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	1	1	5	4	5	3	2	5	6	9	10	3
-	-	-	-	-	2	-	-	-	-	3	1	-	-
-	-	-	-	-	2	-	1	2	3	1	5	2	-
-	-	-	-	-	-	-	-	1	-	1	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	1	-	-	-	-	1	1	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	1	-	-
-	1	2	3	5	8	7	4	6	10	11	17	12	4

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

膀胱

BLADDER C67

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
80203 80503	移行細胞癌	男 Male	1,332	-	-	-	1
81203 81223 81303	TRANSITIONAL CELL CARCINOMA	女 Female	543	-	-	-	-
81403 82603	腺癌	男 Male	28	-	-	-	-
83103 84803	ADENOCARCINOMA	女 Female	8	-	-	-	-
80703 80713	鱗狀細胞癌	男 Male	4	-	-	-	-
	SQUAMOUS CELL CARCINOMA	女 Female	6	-	-	-	-
80133 80333	其他明示癌	男 Male	7	-	-	-	-
80413 80823 84903	OTHER SPECIFIED CARCINOMA	女 Female	5	-	-	-	-
80103	未明示癌	男 Male	13	-	-	-	-
	CARCINOMA, NOS	女 Female	7	-	-	-	-
88303 88903	明示之肉瘤	男 Male	5	-	-	-	-
89003 89363 89803	SPECIFIED SARCOMA	女 Female	4	-	-	-	-
95903-97293	惡性淋巴瘤	男 Male	1	-	-	-	-
97503-97583 97643	MALIGNANT LYMPHOMA	女 Female	-	-	-	-	-
80003	其他惡性腫瘤	男 Male	16	-	-	-	-
	OTHER MALIGNANCY	女 Female	6	-	-	-	-
	總計	男 Male	1,406	-	-	-	1
	TOTAL	女 Female	579	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
2	3	6	15	33	57	102	101	105	164	197	260	189	97
-	2	3	2	14	19	47	37	63	78	71	95	82	30
-	-	-	-	2	3	3	3	1	4	3	5	1	3
-	-	1	1	-	-	-	2	-	2	1	1	-	-
-	-	-	-	-	-	1	-	-	-	-	-	3	-
-	1	-	-	-	-	-	-	1	2	1	1	-	-
-	-	-	-	1	-	-	-	-	-	1	4	-	1
-	-	-	-	-	-	1	-	-	1	1	2	-	-
-	-	-	-	-	-	-	3	1	1	2	3	2	1
-	-	-	-	-	-	-	1	1	1	1	1	1	1
-	-	-	1	-	-	-	1	-	1	1	-	1	-
-	-	-	-	-	-	-	-	-	-	1	2	1	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	1	-	-	-	1	-	2	3	3	5
-	-	-	-	-	-	-	-	-	-	2	1	1	2
2	3	6	17	37	60	106	108	108	170	206	276	199	107
-	3	4	3	14	19	48	40	65	84	78	103	85	33

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

腎
 KIDNEY C64

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
83103 83123	腎細胞癌	男 Male	435	-	-	1	-
83163 83173	RENAL CELL CARCINOMA	女 Female	230	-	-	-	-
83183 88013 89803							
89603	腎胚細胞瘤	男 Male	8	4	-	1	-
	NEPHROBLASTOMA (WILMS TUMOR)	女 Female	4	3	1	-	-
80203 80333	其他明示癌	男 Male	8	-	-	-	-
80413 83193 83203	OTHER SPECIFIED CARCINOMA	女 Female	5	-	-	-	-
80103	未明示癌	男 Male	3	-	-	-	-
	CARCINOMA, NOS	女 Female	5	-	-	-	-
88523 88543	明示之肉瘤	男 Male	5	-	-	-	-
88603 88903	SPECIFIED SARCOMA	女 Female	4	1	-	-	-
89013 89643 90403							
88003	未明示之肉瘤	男 Male	1	-	-	-	-
	SARCOMA, NOS	女 Female	1	-	-	-	1
95903-97293	惡性淋巴瘤	男 Male	2	-	-	-	-
97503-97583 97643	MALIGNANT LYMPHOMA	女 Female	-	-	-	-	-
80003 93643	其他惡性腫瘤	男 Male	12	-	-	2	-
	OTHER MALIGNANCY	女 Female	20	-	-	1	-
	總計	男 Male	474	4	-	4	-
	TOTAL	女 Female	269	4	1	1	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
2	4	7	20	25	32	47	47	43	59	51	57	26	14
2	-	6	5	14	21	19	23	19	31	39	25	15	11
2	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	1	-	2	1	-	-	-	-	2	1	-
-	-	-	-	-	-	-	-	-	1	2	1	1	-
-	-	-	-	-	-	1	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	2	1	2
-	-	1	-	-	1	1	2	-	-	-	-	-	-
-	1	-	1	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	1	2	-	-	-	1	5
-	-	-	-	1	1	4	2	-	1	1	3	3	3
4	4	9	21	26	36	51	52	45	60	51	59	29	19
2	1	6	6	15	22	23	26	19	33	42	31	20	16

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

腎盂

RENAL PELVIS C65

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
81203 81223 81303	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男 Male 女 Female	237 261	- -	- -	- -	- -
80703 80713	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男 Male 女 Female	4 5	- -	- -	- -	1 -
81403 82603 83103 84803	腺癌 ADENOCARCINOMA	男 Male 女 Female	39 15	- -	- -	- -	- -
80333	其他明示癌 OTHER SPECIFIED CARCINOMA	男 Male 女 Female	1 1	- -	- -	- -	- -
80103	未明示癌 CARCINOMA, NOS	男 Male 女 Female	4 3	- -	- -	- -	- -
88303	明示之肉瘤 SPECIFIED SARCOMA	男 Male 女 Female	- 1	- -	- -	- -	- -
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男 Male 女 Female	- 1	- -	- -	- -	- -
80003 93643 93643	其他惡性腫瘤 OTHER MALIGNANCY	男 Male 女 Female	3 2	- -	- -	- -	- -
	總計 TOTAL	男 Male 女 Female	288 289	- -	- -	- -	1 -

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	1	4	7	12	10	29	20	43	33	43	25	9
-	1	-	4	5	10	16	21	30	42	49	45	22	16
-	-	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	2	2	-	1	-	-
-	-	-	1	2	8	4	3	3	3	6	6	3	-
-	-	1	1	-	1	3	2	2	-	2	1	2	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	1	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	2	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	1	-	-	1	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	1	-
-	2	1	5	10	21	14	33	24	47	43	50	28	9
-	1	1	5	5	11	20	24	35	44	52	49	25	17

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

輸尿管

URETER C66

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
81203 81303	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男 Male	159	-	-	-	-
		女 Female	213	-	-	-	-
80703	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男 Male	-	-	-	-	-
		女 Female	1	-	-	-	-
81403	腺癌 ADENOCARCINOMA	男 Male	1	-	-	-	-
		女 Female	1	-	-	-	-
80413 85743	其他明示癌 OTHER SPECIFIED CARCINOMA	男 Male	-	-	-	-	-
		女 Female	5	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男 Male	1	-	-	-	-
		女 Female	4	-	-	-	-
88953	明示之肉瘤 SPECIFIED SARCOMA	男 Male	-	-	-	-	-
		女 Female	1	-	-	-	-
80003 89803	其他惡性腫瘤 OTHER MALIGNANCY	男 Male	4	-	-	-	-
		女 Female	4	-	-	-	-
	總計 TOTAL	男 Male	165	-	-	-	-
		女 Female	229	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	2	1	5	9	20	14	32	23	39	10	4
-	-	-	1	2	5	13	14	27	31	39	48	21	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	1	-	1	1	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	1	-	2	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	1	1	1	-
-	-	-	-	-	-	1	1	-	-	1	1	-	-
-	-	-	2	1	5	9	22	14	33	24	40	11	4
-	-	-	1	2	8	14	17	27	34	41	51	21	13

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

尿道及其週邊腺體

URETHRA AND PARAURETHRAL GLAND C68.0 - C68.1

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
81203 81303	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男 Male	8	-	-	-	-
		女 Female	1	-	-	-	-
80703	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男 Male	2	-	-	-	-
		女 Female	2	-	-	-	-
81403 81443	腺癌 ADENOCARCINOMA	男 Male	5	-	-	-	-
		女 Female	2	-	-	-	-
87203	惡性黑色素瘤 MALIGNANT MELANOMA	男 Male	-	-	-	-	-
		女 Female	1	-	-	-	-
88903 89103	明示之肉瘤 SPECIFIED SARCOMA	男 Male	1	-	-	-	1
		女 Female	1	-	-	-	-
	總計 TOTAL	男 Male	16	-	-	-	1
		女 Female	7	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	1	1	-	-	-	2	-	3	-	1
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	2	1	1	-	-	-	-	-	-	1
-	-	-	-	-	1	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	3	2	1	-	-	3	-	4	-	2
-	-	-	-	-	1	-	-	1	2	1	1	1	-

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

跨越泌尿器官兩個以上相鄰部位之病變

OVERLAPPING LESION OF URINARY ORGANS C68.8

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
81203 81223 81303	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男 Male	11	-	-	-	-
		女 Female	12	-	-	-	-
80713	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男 Male	1	-	-	-	-
		女 Female	-	-	-	-	
80333	其他明示癌 OTHER SPECIFIED CARCINOMA	男 Male	-	-	-	-	
		女 Female	1	-	-	-	
	總計 TOTAL	男 Male	12	-	-	-	
		女 Female	13	-	-	-	

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
-	-	-	-	-	-	2	1	2	1	1	3	1	-
-	-	-	-	-	-	1	1	3	1	2	3	1	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	1	2	1	2	1	1	3	1	-
-	-	-	-	-	-	1	2	3	1	2	3	1	-

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

泌尿系統，未明示部位

URINARY SYSTEM, NOS C68.9

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
81203 81303	移行細胞癌 TRANSITIONAL CELL CARCINOMA	男 Male	74	-	-	-	-
		女 Female	99	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男 Male	-	-	-	-	-
		女 Female	3	-	-	-	-
80003	其他惡性腫瘤 OTHER MALIGNANCY	男 Male	1	-	-	-	-
		女 Female	-	-	-	-	-
	總計 TOTAL	男 Male	75	-	-	-	-
		女 Female	102	-	-	-	-

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
1	-	2	-	-	1	2	8	9	14	14	6	13	4
-	-	1	-	1	5	7	8	12	17	20	18	6	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	1	1
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	2	-	-	2	2	8	9	14	14	6	13	4
-	-	1	-	1	5	7	8	12	17	21	18	7	5

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

眼及淚腺

EYE AND LACRIMAL GLAND C69

ICD-O-3	組 織 形 態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
95103	視網膜芽細胞瘤 RETINOBLASTOMA	男 Male	7	6	1	-	-
		女 Female	5	5	-	-	-
87203 87703 87733	惡性黑色素瘤 MALIGNANT MELANOMA	男 Male	6	-	-	-	-
		女 Female	7	-	-	-	-
80703 80713	鱗狀細胞癌 SQUAMOUS CELL CARCINOMA	男 Male	5	-	-	-	-
		女 Female	2	-	-	-	-
81403 82003	淚腺癌 LACRIMAL GLAND CARCINOMA	男 Male	2	-	-	-	-
		女 Female	2	-	-	-	-
81203 89413	其他明示癌 OTHER SPECIFIED CARCINOMA	男 Male	1	-	-	-	-
		女 Female	1	-	-	-	-
80203 89103 89203	明示之肉瘤 SPECIFIED SARCOMA	男 Male	3	-	1	-	-
		女 Female	3	-	1	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男 Male	18	-	-	-	-
		女 Female	17	-	-	-	-
80003 93643	其他惡性腫瘤 OTHER MALIGNANCY	男 Male	3	-	2	-	-
		女 Female	1	-	-	-	-
	總計 TOTAL	男 Male	45	6	4	-	-
		女 Female	38	5	1	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	2	2	1	1	-	-	-	-	-	-	-
-	-	-	2	-	1	1	-	-	1	1	-	1	-
-	1	-	-	-	-	-	-	-	1	-	2	-	1
-	-	-	-	-	-	-	-	-	1	-	-	1	-
-	-	-	1	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	1	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	1	-	-
-	1	2	-	-	2	2	-	3	2	3	3	-	-
-	-	2	2	1	1	2	-	2	1	4	1	-	1
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	2	2	3	2	3	3	-	4	5	3	5	2	1
-	-	3	4	1	3	3	-	3	3	6	2	3	1

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

腦
 BRAIN C71

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
93833 94003 94013	惡性星形細胞瘤 MALIGNANT ASTROCYTOMA	男 Male	85	-	4	4	4
		女 Female	62	2	2	-	4
94213 94403 94413	多形性神經膠芽細胞瘤 GLIOBLASTOMA MULTIFORME	男 Male	117	1	-	2	1
		女 Female	109	-	3	3	3
94113 94203 94243 94903	其他明示之星形細胞瘤 OTHER SPECIFIED ASTROCYTOMA	男 Male	5	1	-	-	1
		女 Female	7	-	-	1	1
94503 94513	寡樹突膠質細胞瘤 OLIGODENDROGLIOMA	男 Male	32	-	-	-	-
		女 Female	14	-	-	-	1
93803 93823	未明示之神經膠質瘤 GLIOMA, NOS	男 Male	30	-	5	4	2
		女 Female	31	2	-	2	1
94703 94713 94733	神經管芽細胞瘤 MEDULLOBLASTOMA	男 Male	22	6	7	4	1
		女 Female	11	2	3	2	2
95223	感覺神經芽細胞瘤 ESTHESIONEUROBLASTOMA	男 Male	6	-	-	-	1
		女 Female	5	-	-	-	-
93913 93923 93933 93943	室管膜瘤 EPENDYMOMA	男 Male	13	7	-	1	-
		女 Female	22	3	2	1	4
90643 90803 90853 95083	胚細胞瘤及惡性畸胎瘤 GERM CELL TUMOR AND MALIGNANT TERATOMA	男 Male	22	1	2	9	2
		女 Female	8	1	1	6	-
91503 93703 93713 94423 95063 95603	明示之肉瘤 SPECIFIED SARCOMA	男 Male	5	-	-	-	-
		女 Female	8	-	-	-	-
88003	未明示之肉瘤 SARCOMA, NOS	男 Male	2	-	1	-	-
		女 Female	-	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
3	4	6	4	9	9	8	9	3	3	8	3	4	-
-	3	4	6	5	6	7	3	3	8	3	4	1	1
1	1	1	5	7	10	11	12	11	17	11	19	7	-
3	2	5	4	6	6	12	9	10	15	9	10	8	1
-	-	-	-	1	-	-	1	1	-	-	-	-	-
-	-	2	1	-	1	1	-	-	-	-	-	-	-
2	2	3	6	4	5	1	1	3	-	3	1	1	-
-	-	-	2	4	-	2	-	2	2	1	-	-	-
2	-	1	4	1	2	2	2	2	-	1	1	-	1
2	1	2	1	3	-	5	4	-	5	1	1	1	-
2	-	-	1	-	-	-	-	-	-	1	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	1	-	-	1	1	1	-
2	-	1	1	-	-	-	-	-	-	1	-	-	-
1	-	-	1	1	1	-	1	-	-	-	-	-	-
2	2	-	1	2	-	2	-	-	2	1	-	-	-
5	2	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	1	-	-	1	-	-	-	-	-	-	1
1	-	-	-	2	-	1	2	-	-	2	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

腦
 BRAIN C71 (續)

ICD-O-3	組 織 形 態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				4	9	14	19
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男 Male	24	-	-	-	-
		女 Female	22	-	-	-	-
95383	惡性腦膜瘤 MALIGNANT MENINGIOMA	男 Male	-	-	-	-	-
		女 Female	1	-	-	-	-
87203 95053	其他惡性腫瘤 OTHER MALIGNANCY	男 Male	4	-	1	-	-
		女 Female	-	-	-	-	-
	總計 TOTAL	男 Male	367	16	20	24	12
		女 Female	300	10	11	15	16

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
1	2	-	1	2	-	1	5	2	2	-	5	3	-
-	-	-	-	3	2	3	4	-	2	2	5	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	12	13	24	25	27	24	33	22	22	25	30	17	2
12	8	14	16	25	15	34	22	15	34	20	20	11	2

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

其他神經系統及未詳細說明部位

OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM C70, C72

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
94733 95003	原始性神經外胚層腫瘤 PRIMITIVE NEUROECTODERMAL TUMOR	男 Male	4	2	-	-	1
		女 Female	1	-	-	-	-
94003 94213	星形細胞瘤 ASTROCYTOMA	男 Male	4	2	-	-	1
		女 Female	4	-	-	2	-
93913	室管膜瘤 EPENDYMOMA	男 Male	8	-	-	-	-
		女 Female	10	-	-	-	-
95303	惡性腦膜瘤 MALIGNANT MENINGIOMA	男 Male	13	-	-	-	-
		女 Female	7	-	-	-	-
95603	惡性 Schwann 氏神經瘤 MALIGNANT SCHWANNOMA	男 Male	1	-	-	-	-
		女 Female	-	-	-	-	-
93703	脊索瘤 CHORDOMA	男 Male	1	-	-	-	-
		女 Female	-	-	-	-	-
90643	胚細胞瘤 GERM CELL TUMOR	男 Male	1	-	-	-	-
		女 Female	-	-	-	-	-
91503 95393 95403	明示之肉瘤 SPECIFIED SARCOMA	男 Male	2	-	-	-	-
		女 Female	3	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男 Male	3	-	-	-	-
		女 Female	1	-	-	-	-
80003 97313	其他惡性腫瘤 OTHER MALIGNANCY	男 Male	3	-	-	-	-
		女 Female	1	-	-	-	-
	總計 TOTAL	男 Male	40	4	-	-	2
		女 Female	27	-	-	2	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	1	-	-	1	-	-	-	-	-
1	-	2	1	3	-	-	1	-	-	-	-	-	-
2	-	1	-	3	-	1	-	-	1	1	1	-	-
-	-	-	-	1	1	-	1	1	2	2	4	-	1
-	-	-	-	-	-	1	2	1	1	-	2	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	-	-	-	-	-
-	1	-	-	-	-	1	-	-	-	1	-	-	-
-	-	1	-	1	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	1	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
2	3	3	2	7	1	-	4	2	3	2	4	-	1
3	1	1	-	5	1	3	3	1	2	2	3	-	-

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

甲狀腺

THYROID GLAND C73

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
82603 83403	乳頭狀癌	男 Male	304	-	2	1	3
83413 83433	PAPILLARY CARCINOMA	女 Female	1,087	-	-	6	18
83443 83503							
82903 83303	濾泡性腺癌	男 Male	48	-	-	1	-
83323 83353	FOLLICULAR ADENOCARCINOMA	女 Female	83	-	-	3	1
83453 83473	髓質癌	男 Male	6	-	-	-	-
85103	MEDULLARY CARCINOMA	女 Female	9	-	-	-	-
80703	鱗狀細胞癌	男 Male	1	-	-	-	-
	SQUAMOUS CELL CARCINOMA	女 Female	1	-	-	-	-
80203 80213	未分化癌	男 Male	6	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女 Female	15	-	-	-	-
80413 83373	其他明示癌	男 Male	2	-	-	-	-
83463	OTHER SPECIFIED CARCINOMA	女 Female	1	-	-	-	-
80103	未明示癌	男 Male	9	-	-	-	1
	CARCINOMA, NOS	女 Female	13	-	-	-	-
88303	明示之肉瘤	男 Male	-	-	-	-	-
	SPECIFIED SARCOMA	女 Female	2	-	-	-	-
95903-97293	惡性淋巴瘤	男 Male	3	-	-	-	-
97503-97583	MALIGNANT LYMPHOMA	女 Female	8	-	-	-	-
97643							
80003	其他惡性腫瘤	男 Male	31	1	2	1	1
	OTHER MALIGNANCY	女 Female	38	1	1	-	1
	總計	男 Male	410	1	4	3	5
	TOTAL	女 Female	1,257	1	1	9	20

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
11 38	21 63	33 103	30 117	38 136	38 164	43 167	26 102	17 50	16 55	11 34	11 21	2 9	1 4
1 4	4 10	4 9	3 6	3 7	2 6	5 6	7 9	10 5	3 5	2 3	3 6	- 2	- 1
- -	- -	- 2	- -	2 1	- 2	1 -	1 -	- 2	1 1	- 1	1 -	- -	- -
- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- 1	- -	- -	- -
- -	- -	- -	- -	- 1	- -	- -	- 1	- 2	2 2	2 2	2 5	- 2	- -
- -	- -	- -	1 -	- -	- -	- -	1 -	- -	- 1	- -	- -	- -	- -
- -	- 1	- -	1 1	- -	3 1	- 2	1 2	1 2	1 -	1 1	- 1	- 2	1 -
- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- 1	- -	- -	- -
- -	- -	- -	- -	- 1	1 -	- -	- -	- -	- 2	1 2	- -	1 3	- -
- 3	1 2	- -	1 2	1 3	2 5	- 3	- 1	1 3	5 2	3 4	9 2	3 2	- 3
12 45	26 76	37 114	36 126	44 149	46 178	49 178	37 115	29 64	28 69	19 49	26 35	6 20	2 8

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

其他內分泌腺

OTHER ENDOCRINE GLANDS C74 - C75

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				4	9	14	19
94903 95003	神經母細胞瘤 NEUROBLASTOMA	男 Male	11	9	2	-	-
		女 Female	13	10	1	1	-
83703	腎上腺皮質癌 ADRENAL CORTICAL CARCINOMA	男 Male	5	-	-	-	-
		女 Female	13	-	-	-	1
86803 87003	惡性嗜鉻細胞瘤 MALIGNANT PHEOCHROMOCYTOMA	男 Male	2	-	-	1	-
		女 Female	1	-	-	-	-
82463	其他明示癌 OTHER SPECIFIED CARCINOMA	男 Male	1	-	-	-	-
		女 Female	-	-	-	-	-
80103	未明示癌 CARCINOMA, NOS	男 Male	1	-	-	-	-
		女 Female	-	-	-	-	-
89363	明示之肉瘤 SPECIFIED SARCOMA	男 Male	1	-	-	-	-
		女 Female	-	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男 Male	4	-	-	-	-
		女 Female	1	-	-	-	-
80003 86923 86933 90653	其他惡性腫瘤 OTHER MALIGNANCY	男 Male	6	-	-	-	1
		女 Female	2	-	-	-	-
	總計 TOTAL	男 Male	31	9	2	1	1
		女 Female	30	10	1	1	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	1	2	-	1	-	1	-	-	-
-	-	1	3	2	2	1	-	2	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	1	1	1	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	2	-	-	-	-	1	-	-	-	1	1	-
-	-	-	2	-	-	-	-	-	-	-	-	-	-
-	-	2	-	-	2	2	1	2	2	3	3	1	-
-	-	1	5	2	3	2	1	2	-	1	-	-	-

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

其他分界不明的部位

OTHER AND ILL-DEFINED SITES C76

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				4	9	14	19
81403	未明示之腺癌 ADENOCARCINOMA, NOS	男 Male	2	-	-	-	-
		女 Female	-	-	-	-	
82463	其他明示癌 OTHER SPECIFIED CARCINOMA	男 Male	1	-	-	-	-
		女 Female	-	-	-	-	
80103	未明示癌 CARCINOMA, NOS	男 Male	1	-	-	-	-
		女 Female	-	-	-	-	
89363	明示之肉瘤 SPECIFIED SARCOMA	男 Male	1	-	-	-	-
		女 Female	-	-	-	-	
88003	未明示之肉瘤 SARCOMA, NOS	男 Male	-	-	-	-	-
		女 Female	1	-	-	-	
95003	神經母細胞瘤 NEUROBLASTOMA	男 Male	1	-	1	-	-
		女 Female	-	-	-	-	
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男 Male	1	-	-	-	-
		女 Female	1	-	-	-	
90523 93643	其他惡性腫瘤 OTHER MALIGNANCY	男 Male	-	-	-	-	-
		女 Female	2	-	1	-	
	總計 TOTAL	男 Male	7	-	1	-	-
		女 Female	4	-	1	-	

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-
1	-	1	-	-	1	1	-	-	-	-	2	-	-
-	1	-	-	-	-	-	1	-	-	-	-	1	-

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

淋巴結

LYMPH NODES C77

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
95903 95913	非何杰金氏淋巴瘤	男 Male	503	3	5	11	9
96703 96713	NON-HODGKIN LYMPHOMA	女 Female	371	3	1	1	2
96733 96753							
96803 96843							
96873 96903							
96913 96953							
96983 96993							
97023 97053							
97083 97143							
97173 97193							
97273 97283							
97293							
96503 96513	何杰金氏淋巴瘤	男 Male	79	2	3	2	10
96523 96533	HODGKIN LYMPHOMA	女 Female	44	-	-	1	7
96593 96633							
96653							
91403	Kaposi 氏肉瘤	男 Male	-	-	-	-	-
	KAPOSI SARCOMA	女 Female	1	-	-	-	-
80003	其他惡性腫瘤	男 Male	2	-	-	-	-
	OTHER MALIGNANCY	女 Female	-	-	-	-	-
	總計	男 Male	584	5	8	13	19
	TOTAL	女 Female	416	3	1	2	9

20	25	30	35	40	45	50	55	60	65	70	75	80	85+
24	29	34	39	44	49	54	59	64	69	74	79	84	
6	10	9	15	25	32	46	47	38	55	53	72	48	19
7	15	9	13	22	31	32	36	38	41	35	36	30	19
12	7	2	4	4	2	5	5	2	5	7	6	1	-
6	7	5	5	-	2	3	2	1	-	1	1	3	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	17	12	19	29	34	51	52	40	60	61	78	49	19
13	22	14	18	23	33	35	38	39	41	36	37	33	19

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONTINUED)

何杰金氏淋巴瘤

HODGKIN LYMPHOMA ICD-O-3 M-96503 - M-96673

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
96513	富淋巴球性何杰金氏淋巴瘤 HODGKIN LYMPHOMA, LYMPHOCYTE-RICH	男 Male	2	-	-	-	1
		女 Female	4	-	-	-	-
96533	淋巴球缺乏性何杰金氏淋巴瘤 HODGKIN LYMPHOMA, LYMPHOCYTE- DEPLETED	男 Male	2	-	-	-	-
		女 Female	-	-	-	-	-
96523	混合細胞性何杰金氏淋巴瘤 HODGKIN LYMPHOMA, MIXED CELLULARITY	男 Male	20	-	1	1	1
		女 Female	8	-	-	-	1
96593 96633 96653	小節硬化性何杰金氏淋巴瘤 NODULAR SCLEROSIS HODGKIN LYMPHOMA	男 Male	36	2	1	-	7
		女 Female	26	-	-	1	6
96503	未明示之何杰金氏淋巴瘤 HODGKIN LYMPHOMA, NOS	男 Male	28	-	1	2	3
		女 Female	13	-	-	-	-
總計 TOTAL		男 Male	88	2	3	3	12
		女 Female	51	-	-	1	7

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	2	1	-
-	1	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	2	-	2	-	1	4	3	2	-	-
1	1	1	-	-	1	1	-	-	-	1	-	1	-
9	2	1	3	1	1	3	1	1	1	2	1	-	-
4	5	3	4	-	-	2	-	1	-	-	-	-	-
3	4	1	2	1	1	1	4	-	-	2	3	-	-
4	2	-	2	-	1	1	2	-	-	-	-	1	-
15	8	2	5	4	2	6	5	2	5	7	6	1	-
9	8	5	6	-	2	4	2	1	-	1	2	3	-

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

非何杰金氏淋巴瘤

NON-HODGKIN LYMPHOMA I CD-O-3 M-95903 - M-95963 , M-96703 - M-97293 , M-97503 - M-97583 , M-97643

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
96703	小淋巴球性惡性淋巴瘤 MALIGNANT LYMPHOMA, SMALL LYMPHOCYTIC	男 Male	17	-	-	-	-
		女 Female	16	-	-	-	-
96793 96803	大淋巴球性惡性淋巴瘤 MALIGNANT LYMPHOMA, LARGE LYMPHOCYTIC	男 Male	456	2	1	4	8
96843		女 Female	375	-	-	3	2
96733	外套細胞惡性淋巴瘤 MALIGNANT MANTLE CELL LYMPHOMA	男 Male	26	-	-	-	-
		女 Female	6	-	-	-	-
96873	Burkitt 氏淋巴瘤 BURKITT LYMPHOMA, NOS	男 Male	28	1	5	2	-
		女 Female	20	3	-	-	-
96753 96903	濾泡性惡性淋巴瘤 MALIGNANT FOLLICULAR LYMPHOMA	男 Male	104	-	-	-	1
96913 96953 96983		女 Female	77	-	-	-	-
96893 96993	邊緣區 B 細胞惡性淋巴瘤 (包含與黏膜相關淋巴樣組織淋巴瘤) MALIGNANT MARGINAL ZONE B-CELL LYMPHOMA (INCLUDING MALT LYMPHOMA)	男 Male	64	-	-	-	-
		女 Female	80	-	-	-	-
96713 97003	其他明示之非何杰金氏淋巴瘤 OTHER SPECIFIED NON-HODGKIN LYMPHOMA	男 Male	199	1	2	7	4
97023 97053 97083 97093 97143 97173 97183 97193 97643		女 Female	96	-	-	2	2
95903 95913	未明示之非何杰金氏淋巴瘤 MALIGNANT NON-HODGKIN LYMPHOMA, NOS	男 Male	136	-	-	3	-
		女 Female	78	-	-	-	-
97273 97283	其他淋巴網狀贅瘤 (不成熟型淋巴芽細胞性淋巴瘤) OTHER LYMPHO-RETICULAR NEOPLASMS (PRECURSOR CELL LYMPHOBLASTIC LYMPHOMA)	男 Male	21	3	1	2	1
97293 97503 97513 97543 97563 97573 97583		女 Female	23	8	2	3	-
	總計 TOTAL	男 Male	1,051	7	9	18	14
		女 Female	771	11	2	8	4

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	1	-	1	3	-	1	2	3	4	-	2
-	-	-	1	1	2	1	-	5	-	1	3	2	-
9	9	10	13	28	24	36	41	38	36	45	75	53	24
3	17	8	13	17	20	22	45	43	52	36	37	31	26
-	-	-	-	3	-	1	4	4	3	3	6	2	-
-	-	-	-	2	1	1	-	-	-	1	-	-	1
1	3	1	-	1	2	2	1	-	4	1	2	1	1
1	1	1	-	2	2	2	-	1	1	1	4	1	-
1	2	-	5	5	12	17	14	6	7	19	5	7	3
2	2	1	2	9	15	9	9	5	9	5	6	3	-
-	2	6	3	5	2	7	2	7	8	8	8	2	4
-	1	5	4	6	8	10	7	9	8	7	10	3	2
6	10	5	10	11	14	18	19	12	24	22	18	12	4
5	2	4	6	7	8	7	6	6	8	12	8	9	4
1	2	5	3	1	10	11	18	9	21	6	22	14	10
1	2	2	2	3	3	6	5	7	4	8	15	10	10
2	3	1	1	-	3	1	1	1	-	1	-	-	-
1	3	-	1	-	2	-	1	1	-	-	-	1	-
20	31	28	36	54	68	96	100	78	105	108	140	91	48
13	28	21	29	47	61	58	73	77	82	71	83	60	43

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC SITES, 2006 (CONTINUED)

不明原發部位

UNKNOWN PRIMARY SITES C80

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
81403 84403	腺癌	男 Male	177	-	-	1	-
84413 84603	ADENOCARCINOMA	女 Female	174	-	-	-	-
84803 84813							
80703 80713	鱗狀細胞癌	男 Male	91	-	-	-	-
80723 80743	SQUAMOUS CELL CARCINOMA	女 Female	29	-	-	-	-
80203 80213	未分化癌	男 Male	8	-	-	-	-
	CARCINOMA, UNDIFFERENTIATED	女 Female	4	-	-	-	-
80413	小細胞癌	男 Male	6	-	-	-	-
	SMALL CELL CARCINOMA	女 Female	4	-	-	-	-
91003	絨毛膜癌	男 Male	-	-	-	-	-
	CHORIOCARCINOMA	女 Female	1	-	-	-	-
80223 80333	其他明示癌	男 Male	35	-	-	-	-
80463 80503	OTHER SPECIFIED CARCINOMA	女 Female	26	-	-	-	-
80823 82403							
82463 83103							
84303 84613							
84903 85603							
85703 85743							
89413 90703							
80103	未明示癌	男 Male	137	-	-	-	1
	CARCINOMA, NOS	女 Female	77	-	-	-	-
88013 88043	明示之肉瘤	男 Male	17	-	-	-	-
88903 88953	SPECIFIED SARCOMA	女 Female	11	1	-	-	1
89363 89633							
89803 90443							
91203 91303							
91403 95813							
88003	未明示之肉瘤	男 Male	4	-	-	-	-
	SARCOMA, NOS	女 Female	3	-	-	-	-

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	2	5	5	8	13	19	10	17	22	18	29	17	11
1	-	2	1	6	5	18	19	19	26	27	19	19	12
-	-	-	1	13	9	22	8	9	9	8	8	3	1
-	-	-	1	2	1	5	4	4	6	-	4	1	1
-	-	-	-	2	4	-	1	-	-	-	-	-	1
-	-	-	-	-	1	2	-	1	-	-	-	-	-
-	-	-	1	-	-	-	-	-	1	2	1	1	-
-	-	-	-	-	1	2	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	1	3	2	-	4	2	-	3	7	6	2	3	2
-	2	-	3	3	1	-	2	3	2	3	4	1	2
1	2	-	3	2	2	20	13	16	21	11	19	19	7
-	-	2	1	1	5	7	11	5	7	11	6	13	8
1	1	-	-	1	1	1	-	3	3	3	2	1	-
-	-	-	1	-	-	2	2	-	1	-	2	-	1
-	1	-	-	-	-	1	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	1	-

表七 台灣癌症申報發生人數按癌症形態、性別及年齡分類，民國 95 年（續完）
 AGE DISTRIBUTION OF CANCER MORPHOLOGY BY GENDER AND PRIMARY ANATOMIC
 SITES, 2006 (CONCLUDED)

不明原發部位

UNKNOWN PRIMARY SITES C80 (續)

ICD-O-3	組織形態 MORPHOLOGY	性別 GENDER	個案數 CASE NUMBER	0	5	10	15
				 4	 9	 14	 19
87203	惡性黑色素瘤 MALIGNANT MELANOMA	男 Male	2	-	-	-	-
		女 Female	3	-	-	-	-
95903-97293 97503-97583 97643	惡性淋巴瘤 MALIGNANT LYMPHOMA	男 Male	10	1	1	-	-
		女 Female	14	2	-	-	-
80003 80133 90603 90643	其他惡性腫瘤 OTHER MALIGNANCY	男 Male	131	-	-	-	-
		女 Female	116	-	-	-	-
	總計 TOTAL	男 Male	618	1	1	1	1
		女 Female	462	3	-	-	1

20 24	25 29	30 34	35 39	40 44	45 49	50 54	55 59	60 64	65 69	70 74	75 79	80 84	85+
-	-	-	-	-	-	1	1	-	-	-	-	-	-
-	-	1	-	-	1	-	-	-	-	-	-	1	-
-	-	1	1	-	-	1	1	-	1	-	1	1	1
1	-	-	-	-	-	-	-	-	-	1	5	2	3
-	-	2	1	1	3	5	8	6	16	16	30	25	18
1	-	1	1	3	3	6	4	3	8	16	23	26	21
2	7	11	14	27	36	72	42	54	81	65	92	70	41
3	2	6	8	16	18	42	42	35	52	58	64	64	48