

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 69 至 96 年

NUMERICAL COMPARISON OF CANCER FROM PRIMARY ANATOMIC SITES, 1980 TO 2007

ICD-O-3	原發部位別 PRIMARY ANATOMIC SITES	年度 Year	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990
		性別 Gender											
C00-C80	全癌症(總計) ALL SITES	男 Male	9,026	9,261	8,617	9,875	10,221	10,916	11,315	13,606	13,029	15,612	14,119
		女 Female	6,507	6,702	6,663	7,901	7,951	8,461	8,194	9,776	9,619	11,337	10,330
		計 Total	15,533	15,963	15,280	17,776	18,172	19,377	19,509	23,382	22,648	26,949	24,449
C00-C14	唇、口腔及咽 LIP, ORAL CAVITY AND PHARYNX	男 Male	1,279	1,286	1,109	1,248	1,358	1,348	1,311	1,481	1,599	1,757	1,646
		女 Female	428	427	428	444	429	446	408	472	437	483	447
		計 Total	1,707	1,713	1,537	1,692	1,787	1,794	1,719	1,953	2,036	2,240	2,093
C00-C14 ¹	口腔、口咽及下咽 ORAL CAVITY, OROPHARYNX AND HYPOPHARYNX	男 Male	423	380	360	452	540	574	580	717	757	879	865
		女 Female	85	89	84	99	79	113	81	118	118	139	124
		計 Total	508	469	444	551	619	687	661	835	875	1,018	989
C00	唇(唇的皮膚 C44.0 除外) LIP (excludes skin of lip C44.0)	男 Male	8	15	6	17	20	26	21	23	26	35	30
		女 Female	3	5	4	7	3	5	5	9	6	10	6
		計 Total	11	20	10	24	23	31	26	32	32	45	36
C01-C02	舌 TONGUE	男 Male	121	88	91	122	144	162	146	212	175	217	223
		女 Female	28	25	24	33	20	38	27	34	44	42	51
		計 Total	149	113	115	155	164	200	173	246	219	259	274
C03	齒齦 GUM	男 Male	40	17	16	25	22	24	18	30	40	35	43
		女 Female	9	4	2	13	3	7	7	3	7	12	13
		計 Total	49	21	18	38	25	31	25	33	47	47	56
C04	口底 FLOOR OF MOUTH	男 Male	21	8	7	7	13	12	14	15	24	20	22
		女 Female	1	-	2	3	4	3	-	2	1	5	4
		計 Total	22	8	9	10	17	15	14	17	25	25	26
C05-C06	口腔之其他及未詳細說明部位 OTHER AND UNSPECIFIED PARTS OF MOUTH	男 Male	123	137	124	157	196	208	228	243	307	354	335
		女 Female	28	26	30	26	35	43	29	41	43	46	33
		計 Total	151	163	154	183	231	251	257	284	350	400	368
C09-C10	口咽 OROPHARYNX	男 Male	47	47	40	40	54	45	50	62	49	55	68
		女 Female	8	15	10	10	12	9	6	15	8	11	8
		計 Total	55	62	50	50	66	54	56	77	57	66	76
C12-C13	下咽 HYPOPHARYNX	男 Male	56	62	71	82	86	90	98	118	131	148	132
		女 Female	6	11	8	6	2	5	5	8	7	9	6
		計 Total	62	73	79	88	88	95	103	126	138	157	138
C14	咽和唇、口腔及咽之分界不明部位 PHARYNX AND ILL-DEFINED SITES IN LIP, ORAL CAVITY AND PHARYNX	男 Male	7	6	5	2	5	7	5	14	5	15	12
		女 Female	2	3	4	1	-	3	2	6	2	4	3
		計 Total	9	9	9	3	5	10	7	20	7	19	15
C07-C08	主唾液腺 MAJOR SALIVARY GLANDS	男 Male	38	33	43	40	40	31	28	44	47	35	45
		女 Female	24	39	30	27	30	25	32	33	25	38	34
		計 Total	62	72	73	67	70	56	60	77	72	73	79

註：1. 自 96 年癌症登記報告起，惡性淋巴瘤從各部位獨立出來計算發生率，並納入排名。惡性淋巴瘤：ICD-O-3 M-95903、M-97293、M-97503、M-97583、M-97643。

2. 口腔、口咽及下咽：包括 ICD-O-3 C00-C06、C09-C10、C12-C14。

1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	ICD-O-3
17,179	18,800	19,569	20,369	21,407	24,573	26,627	29,616	32,184	33,614	34,493	36,556	36,385	40,680	40,728	42,859	43,330	C00-C80
12,969	14,372	14,848	15,246	16,049	18,448	20,409	22,182	23,990	24,965	25,530	26,321	26,496	29,883	30,399	31,873	32,439	
30,148	33,172	34,417	35,615	37,456	43,021	47,036	51,798	56,174	58,579	60,023	62,877	62,881	70,563	71,127	74,732	75,769	
1,995	2,288	2,361	2,550	2,669	3,020	3,327	3,668	4,083	4,304	4,401	4,676	5,172	5,659	5,578	6,108	6,281	C00-C14
531	586	583	588	585	635	649	697	749	732	805	736	747	852	885	900	936	
2,526	2,874	2,944	3,138	3,254	3,655	3,976	4,365	4,832	5,036	5,206	5,412	5,919	6,511	6,463	7,008	7,217	
1,084	1,311	1,392	1,585	1,683	1,998	2,256	2,544	2,964	3,149	3,261	3,499	3,937	4,424	4,342	4,887	5,006	C00-C14 ²
160	176	174	164	182	238	241	251	296	298	319	336	349	389	411	445	452	
1,244	1,487	1,566	1,749	1,865	2,236	2,497	2,795	3,260	3,447	3,580	3,835	4,286	4,813	4,753	5,332	5,458	
34	53	47	59	72	86	87	101	114	142	148	123	123	146	161	147	163	C00
7	8	5	10	20	14	16	13	14	19	11	16	28	16	23	20	22	
41	61	52	69	92	100	103	114	128	161	159	139	151	162	184	167	185	
303	364	371	436	484	521	586	704	804	823	900	890	1,114	1,206	1,212	1,274	1,395	C01-C02
52	69	71	59	65	99	93	84	124	123	133	137	131	170	163	184	195	
355	433	442	495	549	620	679	788	928	946	1,033	1,027	1,245	1,376	1,375	1,458	1,590	
59	75	63	79	93	106	141	157	166	210	220	220	239	269	280	347	331	C03
8	11	10	15	12	23	20	17	29	23	31	27	33	25	25	35	47	
67	86	73	94	105	129	161	174	195	233	251	247	272	294	305	382	378	
26	30	31	41	30	37	58	55	84	79	81	77	81	93	104	116	121	C04
2	7	4	11	4	3	14	6	9	10	5	12	3	10	14	17	6	
28	37	35	52	34	40	72	61	93	89	86	89	84	103	118	133	127	
400	480	530	599	655	792	891	943	1,175	1,232	1,192	1,351	1,497	1,654	1,612	1,785	1,753	C05-C06
56	55	57	50	53	72	79	87	79	82	87	95	103	92	125	127	121	
456	535	587	649	708	864	970	1,030	1,254	1,314	1,279	1,446	1,600	1,746	1,737	1,912	1,874	
74	96	100	126	109	133	171	188	220	237	281	281	327	392	374	468	472	C09-C10
18	15	16	8	20	16	10	25	26	25	25	27	34	45	37	41	40	
92	111	116	134	129	149	181	213	246	262	306	308	361	437	411	509	512	
177	201	237	232	220	293	299	366	375	391	406	505	506	598	559	706	745	C12-C13
10	7	7	9	7	8	7	15	12	12	19	15	13	30	22	19	19	
187	208	244	241	227	301	306	381	387	403	425	520	519	628	581	725	764	
11	12	13	13	20	30	23	30	26	35	33	52	50	65	40	44	26	C14
7	4	4	2	1	3	2	4	3	4	8	7	4	1	2	2	2	
18	16	17	15	21	33	25	34	29	39	41	59	54	66	42	46	28	
68	66	46	68	55	64	74	80	102	87	97	100	100	92	102	114	108	C07-C08
47	45	50	47	46	50	45	49	66	69	95	71	54	89	77	93	72	
115	111	96	115	101	114	119	129	168	156	192	171	154	181	179	207	180	

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 69 至 96 年（續）

NUMERICAL COMPARISON OF CANCER FROM PRIMARY ANATOMIC SITES, 1980 TO 2007
(CONTINUED)

ICD-O-3	原發部位別 PRIMARY ANATOMIC SITES	年度 Year	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990
		性別 Gender											
C11	鼻咽 NASOPHARYNX	男 Male	818	873	706	756	778	743	703	720	795	843	736
		女 Female	319	299	314	318	320	308	295	321	294	306	289
		計 Total	1,137	1,172	1,020	1,074	1,098	1,051	998	1,041	1,089	1,149	1,025
C15-C26, C48	消化器官及腹膜 DIGESTIVE ORGANS AND PERITONEUM	男 Male	3,956	4,246	3,895	4,592	4,721	5,032	5,349	6,442	6,110	7,377	6,496
		女 Female	1,458	1,484	1,513	1,745	1,909	1,960	2,069	2,620	2,508	2,975	2,746
		計 Total	5,414	5,730	5,408	6,337	6,630	6,992	7,418	9,062	8,618	10,352	9,242
C15	食道 ESOPHAGUS	男 Male	437	440	395	447	430	408	460	465	459	525	467
		女 Female	41	63	39	54	50	43	42	51	42	55	56
		計 Total	478	503	434	501	480	451	502	516	501	580	523
C16	胃 STOMACH	男 Male	1,272	1,382	1,239	1,443	1,374	1,511	1,443	1,753	1,546	1,756	1,542
		女 Female	462	475	465	540	565	583	580	701	610	734	646
		計 Total	1,734	1,857	1,704	1,983	1,939	2,094	2,023	2,454	2,156	2,490	2,188
C17	小腸 SMALL INTESTINE	男 Male	33	24	26	23	36	31	45	56	44	71	57
		女 Female	26	14	18	22	28	21	25	39	41	49	29
		計 Total	59	38	44	45	64	52	70	95	85	120	86
C18-C21	結腸、直腸、乙狀結腸連 結部及肛門 COLON, RECTUM, RECTOSIGMOID JUNCTION AND ANUS	男 Male	923	935	884	945	1,052	1,097	1,221	1,498	1,370	1,733	1,526
		女 Female	628	612	643	703	765	831	870	1,072	1,085	1,193	1,157
		計 Total	1,551	1,547	1,527	1,648	1,817	1,928	2,091	2,570	2,455	2,926	2,683
C18	結腸 COLON	男 Male	444	505	470	477	550	571	627	776	738	910	811
		女 Female	317	327	368	381	390	460	490	570	601	651	607
		計 Total	761	832	838	858	940	1,031	1,117	1,346	1,339	1,561	1,418
C19-C21	直腸、乙狀結腸連結部 及肛門 RECTUM, RECTOSIGMOID JUNCTION AND ANUS	男 Male	479	430	414	468	502	526	594	722	632	823	715
		女 Female	311	285	275	322	375	371	380	502	484	542	550
		計 Total	790	715	689	790	877	897	974	1,224	1,116	1,365	1,265
C22	肝及肝內膽管 LIVER AND INTRAHEPATIC BILE DUCTS	男 Male	1,106	1,250	1,127	1,462	1,548	1,700	1,879	2,282	2,316	2,816	2,509
		女 Female	197	211	222	249	314	289	362	509	462	622	607
		計 Total	1,303	1,461	1,349	1,711	1,862	1,989	2,241	2,791	2,778	3,438	3,116
C23-C24	膽囊及肝外膽管 GALLBLADDER AND EXTRAHEPATIC BILE DUCTS	男 Male	52	66	57	65	74	81	90	112	117	151	129
		女 Female	42	38	50	49	74	73	75	81	87	110	90
		計 Total	94	104	107	114	148	154	165	193	204	261	219
C25	胰 PANCREAS	男 Male	108	127	138	166	170	178	180	225	219	269	222
		女 Female	48	54	45	90	86	91	90	124	136	153	124
		計 Total	156	181	183	256	256	269	270	349	355	422	346
C48	後腹膜腔及腹膜 RETROPERITONEUM AND PERITONEUM	男 Male	17	19	17	26	27	20	23	33	31	41	34
		女 Female	8	11	26	21	18	20	18	30	34	43	22
		計 Total	25	30	43	47	45	40	41	63	65	84	56

註：1. 自 96 年癌症登記報告起，惡性淋巴瘤從各部位獨立出來計算發生率，並納入排名。惡性淋巴瘤：ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643。

1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	ICD-O-3
843	911	923	897	931	958	997	1,044	1,017	1,068	1,043	1,077	1,135	1,144	1,135	1,107	1,167	C11
324	365	359	377	357	347	363	397	387	365	391	329	344	374	397	362	412	
1,167	1,276	1,282	1,274	1,288	1,305	1,360	1,441	1,404	1,433	1,434	1,406	1,479	1,518	1,532	1,469	1,579	
7,961	8,556	8,846	8,955	9,642	11,022	12,024	13,533	14,427	15,056	15,554	16,522	16,140	18,072	18,002	18,744	18,796	C15-C26, C48
3,644	3,998	4,125	4,346	4,549	5,346	6,131	6,735	7,342	7,734	7,965	8,451	8,475	9,560	9,542	10,019	9,933	
11,605	12,554	12,971	13,301	14,191	16,368	18,155	20,268	21,769	22,790	23,519	24,973	24,615	27,632	27,544	28,763	28,729	
559	598	610	636	659	790	819	870	916	997	1,167	1,192	1,242	1,427	1,426	1,637	1,685	C15
62	83	62	66	65	91	75	92	91	83	91	117	110	103	97	113	140	
621	681	672	702	724	881	894	962	1,007	1,080	1,258	1,309	1,352	1,530	1,523	1,750	1,825	
1,788	1,915	1,844	1,756	1,946	2,052	2,069	2,205	2,254	2,205	2,360	2,478	2,205	2,380	2,234	2,396	2,311	C16
865	869	828	824	900	1,019	1,118	1,077	1,123	1,137	1,135	1,205	1,136	1,291	1,236	1,265	1,301	
2,653	2,784	2,672	2,580	2,846	3,071	3,187	3,282	3,377	3,342	3,495	3,683	3,341	3,671	3,470	3,661	3,612	
63	69	81	65	70	89	105	116	127	138	139	158	153	157	172	163	190	C17
47	40	52	51	54	58	72	61	87	91	96	91	126	126	90	100	119	
110	109	133	116	124	147	177	177	214	229	235	249	279	283	262	263	309	
1,957	2,245	2,395	2,512	2,549	3,062	3,309	3,772	4,062	4,343	4,303	4,709	4,719	5,571	5,601	5,843	6,040	C18-C21
1,503	1,662	1,814	1,884	1,920	2,267	2,520	2,878	3,036	3,285	3,303	3,489	3,589	4,201	4,207	4,503	4,471	
3,460	3,907	4,209	4,396	4,469	5,329	5,829	6,650	7,098	7,628	7,606	8,198	8,308	9,772	9,808	10,346	10,511	
1,005	1,151	1,233	1,321	1,313	1,675	1,714	2,019	2,218	2,382	2,329	2,581	2,503	3,101	3,116	3,278	3,441	C18
787	915	999	1,003	1,091	1,306	1,383	1,622	1,770	1,859	1,901	1,962	2,074	2,439	2,559	2,669	2,686	
1,792	2,066	2,232	2,324	2,404	2,981	3,097	3,641	3,988	4,241	4,230	4,543	4,577	5,540	5,675	5,947	6,127	
952	1,094	1,162	1,191	1,236	1,387	1,595	1,753	1,844	1,961	1,974	2,128	2,216	2,470	2,485	2,565	2,599	C19-C21
716	747	815	881	829	961	1,137	1,256	1,266	1,426	1,402	1,527	1,515	1,762	1,648	1,834	1,785	
1,668	1,841	1,977	2,072	2,065	2,348	2,732	3,009	3,110	3,387	3,376	3,655	3,731	4,232	4,133	4,399	4,384	
3,098	3,175	3,287	3,421	3,793	4,329	4,946	5,691	6,118	6,336	6,545	6,899	6,706	7,355	7,470	7,406	7,210	C22
814	961	944	1,080	1,189	1,380	1,749	1,976	2,273	2,371	2,557	2,655	2,670	2,913	2,915	3,044	2,900	
3,912	4,136	4,231	4,501	4,982	5,709	6,695	7,667	8,391	8,707	9,102	9,554	9,376	10,268	10,385	10,450	10,110	
157	145	230	193	211	215	236	289	311	327	325	365	357	431	368	393	439	C23-C24
140	149	192	179	185	199	238	244	282	290	304	352	292	339	364	370	365	
297	294	422	372	396	414	474	533	593	617	629	717	649	770	732	763	804	
280	346	342	313	360	414	459	518	556	636	641	641	691	674	662	827	819	C25
164	179	179	198	184	276	299	330	370	378	389	462	478	500	535	548	561	
444	525	521	511	544	690	758	848	926	1,014	1,030	1,103	1,169	1,174	1,197	1,375	1,380	
44	46	39	45	39	57	65	62	73	58	59	71	54	65	59	69	83	C48
33	39	37	42	38	50	51	65	59	77	65	71	63	73	82	64	57	
77	85	76	87	77	107	116	127	132	135	124	142	117	138	141	133	140	

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 69 至 96 年（續）

NUMERICAL COMPARISON OF CANCER FROM PRIMARY ANATOMIC SITES, 1980 TO 2007
(CONTINUED)

ICD-O-3	原發部位別 PRIMARY ANATOMIC SITES	年度 Year	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990
		性別 Gender											
C26	消化器官之其他部位及 與腹膜間分界不明部位 OTHER AND ILL-DEFINED SITES WITHIN DIGESTIVE ORGANS AND PERITONEUM	男 Male	8	3	12	15	10	6	8	18	8	15	10
		女 Female	6	6	5	16	9	9	7	13	11	16	15
		計 Total	14	9	17	31	19	15	15	31	19	31	25
C30-C39	呼吸系統及胸腔內器官 RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS	男 Male	1,663	1,695	1,574	1,772	1,849	1,984	2,089	2,457	2,344	2,750	2,472
		女 Female	483	523	473	603	575	656	699	860	792	1,015	924
		計 Total	2,146	2,218	2,047	2,375	2,424	2,640	2,788	3,317	3,136	3,765	3,396
C30-C31	鼻腔、副竇、中耳及內耳 NASAL CAVITIES, ACCESSORY SINUSES, MIDDLE EAR AND INNER EAR	男 Male	57	74	63	73	71	69	45	74	91	72	75
		女 Female	24	46	34	41	24	38	30	46	34	38	36
		計 Total	81	120	97	114	95	107	75	120	125	110	111
C32	喉 LARYNX	男 Male	181	188	216	193	185	211	234	293	255	250	224
		女 Female	10	19	14	11	11	14	13	24	11	22	11
		計 Total	191	207	230	204	196	225	247	317	266	272	235
C33-C34	肺、支氣管及氣管 TRACHEA, BRONCHUS AND LUNG	男 Male	1,403	1,408	1,270	1,481	1,557	1,661	1,750	2,039	1,930	2,370	2,101
		女 Female	435	447	408	524	527	581	631	758	722	920	845
		計 Total	1,838	1,855	1,678	2,005	2,084	2,242	2,381	2,797	2,652	3,290	2,946
C38.4	胸膜 PLEURA	男 Male	4	4	7	6	2	1	12	11	19	18	14
		女 Female	1	2	2	6	2	6	8	9	7	11	5
		計 Total	5	6	9	12	4	7	20	20	26	29	19
C37-C38.3, C38.8	胸腺、心臟及縱膈 THYMUS, HEART AND MEDIASTINUM	男 Male	18	21	18	19	34	42	48	39	49	39	58
		女 Female	13	9	15	21	10	17	17	23	18	24	27
		計 Total	31	30	33	40	44	59	65	62	67	63	85
C39	呼吸系統及胸腔器官之 其他分界不明之部位 OTHER AND ILL-DEFINED SITES WITHIN RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS	男 Male	-	-	-	-	-	-	-	1	-	1	-
		女 Female	-	-	-	-	1	-	-	-	-	-	-
		計 Total	-	-	-	-	1	-	-	1	-	1	-
C42	造血系統及網狀內皮系 統（白血病除外） HEMATOPOIETIC AND RETICULOENDOTHELIAL SYSTEMS (excludes LEUKEMIA)	男 Male	97	80	87	83	68	79	91	116	167	138	122
		女 Female	52	48	61	64	53	55	66	81	75	84	77
		計 Total	149	128	148	147	121	134	157	197	242	222	199
C42 ³	白血病 LEUKEMIA	男 Male	279	292	299	304	302	298	289	341	280	334	329
		女 Female	179	227	180	172	204	186	222	248	198	264	216
		計 Total	458	519	479	476	506	484	511	589	478	598	545
C40-C41	骨、關節及關節軟骨 BONES, JOINTS AND ARTICULAR CARTILAGE	男 Male	81	54	49	45	63	42	57	65	91	107	62
		女 Female	35	29	33	36	34	44	37	54	61	73	47
		計 Total	116	83	82	81	97	86	94	119	152	180	109
C47, C49	結締組織、軟組織及其他 皮下組織 CONNECTIVE, SUBCUTANEOUS AND OTHER SOFT TISSUES	男 Male	39	59	60	72	78	85	76	91	84	108	94
		女 Female	33	42	45	29	39	49	47	48	76	70	60
		計 Total	72	101	105	101	117	134	123	139	160	178	154

註：1. 自 96 年癌症登記報告起，惡性淋巴瘤從各部位獨立出來計算發生率，並納入排名。惡性淋巴瘤：ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643。

3. 白血病：ICD-O-3 M-98003 - M-99643、M-99803 - M-99893。

1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	ICD-O-3
15	17	18	14	15	14	16	10	10	16	15	9	13	12	10	10	19	C26
16	16	16	22	14	6	9	11	21	23	25	9	11	14	16	12	19	
31	33	34	36	29	20	25	21	31	39	40	18	24	26	26	22	38	
2,995	3,294	3,337	3,532	3,635	4,242	4,467	4,836	5,247	5,619	5,528	5,657	5,680	6,473	6,558	6,725	6,738	C30-C39
1,160	1,236	1,259	1,335	1,378	1,660	1,768	2,003	2,221	2,282	2,403	2,604	2,560	2,855	3,018	3,263	3,327	
4,155	4,530	4,596	4,867	5,013	5,902	6,235	6,839	7,468	7,901	7,931	8,261	8,240	9,328	9,576	9,988	10,065	
74	100	73	86	85	80	100	73	100	131	99	100	93	109	112	130	109	C30-C31
54	55	51	39	26	41	40	47	48	61	48	55	50	53	33	57	41	
128	155	124	125	111	121	140	120	148	192	147	155	143	162	145	187	150	
278	319	284	344	357	369	393	394	430	483	501	511	459	525	530	536	534	C32
22	19	15	18	19	30	29	15	24	24	23	26	26	32	20	36	25	
300	338	299	362	376	399	422	409	454	507	524	537	485	557	550	572	559	
2,571	2,792	2,884	3,025	3,102	3,672	3,856	4,273	4,588	4,862	4,793	4,923	4,986	5,694	5,765	5,890	5,898	C33-C34
1,055	1,100	1,138	1,228	1,282	1,523	1,642	1,863	2,084	2,123	2,258	2,439	2,396	2,676	2,859	3,060	3,161	
3,626	3,892	4,022	4,253	4,384	5,195	5,498	6,136	6,672	6,985	7,051	7,362	7,382	8,370	8,624	8,950	9,059	
6	13	10	6	14	13	15	16	16	21	14	20	23	19	21	37	45	C38.4
4	14	5	3	4	7	5	5	4	7	8	9	6	4	11	16	10	
10	27	15	9	18	20	20	21	20	28	22	29	29	23	32	53	55	
66	68	84	71	77	108	103	80	113	122	121	103	119	126	130	132	152	C37-C38.3,
24	48	50	46	47	59	52	73	61	67	66	75	82	90	95	94	90	C38.8
90	116	134	117	124	167	155	153	174	189	187	178	201	216	225	226	242	
-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	C39
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
170	139	160	149	151	173	159	194	204	225	247	203	219	219	215	243	222	C42³
95	82	91	90	72	95	117	104	119	132	130	126	140	155	159	159	170	
265	221	251	239	223	268	276	298	323	357	377	329	359	374	374	402	392	
365	363	420	431	474	472	490	508	551	599	599	831	851	870	921	895	915	C42
250	285	286	321	337	351	362	391	385	437	427	561	547	600	637	626	598	
615	648	706	752	811	823	852	899	936	1,036	1,026	1,392	1,398	1,470	1,558	1,521	1,513	
85	91	86	86	86	93	87	97	88	82	93	88	71	85	114	78	84	C40-C41
73	74	70	46	63	66	62	65	56	75	71	76	49	68	73	72	73	
158	165	156	132	149	159	149	162	144	157	164	164	120	153	187	150	157	
112	99	112	126	150	156	145	183	189	204	241	242	195	229	221	241	252	C47, C49
70	89	107	98	85	132	134	140	160	163	139	157	185	189	177	165	157	
182	188	219	224	235	288	279	323	349	367	380	399	380	418	398	406	409	

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 69 至 96 年（續）

NUMERICAL COMPARISON OF CANCER FROM PRIMARY ANATOMIC SITES, 1980 TO 2007
(CONTINUED)

ICD-O-3	原發部位別 PRIMARY ANATOMIC SITES	年度 Year	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990
		性別 Gender											
C44	皮膚 SKIN	男 Male	178	167	192	283	250	289	257	278	288	367	329
		女 Female	85	114	93	197	165	213	139	202	214	280	267
		計 Total	263	281	285	480	415	502	396	480	502	647	596
C44 ⁴	皮膚，惡性黑色素瘤 SKIN, MALIGNANT MELANOMA	男 Male	12	8	17	35	26	32	28	27	22	33	37
		女 Female	13	15	7	14	14	20	13	25	16	24	25
		計 Total	25	23	24	49	40	52	41	52	38	57	62
C44	皮膚，非惡性黑色素瘤 SKIN (excludes MALIGNANT MELANOMA)	男 Male	166	159	175	248	224	257	229	251	266	334	292
		女 Female	72	99	86	183	151	193	126	177	198	256	242
		計 Total	238	258	261	431	375	450	355	428	464	590	534
C50	女性乳房 FEMALE BREAST	女 Female	787	896	910	1,072	1,069	1,172	1,142	1,307	1,415	1,699	1,607
C50	男性乳房 MALE BREAST	男 Male	1	2	6	15	15	17	7	10	5	7	10
C51-C58	女性生殖器官 FEMALE GENITAL ORGANS	女 Female	2,173	2,097	2,165	2,711	2,667	2,719	2,391	2,612	2,613	2,890	2,539
C55	子宮，未明示部位 UTERUS, NOS	女 Female	26	25	27	35	30	30	25	40	53	55	35
C53	子宮頸 CERVIX UTERI	女 Female	1,829	1,768	1,798	2,275	2,255	2,273	1,912	2,070	2,063	2,170	1,917
C54	子宮體 CORPUS UTERI	女 Female	98	88	94	120	123	162	155	141	163	212	179
C56, C57.0-C57.4	卵巢、輸卵管及寬韌帶 OVARY, FALLOPIAN TUBE AND BROAD LIGAMENT	女 Female	162	156	176	202	179	192	246	311	265	374	335
C51-C52, C57.7-C57.9	陰道、外陰部及其他未詳 細說明之女性生殖器官 VAGINA, VULVA, OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	女 Female	58	60	70	79	80	62	53	50	69	79	73
C60-C63	男性生殖器官 MALE GENITAL ORGANS	男 Male	242	197	219	299	305	344	333	455	453	590	574

註：1. 自 96 年癌症登記報告起，惡性淋巴瘤從各部位獨立出來計算發生率，並納入排名。惡性淋巴瘤：ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643。

4. 皮膚，惡性黑色素瘤：ICD-O-3 C44，M-87203 - M-87903。

1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	ICD-O-3
392	459	452	532	483	646	715	806	904	887	978	1,124	953	1,207	1,130	1,286	1,314	C44
301	370	377	421	450	540	625	742	724	759	864	916	794	993	1,070	1,106	1,113	
693	829	829	953	933	1,186	1,340	1,548	1,628	1,646	1,842	2,040	1,747	2,200	2,200	2,392	2,427	
40	51	50	49	37	72	60	76	90	79	85	99	72	98	91	100	106	C44 ⁴
31	46	41	38	43	53	64	70	76	79	75	77	70	89	80	76	86	
71	97	91	87	80	125	124	146	166	158	160	176	142	187	171	176	192	
352	408	402	483	446	574	655	730	814	808	893	1,025	881	1,109	1,039	1,186	1,208	C44
270	324	336	383	407	487	561	672	648	680	789	839	724	904	990	1,030	1,027	
622	732	738	866	853	1,061	1,216	1,402	1,462	1,488	1,682	1,864	1,605	2,013	2,029	2,216	2,235	
1,979	2,258	2,383	2,502	2,844	3,102	3,607	3,785	4,499	4,639	4,860	5,049	5,307	6,277	6,674	6,957	7,502	C50
14	19	18	20	18	12	23	24	28	25	27	40	31	48	48	46	35	C50
3,073	3,335	3,352	3,266	3,436	3,973	4,080	4,322	4,359	4,439	4,164	3,880	3,878	4,274	4,089	4,164	4,126	C51-C58
43	33	23	35	17	5	7	10	11	11	6	4	2	7	6	7	11	C55
2,276	2,479	2,460	2,352	2,455	2,925	2,858	2,966	2,938	2,894	2,539	2,181	2,074	2,342	2,002	1,850	1,749	C53
260	306	319	325	340	397	492	547	550	623	713	782	807	914	1,015	1,171	1,165	C54
414	407	461	478	513	547	630	676	729	785	787	807	846	883	924	1,017	1,047	C56, C57.0-C57.4
80	110	89	76	111	99	93	123	131	126	119	106	149	128	142	119	154	C51-C52 C57.7-C57.9
709	793	933	950	1,150	1,360	1,655	1,912	2,160	2,293	2,359	2,612	2,506	3,032	3,017	3,373	3,588	C60-C63

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 69 至 96 年（續）

NUMERICAL COMPARISON OF CANCER FROM PRIMARY ANATOMIC SITES, 1980 TO 2007
(CONTINUED)

ICD-O-3	原發部位別 PRIMARY ANATOMIC SITES	年度 Year	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990
		性別 Gender											
C61	攝護腺 PROSTATE GLAND	男 Male	147	139	142	204	216	271	261	351	362	485	480
C62	睪丸 TESTIS	男 Male	37	28	40	51	36	40	38	50	45	54	34
C60,C63	陰莖及其他男性生殖器 官 PENIS AND OTHER MALE GENITAL ORGANS	男 Male	58	30	37	44	53	33	34	54	46	51	60
C64-C68	泌尿器官 URINARY TRACT	男 Male	433	441	469	534	526	648	620	781	706	899	869
		女 Female	186	188	188	232	216	263	241	309	346	420	410
		計 Total	619	629	657	766	742	911	861	1,090	1,052	1,319	1,279
C67	膀胱 BLADDER	男 Male	295	306	333	394	381	424	411	502	477	592	569
		女 Female	87	99	109	139	112	159	136	178	170	205	193
		計 Total	382	405	442	533	493	583	547	680	647	797	762
C64-C66, C68	腎及其他泌尿器官 KIDNEY AND OTHER URINARY TRACT	男 Male	138	135	136	140	145	224	209	279	229	307	300
		女 Female	99	89	79	93	104	104	105	131	176	215	217
		計 Total	237	224	215	233	249	328	314	410	405	522	517
C64	腎 KIDNEY	男 Male	67	65	71	71	66	120	108	132	133	143	159
		女 Female	44	39	36	39	47	45	55	61	81	93	96
		計 Total	111	104	107	110	113	165	163	193	214	236	255
C65-C66, C68	腎盂及其他泌尿器官 (膀胱、腎除外) RENAL PELVIS AND OTHER URINARY TRACT (excludes bladder and kidney)	男 Male	71	70	65	69	79	104	101	147	96	164	141
		女 Female	55	50	43	54	57	59	50	70	95	122	121
		計 Total	126	120	108	123	136	163	151	217	191	286	262
C69	眼及淚腺 EYE AND LACRIMAL GLAND	男 Male	29	30	17	23	18	19	21	23	23	22	22
		女 Female	10	31	28	25	13	15	14	18	17	19	25
		計 Total	39	61	45	48	31	34	35	41	40	41	47
C70-C72	中樞神經系統 BRAIN AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM	男 Male	141	171	170	183	170	171	205	227	208	253	258
		女 Female	84	116	109	121	113	119	140	179	174	184	169
		計 Total	225	287	279	304	283	290	345	406	382	437	427
C71	腦 BRAIN	男 Male	115	162	158	168	158	159	185	203	199	233	239
		女 Female	75	106	102	108	104	105	129	167	150	166	155
		計 Total	190	268	260	276	262	264	314	370	349	399	394
C70, C72	其他神經系統及未詳細 說明部位 OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM	男 Male	26	9	12	15	12	12	20	24	9	20	19
		女 Female	9	10	7	13	9	14	11	12	24	18	14
		計 Total	35	19	19	28	21	26	31	36	33	38	33

註：1. 自 96 年癌症登記報告起，惡性淋巴瘤從各部位獨立出來計算發生率，並納入排名。惡性淋巴瘤：ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643。

1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	ICD-O-3
597	669	801	816	1,012	1,237	1,531	1,761	1,993	2,112	2,175	2,395	2,291	2,820	2,795	3,126	3,367	C61
59	66	68	79	84	59	63	80	95	105	102	119	111	123	133	155	142	C62
53	58	64	55	54	64	61	71	72	76	82	98	104	89	89	92	79	C60,C63
1,026	1,159	1,192	1,350	1,314	1,521	1,707	1,832	2,092	1,998	2,173	2,129	2,196	2,365	2,412	2,484	2,546	C64-C68
458	537	612	667	646	748	949	991	1,120	1,208	1,221	1,208	1,326	1,353	1,397	1,518	1,476	
1,484	1,696	1,804	2,017	1,960	2,269	2,656	2,823	3,212	3,206	3,394	3,337	3,522	3,718	3,809	4,002	4,022	
667	751	751	834	805	950	1,063	1,151	1,294	1,246	1,290	1,281	1,305	1,436	1,390	1,428	1,457	C67
237	263	289	310	291	348	432	412	476	492	524	507	533	541	544	592	593	
904	1,014	1,040	1,144	1,096	1,298	1,495	1,563	1,770	1,738	1,814	1,788	1,838	1,977	1,934	2,020	2,050	
359	408	441	516	509	571	644	681	798	752	883	848	891	929	1,022	1,056	1,089	C64-C66
221	274	323	357	355	400	517	579	644	716	697	701	793	812	853	926	883	C68
580	682	764	873	864	971	1,161	1,260	1,442	1,468	1,580	1,549	1,684	1,741	1,875	1,982	1,972	
184	214	206	266	263	289	318	328	377	380	413	403	407	435	503	489	522	C64
85	112	117	133	151	164	198	213	205	216	200	212	228	254	264	275	276	
269	326	323	399	414	453	516	541	582	596	613	615	635	689	767	764	798	
175	194	235	250	246	282	326	353	421	372	470	445	484	494	519	567	567	C65-C66
136	162	206	224	204	236	319	366	439	500	497	489	565	558	589	651	607	C68
311	356	441	474	450	518	645	719	860	872	967	934	1,049	1,052	1,108	1,218	1,174	
31	27	24	26	25	23	24	24	30	39	34	35	20	30	29	29	28	C69
27	27	24	22	30	19	21	20	24	29	33	14	18	16	18	21	22	
58	54	48	48	55	42	45	44	54	68	67	49	38	46	47	50	50	
311	290	326	341	286	325	349	328	403	388	388	385	356	372	359	391	365	C70-C72
210	213	202	219	200	228	227	276	264	300	296	260	245	290	295	310	278	
521	503	528	560	486	553	576	604	667	688	684	645	601	662	654	701	643	
283	265	288	313	272	310	323	292	372	358	351	339	325	346	323	353	330	C71
190	193	178	200	174	204	204	251	242	264	270	227	213	256	251	283	242	
473	458	466	513	446	514	527	543	614	622	621	566	538	602	574	636	572	
28	25	38	28	14	15	26	36	31	30	37	46	31	26	36	38	35	C70, C72
20	20	24	19	26	24	23	25	22	36	26	33	32	34	44	27	36	
48	45	62	47	40	39	49	61	53	66	63	79	63	60	80	65	71	

表十之一 台灣癌症申報發生人數按原發部位、性別及報告年分類，民國 69 至 96 年（續完）
 NUMERICAL COMPARISON OF CANCER FROM PRIMARY ANATOMIC SITES, 1980 TO 2007
 (CONTINUED)

ICD-O-3	原發部位別 PRIMARY ANATOMIC SITES	年度 Year	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990
		性別 Gender											
C73	甲狀腺 THYROID GLAND	男 Male	48	61	82	63	81	77	77	94	78	87	113
		女 Female	176	160	169	202	221	276	238	313	285	353	339
		計 Total	224	221	251	265	302	353	315	407	363	440	452
C74-C75	其他內分泌腺 OTHER ENDOCRINE GLANDS	男 Male	9	12	11	10	17	24	19	23	24	19	16
		女 Female	1	9	8	7	7	5	10	20	19	13	17
		計 Total	10	21	19	17	24	29	29	43	43	32	33
C76	其他分界不明的部位 OTHER AND ILL-DEFINED SITES	男 Male	65	68	43	38	30	31	36	92	50	57	53
		女 Female	33	44	42	29	15	32	29	60	65	75	34
		計 Total	98	112	85	67	45	63	65	152	115	132	87
C80	不明原發部位 UNKNOWN PRIMARY SITES	男 Male	190	115	68	39	40	90	103	169	142	300	252
		女 Female	129	85	43	44	51	61	86	131	117	196	175
		計 Total	319	200	111	83	91	151	189	300	259	496	427
	惡性淋巴瘤 MALIGNANT LYMPHOMA (ICD-O-3 M-95903 - M-97293、 M-97503 - M-97583、M-97643)	男 Male	263	252	257	256	320	321	353	426	313	385	350
		女 Female	160	169	166	159	159	181	203	226	167	208	207
		計 Total	423	421	423	415	479	502	556	652	480	593	557

註：1. 自 96 年癌症登記報告起，惡性淋巴瘤從各部位獨立出來計算發生率，並納入排名。惡性淋巴瘤：ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643。

5. 本表之數值與歷年出版之年報略有差異，此因癌症資料庫隨時保持最新狀態，若有任何異動或以往尚未入檔之個案，癌症小組會隨時加以更新。

1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	ICD-O-3
136	194	196	183	180	201	194	234	221	289	270	368	309	354	376	421	430	C73
472	591	663	593	627	696	769	890	998	959	1,005	1,095	999	1,193	1,167	1,271	1,407	
608	785	859	776	807	897	963	1,124	1,219	1,248	1,275	1,463	1,308	1,547	1,543	1,692	1,837	
32	34	24	31	34	29	43	35	37	50	33	47	29	40	33	27	30	C74-C75
29	25	17	22	21	28	32	28	29	29	27	26	34	25	22	29	29	
61	59	41	53	55	57	75	63	66	79	60	73	63	65	55	56	59	
58	67	53	43	28	4	6	2	6	9	3	2	3	3	2	6	10	C76
65	55	44	30	32	9	7	3	5	7	3	5	1	6	6	3	5	
123	122	97	73	60	13	13	5	11	16	6	7	4	9	8	9	15	
283	360	398	468	461	512	527	638	680	712	615	634	631	587	608	602	529	C80
246	252	286	308	313	370	370	431	435	470	446	428	463	397	405	453	407	
529	612	684	776	774	882	897	1,069	1,115	1,182	1,061	1,062	1,094	984	1,013	1,055	936	
438	541	602	578	608	743	663	746	806	818	934	958	1,023	1,032	1,102	1,158	1,167	
245	341	351	359	371	434	483	544	487	555	658	724	728	777	763	836	880	
683	882	953	937	979	1,177	1,146	1,290	1,293	1,373	1,592	1,682	1,751	1,809	1,865	1,994	2,047	

表十之二 台灣白血病及惡性淋巴瘤申報發生人數按性別及報告年分類，民國 69 至 96 年
 NUMERICAL COMPARISON OF LEUKEMIA AND LYMPHOMA, 1980 TO 2007

白血病及惡性淋巴瘤 HEMATOPOIETIC AND LYMPHOID TUMORS	性別 Gender	年度 Year										
		1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990
白血病 LEUKEMIA (ICD-O-3 M-98003 - M-99643、M-99803 - M-99893)	男 Male	279	292	299	304	302	298	289	341	280	334	329
	女 Female	179	227	180	172	204	186	222	248	198	264	216
	計 Total	458	519	479	476	506	484	511	589	478	598	545
急性淋巴芽細胞白血病 ACUTE LYMPHOBLASTIC LEUKEMIA (ICD-O-3 M-98353 - M-98373)	男 Male	80	108	98	109	118	114	94	93	59	104	74
	女 Female	61	83	62	69	79	76	93	66	42	60	55
	計 Total	141	191	160	178	197	190	187	159	101	164	129
慢性淋巴球白血病 CHRONIC LYMPHOCYTIC LEUKEMIA (ICD-O-3 M-98233)	男 Male	9	10	10	10	12	8	15	12	12	13	14
	女 Female	-	5	3	-	5	5	4	5	3	4	2
	計 Total	9	15	13	10	17	13	19	17	15	17	16
急性骨髓樣白血病 ACUTE MYELOID LEUKEMIA (ICD-O-3 M-98403、M-98613、M-98663、M-98673、 M-98713 - M-98743、M-98953 - M-98973、M-99203)	男 Male	94	78	111	98	89	102	90	114	103	111	109
	女 Female	68	78	66	56	73	58	54	88	87	103	91
	計 Total	162	156	177	154	162	160	144	202	190	214	200
慢性骨髓樣白血病 CHRONIC MYELOID LEUKEMIA (ICD-O-3 M-98633、M-98753、M-98763、M-99453、 M-99463、M-99633)	男 Male	42	41	36	48	45	35	33	63	43	37	46
	女 Female	16	18	21	21	18	19	28	30	24	34	27
	計 Total	58	59	57	69	63	54	61	93	67	71	73
其他類型白血病 ⁶ LEUKEMIA excludes Acute lymphoblastic leukemia, Chronic lymphocytic leukemia, acute myeloid leukemia and Chronic myeloid leukemia	男 Male	54	55	44	39	38	39	57	59	63	69	86
	女 Female	34	43	28	26	29	28	43	59	42	63	41
	計 Total	88	98	72	65	67	67	100	118	105	132	127
惡性淋巴瘤 MALIGNANT LYMPHOMA (ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、 M-97643)	男 Male	263	252	257	256	320	321	353	426	313	385	350
	女 Female	160	169	166	159	159	181	203	226	167	208	207
	計 Total	423	421	423	415	479	502	556	652	480	593	557
何杰金氏淋巴瘤 HODGKIN LYMPHOMA (ICD-O-3 M-96503 - M-96673)	男 Male	38	28	37	33	34	33	31	54	20	24	25
	女 Female	13	19	14	11	11	12	15	25	13	18	17
	計 Total	51	47	51	44	45	45	46	79	33	42	42
非何杰金氏淋巴瘤 NON-HODGKIN LYMPHOMA (ICD-O-3 M-95903 - M-95963、M-96703 - M-97293、 M-97503 - M-97583、M-97643)	男 Male	214	212	206	215	273	279	313	362	284	351	318
	女 Female	141	139	143	137	143	158	181	197	145	178	186
	計 Total	355	351	349	352	416	437	494	559	429	529	504

註：1. 自 96 年癌症登記報告起，惡性淋巴瘤從各部位獨立出來計算發生率，並納入排名。惡性淋巴瘤：ICD-O-3 M-95903 - M-97293、M-97503 - M-97583、M-97643。

5. 本表之數值與歷年出版之年報略有差異，此因癌症資料庫隨時保持最新狀態，若有任何異動或以往尚未入檔之個案，癌症小組會隨時加以更新。

6. 其他類型白血病⁶：除急性淋巴芽細胞白血病、慢性淋巴球白血病、急性骨髓樣白血病、慢性骨髓樣白血病外之所有白血病代碼。

1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
365	363	420	431	474	472	490	508	551	599	599	831	851	870	921	895	915
250	285	286	321	337	351	362	391	385	437	427	561	547	600	637	626	598
615	648	706	752	811	823	852	899	936	1,036	1,026	1,392	1,398	1,470	1,558	1,521	1,513
84	98	123	115	129	115	111	128	144	125	138	140	129	131	136	125	125
77	90	86	110	87	80	96	108	100	118	99	108	93	97	110	99	98
161	188	209	225	216	195	207	236	244	243	237	248	222	228	246	224	223
19	16	27	26	40	38	38	36	39	36	52	54	57	65	65	60	70
2	16	11	12	11	16	9	17	20	23	20	26	28	41	35	34	26
21	32	38	38	51	54	47	53	59	59	72	80	85	106	100	94	96
119	120	129	154	178	202	195	182	203	243	210	293	285	323	326	339	373
90	91	94	103	134	140	150	141	144	177	173	202	204	225	246	236	253
209	211	223	257	312	342	345	323	347	420	383	495	489	548	572	575	626
62	55	69	59	54	55	73	87	70	85	93	122	124	107	115	126	111
38	25	37	38	39	46	46	50	47	54	54	63	70	78	59	85	71
100	80	106	97	93	101	119	137	117	139	147	185	194	185	174	211	182
81	74	72	77	73	62	73	75	95	110	106	222	256	244	279	245	236
43	63	58	58	66	69	61	75	74	65	81	162	152	159	187	172	150
124	137	130	135	139	131	134	150	169	175	187	384	408	403	466	417	386
438	541	602	578	608	743	663	746	806	818	934	958	1,023	1,032	1,102	1,158	1,167
245	341	351	359	371	434	483	544	487	555	658	724	728	777	763	836	880
683	882	953	937	979	1,177	1,146	1,290	1,293	1,373	1,592	1,682	1,751	1,809	1,865	1,994	2,047
33	30	30	35	37	28	43	48	46	46	59	80	75	85	69	89	82
22	23	20	16	13	20	24	35	30	31	34	47	53	47	47	51	63
55	53	50	51	50	48	67	83	76	77	93	127	128	132	116	140	145
399	504	570	536	564	711	616	694	754	766	862	878	948	947	1,033	1,069	1,085
221	314	328	340	354	411	452	503	454	523	622	677	675	730	716	785	817
620	818	898	876	918	1,122	1,068	1,197	1,208	1,289	1,484	1,555	1,623	1,677	1,749	1,854	1,902